

AZzardo[®]



New collection 2022

AZzardo[®]

DECORATIVE

www.azzardolighting.com




decorative

Amber Milano	22	Silver Ball.	28
Brighton	12	Solen 6	2
Cortega.	9	Solvent R Pendant CCT SMART.	54
Cream SMART	58	Solvent R Top CCT SMART	52
Davinci	32	Solvent S Pendant CCT SMART.	50
Flash 130.	21	Solvent S Top CCT SMART	48
Halo	11	Sovana Pendant CCT SMART	57
Halo Top	10	Sovana Top CCT SMART	56
Helena	24	Sybilla	26
Helios 6.	3	Thin CCT SMART	62
Lenox 40 SMART	64	Trinton	31
Norman.	20	Veneti.	34
Opera.	19	Vera	30
Oviedo	8	Vinca	36
Sandra	6	Waves	18
Santander	4	Zyta	14

Solen 6

new

2



Solen 6

AZ4700

(black/gold)

E14 6x Max 40W
metal/glass



HELIOS 6

3


new



1 BLACK



2 GOLD



Helios 6

- 1 AZ4698 (black)
- 2 AZ4699 (gold)

E14 6x Max 40W
metal/glass

AZzardo®

Santander

new


4



1 BLACK




2 GOLD



Santander

5

new



Santander

- ❶ **AZ4418** (black)
- ❷ **AZ4419** (gold)

G9 4x Max 5W
metal/glass

AZzardo®



Sandra

DIMM

new

6



1 BLACK

new




2 WHITE

new




3 GOLD




Sandra
DIMM

7

new

**Sandra 1 dimm** LED**AZ3351**

(black)

LED 36W 3600lm 3000K dimmable
glass/acrylic**Sandra 3 dimm** LED

- 1 **AZ3352** (black)
- new 2 **AZ4426** (white)
- new 3 **AZ4427** (gold)

LED 48W 4800lm DIMM 3000K
metal/glass

AZZARDO®


Oviedo

new


8



1 BLACK / BLACK




2 GOLD / BLACK



Oviedo 6

- 1 AZ4420 (black/black)
- 2 AZ4421 (gold/black)

G9 6x Max 5W
metal glass



Oviedo 8

- 1 AZ4422 (black/black)
- 2 AZ4423 (gold/black)

G9 8x Max 5W
metal glass



Cortega

9


new



1 BLACK



2 GOLD



Cortega

- 1 AZ4424 (black)
- 2 AZ4425 (gold)

G9 3x Max 5W
metal glass



AZzardo®



Halo TOP

new

10

new




1 BLACK

new




2 GOLD



Halo 60 Top

- 1 AZ4701 (black)
- 2 AZ4702 (gold)

LED 42W 3600lm 3000K-6000K
metal/acryl



Halo 80 Top

- 1 AZ4703 (black)
- 2 AZ4704 (gold)

LED 55W 4700lm 3000K-6000K
metal/acryl



AZzardo[®]



Halo

11


new



1 BLACK




2 GOLD



Halo 40 Wall

- 1 AZ4705 (black)
- 2 AZ4706 (gold)

LED 28W 2200lm 3000K-6000K
metal/acryl



Halo Pendant 100+80+60


- 1 AZ4707 (black)
- 2 AZ4708 (gold)

LED 130W 11100lm 3000K
aluminium/acrylic

Brighton

new

12



Brighton 3 LED

- 1 AZ1609 (chrome)
- new 2 AZ4428 (black)
- new 3 AZ4429 (gold)

LED 55W 3300lm
3000K
metal crystals



AZzardo[®]



Brighton


13

new



1 CHROME

new



2 BLACK

new



3 GOLD

Zyta

new

14



1 WHITE



2 BLACK



3 GREY



4 BLACK/ALU




ZYTA 2 S + SHADE ZA BK



ZYTA S TABLE + SHADE ZA BK




*Shades exchanging
not available for this lamp



Zyta Wall XS

- 1 AZ1533 (white)
- 2 AZ1565 (black)
- 3 AZ2491 (grey)

1x E27 MAX 60W
fabric/metal



Zyta Wall XS

- new 4 AZ4793 (black/alu black)


1x E27 MAX 60W
fabric/metal



Lamp bodies

Shades

Bodies + Shades



31÷130
12
70÷118

Zyta S Pendant

LAMP BODY


AZ1845 (black/alu)

E27 1x Max 60W
aluminium




Shade ZF GR

- AZ2598** Ø 20 (grey)
- AZ2601** Ø 26 (grey)
- AZ2583** Ø 30 (grey)
- AZ2604** Ø 36 (grey)



Zyta S Pendant

- | LAMP BODY | + | SHADES | |
|-----------------|---|---------------|----|
| • AZ1845 | + | AZ2601 | or |
| • AZ1845 | + | AZ2600 | or |
| • AZ1845 | + | AZ2602 | or |
| • AZ1845 | + | AZ2594 | or |
| • AZ1845 | + | AZ4779 | |



48÷92
48÷92

Zyta S Wall

LAMP BODY


AZ1844 (black/alu)

E27 1x Max 60W
aluminium



Shade ZF BK

- AZ2597** Ø 20 (black)
- AZ2600** Ø 26 (black)
- AZ2586** Ø 30 (black)
- AZ2603** Ø 36 (black)



Zyta S Wall

- | LAMP BODY | + | SHADES | |
|-----------------|---|---------------|----|
| • AZ1844 | + | AZ2598 | or |
| • AZ1844 | + | AZ2597 | or |
| • AZ1844 | + | AZ2599 | or |
| • AZ1844 | + | AZ2593 | or |
| • AZ1844 | + | AZ4778 | |



22÷115
70÷250

Zyta 2S Pendant

LAMP BODY


AZ1846 (black/alu)

E27 2x Max 60W
aluminium




Shade ZF WH

- AZ2599** Ø 20 (white)
- AZ2602** Ø 26 (white)
- AZ2588** Ø 30 (white)
- AZ2605** Ø 36 (white)



Zyta 2S Pendant

- | LAMP BODY | + | SHADES | |
|-----------------|---|------------------|----|
| • AZ1846 | + | 2x AZ2601 | or |
| • AZ1846 | + | 2x AZ2600 | or |
| • AZ1846 | + | 2x AZ2602 | or |
| • AZ1846 | + | 2x AZ2594 | or |
| • AZ4846 | + | 2x AZ4779 | |



48÷79
22
40÷60

Zyta S Table

LAMP BODY


AZ1848 (black/alu)

E27 1x Max 60W
aluminium




Shade ZA ALU

- AZ2593** Ø 18 (aluminium)
- AZ2594** Ø 23 (aluminium)
- AZ2596** Ø 33 (aluminium)



Zyta S Table

- | LAMP BODY | + | SHADES | |
|-----------------|---|---------------|----|
| • AZ1848 | + | AZ2598 | or |
| • AZ1848 | + | AZ2597 | or |
| • AZ1848 | + | AZ2599 | or |
| • AZ1848 | + | AZ2593 | or |
| • AZ1848 | + | AZ4778 | |



30÷162
15÷147

Zyta M Pendant

LAMP BODY


AZ1847 (black/alu)

E27 1x Max 60W
aluminium




Shade ZA BK

- new** **AZ4778** Ø 18 (aluminium)
- new** **AZ4779** Ø 23 (aluminium)
- new** **AZ4781** Ø 33 (aluminium)



Zyta M Pendant

- | LAMP BODY | + | SHADES | |
|-----------------|---|---------------|----|
| • AZ1847 | + | AZ2604 | or |
| • AZ1847 | + | AZ2603 | or |
| • AZ1847 | + | AZ2605 | or |
| • AZ1847 | + | AZ2596 | or |
| • AZ1847 | + | AZ4781 | |



128÷250
21
30÷127

Zyta Floor

LAMP BODY

AZ1849 (black/alu)

E27 1x Max 60W
aluminium



Zyta Floor

- | LAMP BODY | + | SHADES | |
|-----------------|---|---------------|----|
| • AZ1849 | + | AZ2604 | or |
| • AZ1849 | + | AZ2603 | or |
| • AZ1849 | + | AZ2605 | or |
| • AZ1849 | + | AZ2596 | or |
| • AZ1849 | + | AZ4781 | |

Zyta

new

16



1 WHITE



2 BLACK



3 GREY




4 BLACK/ALU




5 GOLD/ALU



*Shades exchanging
not available for this lamp



Ø 20



Ø 18

Zyta Wall XS

- new 1 **AZ4187** (black/gold white)
- new 2 **AZ4185** (black/gold black)

1x E27 MAX 60W
fabric/metal

Zyta Wall XS

- new 4 **AZ4792** (black/gold black)
- new 5 **AZ4186** (black/gold gold)


1x E27 MAX 60W
fabric/metal



Lamp bodies

Shades

Bodies + Shades



31÷130
12

Zyta S Pendant
LAMP BODY

new AZ4189 (black/gold)

E27 1x Max 60W
aluminium




48÷92

Zyta S Wall
LAMP BODY

new AZ4190 (black/gold)

E27 1x Max 60W
aluminium



22÷115

Zyta 2S Pendant
LAMP BODY

new AZ4191 (black/gold)

E27 2x Max 60W
aluminium




48÷79

Zyta S Table
LAMP BODY

new AZ4188 (black/gold)

22
40÷60

E27 1x Max 60W
aluminium




30÷162

Zyta M Pendant
LAMP BODY

new AZ4192 (black/gold)

15÷147

E27 1x Max 60W
aluminium



128÷250

Zyta Floor
LAMP BODY

new AZ4193 (black/gold)

21
30÷127

E27 1x Max 60W
aluminium



Shade ZF BK

- AZ2597** Ø 20 (black)
- AZ2600** Ø 26 (black)
- AZ2586** Ø 30 (black)
- AZ2603** Ø 36 (black)



Shade ZF WH

- AZ2599** Ø 20 (white)
- AZ2602** Ø 26 (white)
- AZ2588** Ø 30 (white)
- AZ2605** Ø 36 (white)




Shade ZA GOLD

- new AZ4789** Ø 18 (aluminium)
- new AZ4790** Ø 23 (aluminium)
- new AZ4791** Ø 33 (aluminium)




Shade ZA BK

- new AZ4778** Ø 18 (aluminium)
- new AZ4779** Ø 23 (aluminium)
- new AZ4781** Ø 33 (aluminium)




Zyta S Pendant

- LAMP BODY + SHADES
- AZ4189** + **AZ4790** or
 - AZ4189** + **AZ2600** or
 - AZ4189** + **AZ4602** or
 - AZ4189** + **AZ4779**



Zyta S Wall

- LAMP BODY + SHADES
- AZ4190** + **AZ4789** or
 - AZ4190** + **AZ2599** or
 - AZ4190** + **AZ4779** or
 - AZ4190** + **AZ4778**




Zyta 2S Pendant

- LAMP BODY + SHADES
- AZ4191** + 2x **AZ4779** or
 - AZ4191** + 2x **AZ2602** or
 - AZ4191** + 2x **AZ4790** or
 - AZ4191** + 2x **AZ4779**



Zyta S Table

- LAMP BODY + SHADES
- AZ4190** + **AZ4791** or
 - AZ4190** + **AZ2599** or
 - AZ4190** + **AZ2593** or
 - AZ4190** + **AZ4778**



Zyta M Pendant

- LAMP BODY + SHADES
- AZ4192** + **AZ4781** or
 - AZ4192** + **AZ2603** or
 - AZ4192** + **AZ2605** or
 - AZ4192** + **AZ4791**



Zyta Floor

- LAMP BODY + SHADES
- AZ4193** + **AZ4781** or
 - AZ4193** + **AZ2605** or
 - AZ4193** + **AZ4791** or
 - AZ4193** + **AZ4781**

AZzardo®



Waves

DIMM

new 18



1 BLACK




2 WHITE



new 3 GOLD



READY DIMM POWER



Waves LED

- 1 AZ2912 (black)
- 2 AZ2913 (white)
- new 3 AZ4058 (gold)

LED 70W 4900lm 3000K DIMM
aluminium/acrylic



AZzardo[®]



Opera WALL

19

new



1 BLACK


new



2 GOLD



3 WHITE




33; 44; 55; 65

Opera XL LED

- 1 AZ3139 (black)
- 2 AZ3140 (gold)

LED 329W 19740lm 3000K
aluminium/acrylic



Opera Wall LED

- 1 AZ3141 (black)
- new 2 AZ4321 (gold)
- 3 AZ3142 (white)

LED 18W 1000lm 3000K
aluminium/acryl



AZzardo®



Norman

new

20

new




1 BLACK



1 WHITE




2 WOOD

Norman Wall XL LED


- new 1 AZ4179 (black)
2 AZ1685 (white)

LED 23W 1200lm 3000K
metal acryl

Norman Wall L LED


- new 1 AZ4177 (black)
2 AZ1684 (white)

LED 17W 1000lm 3000K
metal acryl

Norman Wall M LED

- new 1 AZ4178 (black)
2 AZ1683 (white)

LED 13W 800lm 3000K
metal acryl

Norman XL LED

- new 1 AZ4180 (black)
2 AZ1685 (white)
3 AZ1686 (wood)

LED 29W 1700lm 3000K
metal




AZzardo®



Flash 130

21

new




Flash 130 LED

AZ4416

(black)

LED 54W 4400lm 3000K
metal acryl



Flash LED

AZ3203

(black)

LED 70W 5700lm 3000K
metal acryl

Amber MILANO

new

22



1 CHROME




2 CLEAR



3 COPPER




3 BRASS



Amber milano 1

- 1 AZ2148 (chrome)
- 2 AZ3074 (clear)
- 3 AZ3077 (copper)


G9 1x 40W only LED
metal/chrome/glass



Amber milano 3

- 1 AZ2149 (chrome)
- 2 AZ3075 (clear)
- 3 AZ3078 (copper)


G9 3x 40W only LED
metal/chrome/glass



Amber milano 5

- 1 AZ0722 (chrome)
- 2 AZ3076 (clear)
- 3 AZ3172 (copper)

G9 5x 40W only LED
metal/chrome/glass



Amber milano 9

- 1 **AZ3673** (chrome)
- 2 **AZ3102** (clear)
- 3 **AZ3134** (copper)
- new** 4 **AZ4014** (brass)

G9 9x 40W only LED
metal/chrome/glass


ROOF LINING FOR AMBER MILANO 5



Helena

new

24




Helena A LED

AZ3341

(brass)

LED 21W 1785lm 3000K
metal/brass/glass




Helena B LED

AZ3342

(brass)

LED 14W 1190lm 3000K
metal/brass/glass



Helena C LED

AZ4668

(brass)

LED 23W 1200lm 3000K
metal/glass


new



Helena[®]

25

new



Sybillia

new

26



1 CHROME

new




2 BLACK

new




3 GOLD



Sybillia 3 table

AZ2103

G9 3x Max 25W
metal/chrome




Sybillia 6 floor

1 **AZ2101** (chrome)

new 2 **AZ4405** (black)

new 3 **AZ4408** (gold)

G9 6x Max 25W
metal/glass



Sybillia 7 pendant

1 **AZ2102** (chrome)

new 2 **AZ4406** (black)

new 3 **AZ4409** (gold)


G9 7x Max 25W
metal/glass



Sybilla

27

new



Sybilla 10 pendant


- 1 **AZ2100** (chrome)
- new 2 **AZ4404** (black)
- new 3 **AZ4407** (gold)

G9 10x Max 25W
metal/glass



Silver ball


28



Silver Ball 18

AZ0731


E27 1x 60W
metal/chrome/glass



Silver Ball 25

AZ0733


E27 1x 60W
metal/chrome/glass



Silver Ball 35

AZ0732

E27 1x 60W
metal/chrome/glass



Silver Ball 40


AZ0734

E27 1x 60W
metal/chrome/glass

Silver ball


29

new




Silver Ball 4

AZ2531
4x E27 60W
metal/chrome/glass



Silver Ball 3

AZ4750 (chome)
E27 3x Max 40W
metal/glass



Silver Ball 3 line

AZ4751 (chome)
E27 3x Max 40W
metal/glass

AZzardo®


G
 A
 T
 G

vera

new

30


new



1 WHITE



2 BLACK



Vera

- new 1 **AZ4417** (white)
 2 **AZ3201** (black)

LED 6W + 5W
 500lm + 250lm 3000K
 metal acrylic

Trinton

31

new


new



1 BLACK




2 CHROME



Trinton

- new 1 **AZ4753** (black)
- 2 **AZ0024** (chrome)


E14 3x 40W
metal/chrome



Davinci 48 LED

- ❶ AZ2648 (chrome)
- ❷ AZ2649 (sandy nickel)
- ❸ AZ2650 (golden)
- ❹ AZ2651 (black chrome)
- new ❺ AZ4262 (matt black)

LED 8W 500lm 3000K RA>90
metal acryl



Davinci 58 LED

- ❶ AZ2652 (chrome)
- ❷ AZ2653 (sandy nickel)
- ❸ AZ2654 (golden)
- ❹ AZ2655 (black chrome)
- new ❺ AZ4263 (matt black)

LED 10W 700lm 3000K RA>90
metal acryl





Davinci

33

new



1 CHROME



2 SANDY NICKEL




3 GOLDEN



4 BLACK CHROME




5 MATT BLACK



Davinci 70 LED

- 1 AZ2656 (chrome)
- 2 AZ2657 (sandy nickel)
- 3 AZ2658 (golden)
- 4 AZ2659 (black chrome)

LED 12W 835lm 3000K RA>90
metal



Davinci 90 LED

- 1 AZ2660 (chrome)
- 2 AZ2661 (sandy nickel)
- 3 AZ2662 (golden)
- 4 AZ2663 (black chrome)
- new 5 AZ4264 (matt black)

LED 16W 1200lm 3000K RA>90
metal

Remote control

Veneti
CCT

new 34



The maximum brightness in 4000K colour temp.

DIMM – reduce the brightness of the light

Turn on / off the light

Turn off the fan

Rotations' direction (SUMMER / WINTER function)

Rotations' speed 1-6

Natural wind (medium speed)

Automatic shutdown (2h or 6h)

DIMM – increase the brightness of the light

CCT- color change (3000K / 4000K / 5000K)

FAN

Speed
Power
Material

Adjustable 1-6
38W
metal / polywood

LAMP


Power
CCT
Source

18W
3000K / 4000K / 5500K
240V / 110V

Rotations' direction (SUMMER / WINTER) function

☀ SUMMER

❄ WINTER



Dimmable function 10-100%



Installation variants



LED LAMP




NO LED LAMP
END CUP INCLUDED

Veneti
CCT

35

new

**Veneti CCT** LED
+ Remote Control

- ❶ **AZ4447** (white/oak)
- ❷ **AZ4448** (black/black)
- ❸ **AZ4449** (bronze/walnut)
- ❹ **AZ4450** (black/teak wood)
- ❺ **AZ4451** (white/white)

LED 18W 1400lm 3000K
aluminium


❶ WHITE/OAK



❷ BLACK/BLACK



❸ BRONZE/WALNUT



❹ BLACK/TEAK WOOD



❺ WHITE/WHITE

Remote control

Vinca
CCT

new 36



The maximum brightness in 4000K colour temp.

DIMM – reduce the brightness of the light

Turn on / off the light

Turn off the fan

Rotations' direction (SUMMER / WINTER function)

Rotations' speed 1-6

Natural wind (medium speed)

Automatic shutdown (2h or 6h)

DIMM – increase the brightness of the light

CCT- color change (3000K / 4000K / 5000K)

FAN


Speed	Adjustable 1-6
Power	38W
Material	metal / polywood

LAMP


Power	18W
CCT	3000K / 4000K / 5500K
Source	240V / 110V

Rotations' direction (SUMMER / WINTER) function

☀ SUMMER



❄ WINTER



Dimmable function 10-100%



Installation variants



LED LAMP



NO LED LAMP
END CUP INCLUDED



AZzardo[®]



Vinca CCT

37


new



1 BLACK/BLACK



2 WHITE/WHITE



Vinca CCT LED + Remote Control

- 1 **AZ4452** (black/black)
- 2 **AZ4453** (white/white)

LED 18W 1400lm 3000K
aluminium



aqua

AZzardo®



G A T G

Kari

new 40


IP44



1 CHROME




new 2 BLACK



Kari 22 LED

- 1 AZ2065 (chrome)
- new 2 AZ4257 (matt black)

LED 12W 400lm 3000K IP44
glass/metal



Kari 30 LED

- 1 AZ2066 (chrome)
- new 2 AZ4258 (matt black)

LED 18W 700lm 3000K IP44
glass/metal



LUCIE

41

new


IP44



1 BLACK




2 CHROME/WHITE



Lucie 25

- new 1 **AZ4146** (black)
- 2 **AZ1308** (chrome/white)

E27 3x Max 40W Only LED IP44
acryl/metal chrome



Lucie 43

- new 1 **AZ4147** (black)
- 2 **AZ1309** (chrome/white)

E27 3x Max 40W Only LED IP44
acryl/metal chrome



Noemie

new 42


IP44



1 BLACK




2 CHROME



Noemie 2

- new 1 AZ4137 (black)
- 2 AZ2555 (chrome)


GU10 2x Max 35W IP44
metal / frosted glass



Noemie 3 Round

- AZ2556
(chrome)

GU10 Max 3x35W IP44
frosted glass




Noemie 4

- AZ2557
(chrome)

GU10 Max 4x35W IP44
frosted glass






Noemie 1

- new 1 AZ4136** (black)
- 2 AZ1310** (chrome)

GU10 1x Max 35W IP44
metal / frosted glass



Noemie 3

- new 1 AZ4138** (black)
- 2 AZ1306** (chrome)

GU10 3x Max 35W IP44
metal / frosted glass

AZzardo®



Slim SQUARE

new 44


IP44



1 BLACK




2 WHITE



Slim square 9 LED

- 1 **AZ2833** black (3000K)
- 2 **AZ2830** white (3000K)
- new 1 **AZ4375** black (4000K)
- new 2 **AZ4376** white (4000K)


LED 6W 500lm IP44 RA>90 aluminium / acryl



Slim square 15 LED

- 1 **AZ2836** black (3000K)
- 2 **AZ2837** white (3000K)
- new 1 **AZ4377** black (4000K)
- new 2 **AZ4378** white (4000K)

LED 12W 1000lm IP44 RA>90 aluminium / acryl



Slim square 22 LED

- new 1 **AZ4169** black (3000K)
- new 2 **AZ4170** white (3000K)
- new 1 **AZ4331** black (4000K)
- new 2 **AZ4332** white (4000K)

LED 24W 2000lm IP44 RA>90 aluminium / acryl




AZzardo®

Slim
ROUND

45

new


IP44



Ø 8,5

Slim round 9 LED


- ① AZ2834 black (3000K)
- ② AZ2831 white (3000K)
- ③ AZ2861 chrome (3000K)
- ① AZ2835 black (4000K)
- ② AZ2832 white (4000K)
- ③ AZ2862 chrome (4000K)

LED 6W 500lm IP44 RA>90
aluminium / acryl

Ø 14,5

Slim round 15 LED

- ① AZ2840 black (3000K)
- ② AZ2839 white (3000K)
- ③ AZ2838 chrome (3000K)
- ① AZ2843 black (4000K)
- ② AZ2832 white (4000K)
- ③ AZ2841 chrome (4000K)

LED 12W 1000lm IP44 RA>90
aluminium / acryl

Ø 22,5

Slim round 22 LED

- new ① AZ4163 black (3000K)
- new ② AZ4165 white (3000K)
- new ① AZ4164 black (4000K)
- new ② AZ4166 white (4000K)

LED 24W 2000lm IP44 RA>90
aluminium / acryl


① BLACK




② WHITE



③ CHROME



smart



AZzardo®



Solvent CCT SMART

new

48



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



Solvent S Top CCT SMART 45 + Remote Control

- 1 **AZ4004** (grey)
- 2 **AZ4003** (white)
- 3 **AZ4002** (black)

LED 32W 2700lm CCT
steel/acryl



Solvent S Top CCT SMART 60 + Remote Control

- 1 **AZ4007** (grey)
- 2 **AZ4006** (white)
- 3 **AZ4005** (black)


LED 42W 3300lm CCT
steel/acryl


AZzardo®


Solvent CCT SMART

49


new



Solvent S Top CCT SMART 80 + Remote Control **LED**

- ❶ **AZ4010** (grey)
- ❷ **AZ4009** (white)
- ❸ **AZ4008** (black)

LED 92W 4700lm CCT
steel/acryl



Solvent S Top CCT SMART 110 + Remote Control **LED**

- ❶ **AZ4013** (grey)
- ❷ **AZ4012** (white)
- ❸ **AZ4011** (black)

LED 120W 7700lm CCT
steel/acryl



AZzardo®

Solvent
CCT SMART

new

50



1 GREY




2 WHITE




3 BLACK



CCT = 3000÷6000K Dimmable Remote Control

Solvent S Pendant CCT SMART 45 +
Remote Control **LED**

- 1 **AZ3980** (grey)
- 2 **AZ3979** (white)
- 3 **AZ3978** (black)

LED 32W 2700lm CCT
steel/acrylSolvent S Pendant CCT SMART 60 +
Remote Control **LED**


- 1 **AZ3983** (grey)
- 2 **AZ3982** (white)
- 3 **AZ3981** (black)

LED 42W 3300lm CCT
steel/acryl

Solvent
CCT SMART


51

new

**Solvent S Pendant CCT SMART 80 + Remote Control** LED

- ❶ AZ3986 (grey)
- ❷ AZ3985 (white)
- ❸ AZ3984 (black)

LED 92W 4700lm CCT
steel/acryl

**Solvent S Pendant CCT SMART 110 + Remote Control** LED

- ❶ AZ3989 (grey)
- ❷ AZ3988 (white)
- ❸ AZ3987 (black)

LED 120W 7700lm CCT
steel/acryl



Solvent
CCT SMART

new

52



1 GREY



2 WHITE



3 BLACK



CCT = 3000÷6000K Dimmable Remote Control

**Solvent R Top CCT SMART 45 +
Remote Control** LED

- 1 AZ3992 (grey)
- 2 AZ3991 (white)
- 3 AZ3990 (black)

LED 32W 2700lm CCT
steel/acryl**Solvent R Top CCT SMART 60 +
Remote Control** LED


- 1 AZ3995 (grey)
- 2 AZ3994 (white)
- 3 AZ3993 (black)

LED 42W 3300lm CCT
steel/acryl

Solvent
CCT SMART


53

new

**Solvent R Top CCT SMART 80 +
Remote Control** LED

- ❶ AZ3998 (grey)
- ❷ AZ3997 (white)
- ❸ AZ3996 (black)

LED 92W 4700lm CCT
steel/acryl

**Solvent R Top CCT SMART 110 +
Remote Control** LED

- ❶ AZ4001 (grey)
- ❷ AZ4000 (white)
- ❸ AZ3999 (black)

LED 120W 7700lm CCT
steel/acryl



AZzardo®

Solvent
CCT SMART

new

54



1 GREY




2 WHITE




3 BLACK



CCT = 3000÷6000K Dimmable Remote Control

Solvent R Pendant CCT SMART 45 +
Remote Control **LED**

- 1 **AZ3968** (grey)
- 2 **AZ3967** (white)
- 3 **AZ3966** (black)

LED 32W 2700lm CCT
steel/acrylSolvent R Pendant CCT SMART 60 +
Remote Control **LED**

- 1 **AZ3971** (grey)
- 2 **AZ3970** (white)
- 3 **AZ3969** (black)

LED 42W 3300lm CCT
steel/acryl




AZZARDO®



Solvent CCT SMART

55


new



Solvent R Pendant CCT SMART 80 + Remote Control **LED**

- ❶ AZ3974 (grey)
- ❷ AZ3973 (white)
- ❸ AZ3972 (black)

LED 92W 4700lm CCT
steel/acryl



Solvent R Pendant CCT SMART 110 + Remote Control **LED**

- ❶ AZ3977 (grey)
- ❷ AZ3976 (white)
- ❸ AZ3975 (black)

LED 120W 7700lm CCT
steel/acryl



AZzardo®



Sovana CCT SMART

new

56



1 GREY




2 WHITE



3 BLACK




CCT = 3000÷6000K Dimmable Remote Control



Sovana Top 45 CCT SMART (LED)

- 1 **AZ3441** (grey)
- 2 **AZ3439** (white)
- 3 **AZ3440** (black)

LED 40W 2200lm CCT
aluminium/acryl



Sovana Top 55 CCT SMART (LED)

- 1 **AZ3550** (grey)
- 2 **AZ3548** (white)
- 3 **AZ3549** (black)

LED 50W 2750lm CCT
aluminium/acryl



AZZARDO®



Sovana

CCT SMART

57

new




1 GREY



2 WHITE




3 BLACK



Sovana Pendant 45 CCT SMART LED

- 1 **AZ3444** (grey)
- 2 **AZ3442** (white)
- 3 **AZ3443** (black)

LED 40W 2200lm CCT
aluminium/acryl



Sovana Pendant 55 CCT SMART LED

- 1 **AZ3553** (grey)
- 2 **AZ3551** (white)
- 3 **AZ3552** (black)

LED 50W 2750lm CCT
aluminium/acryl



AZzardo®



Cream SMART

new

58



1 BLACK



2 WHITE




CCT = 3000÷6000K Dimmable Remote Control



Cream 40 Top SMART LED

- 1 AZ3533 (black)
- 2 AZ3534 (white)


LED 24W 1500-1850lm CCT
aluminium/PC



Cream 60 Top SMART LED

- 1 AZ3297 (black)
- 2 AZ3298 (white)

LED 53W 2850lm CCT
aluminium/PC



Cream 78 Top SMART LED

- 1 AZ3304 (black)
- 2 AZ3305 (white)

LED 52W 4350-4700lm CCT
aluminium/PC

Cream
SMART

59

new



5 |



Ø 100

**Cream 100
Top SMART** LED

- ❶ AZ3307 (black)
- ❷ AZ3308 (white)

LED 70W 6300-6400lm CCT
aluminium/PC

5 |



Ø 120

**Cream 120
Top SMART** LED

- ❶ AZ3535 (black)
- ❷ AZ3536 (white)

LED 83W 6300 - 6600lm CCT
aluminium/PC

AZzardo®

G
A
T
GCream
SMART

new

60




1 BLACK



2 WHITE



CCT = 3000÷6000K Dimmable Remote Control




Ø 78

**Cream 78
Pendant SMART**

LED

- 1 AZ3386 (black)
- 2 AZ3287 (white)

LED 52W 4350-4700lm CCT
aluminium/PC

Ø 100

**Cream 100
Pendant SMART** LED

- 1 AZ3289 (black)
- 2 AZ3290 (white)


LED 70W 6300-6400lm CCT
aluminium/PC



Cream SMART

61

new



Cream 120 Pendant SMART LED

- ❶ AZ3537 (black)
- ❷ AZ3538 (white)

LED 83W 6300 - 6600lm CCT
aluminium/PC





Thin CCT SMART

new

62




1 BLACK



2 WHITE



CCT = 2600÷6000K Dimmable Remote Control



Thin Round CCT SMART LED

- 1 AZ3432 (black)
- 2 AZ3431 (white)

LED 50W 4000lm
aluminium/PC





AZzardo®




Thin CCT SMART

63


new




CCT = 2600÷6000K Dimmable Remote Control



1 BLACK



2 WHITE



Thin Square CCT SMART LED

- 1 AZ3430 (black)
- 2 AZ3429 (white)

LED 50W 4000lm
aluminium/PC



AZzardo®




Lenox
CCT SMART

new

64



CCT = 2600÷6000K Dimmable Remote Control



Lenox Top 40 SMART + Remote Control 

AZ3145

(black/copper)

LED 24W 1720lm CCT RGB

aluminium/PC



AZzardo®




Lenox
CCT SMART

65

new



CCT = 2600÷6000K Dimmable Remote Control



Lenox Pendant 40 SMART+ Remote Control 

AZ3147

(black/copper)

LED 24W 1720lm CCT RGB

aluminium/PC

index outdoorline

AFI IP54	112	GORAN	89
ALF IP65	114	HAVANA IP44	132
ALIX IP65	74	IKA IP65.	80
APULIA IP54.	72	JAKE IP54.	87
ARBAX IP54	98	JOE IP54	92
ARIDA IP54	99	LARS IP54.	104
BOOMBOX IP44	134	LETICIA 2 LED IP54	101
CASOLA IP54	96	MIKKEL IP54	118
CASORIA IP54.	110	NIKLAS IP44	116
CASPER ROUND IP54	71	NILS IP44	126
CASPER SQUARE IP54	70	NILS IP65	120
CIVITA IP54	106	OSVALD IP44	121
COSEL IP54	97	OVE WALL IP54	113
CREMONA IP54	102	PAPIKO IP65	73
EDVIN IP65	130	PEDER IP54	88
EDWARD IP65.	130	REZIA IP54	82
ENOK IP54	108	RIMINI IP54	86
FANO IP54	76	RIMINI SQUARE IP54	84
FANO SMART	78	ROLF IP44.	122
FLOKI IP54	131	SORANO IP44	124
FRAME IP54.	128	ULF IP44	90
GAGARIN IP44	79	VENETO IP54	95
GAMBINO IP54	100	VENTA IP54	94
GINNA IP54	107	ZITA XL IP54.	105

AZzardo[®]

OUTDOORLINE

www.azzardolighting.com




OUTDOOR LAMPS

OUTDOOR

lamps

- 70 CASPER SQUARE IP54
- 71 CASPER ROUND IP54
- 72 APULIA IP54
- 73 PAPIKO IP65
- 74 ALIX IP65
- 76 FANO IP54
- 78 FANO SMART
- 79 GAGARIN IP44
- 80 IKA IP65
- 82 REZIA IP54
- 84 RIMINI SQUARE IP54
- 86 RIMINI IP54
- 87 JAKE IP54
- 88 PEDER IP54
- 89 GORAN
- 90 ULF IP44
- 92 JOE IP54
- 94 VENTA IP54
- 95 VENETO IP54
- 96 CASOLA IP54
- 97 COSEL IP54
- 98 ARBAX IP54
- 99 ARIDA IP54
- 100 GAMBINO IP54
- 101 LETICIA 2 LED IP54
- 102 CREMONA IP54
- 104 LARS IP54
- 105 ZITA XL IP54
- 106 CIVITA IP54
- 107 GINNA IP54
- 108 ENOK IP54
- 110 CASORIA IP54
- 112 AFI IP54
- 113 OVE WALL IP54
- 114 ALF IP65
- 116 NIKLAS IP44
- 118 MIKKEL IP54
- 120 NILS IP65
- 121 OSVALD IP44
- 122 ROLF IP44
- 124 SORANO IP44
- 126 NILS IP44
- 128 FRAME IP54
- 130 EDVIN IP65
- 130 EDWARD IP65
- 131 FLOKI IP54
- 132 HAVANA IP44
- 134 BOOMBOX IP44



CASPER SQUARE IP54

Outdoor lamps



CASPER SQUARE 3000K / 4000K

LED integrated

voltage: 230V

LED 15W 1300lm 3000K

IP54

LED 15W 1300lm 4000K

technical

installation place

specification



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4496**
- 3000K DARK GREY (DGR) **AZ4498**
- 3000K WHITE (WH) **AZ4500**
- 4000K BLACK (BK) **AZ4497**
- 4000K DARK GREY (DGR) **AZ4499**
- 4000K WHITE (WH) **AZ4501**

5,5

20

20





CASPER ROUND IP54

Outdoor lamps



CASPER ROUND 3000K / 4000K

LED integrated

voltage: 230V

IP54

technical
specification



LED 15W 1300lm 3000K

LED 15W 1300lm 4000K

installation place



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4490**
- 3000K DARK GREY (DGR) **AZ4492**
- 3000K WHITE (WH) **AZ4494**
- 4000K BLACK (BK) **AZ4491**
- 4000K DARK GREY (DGR) **AZ4493**
- 4000K WHITE (WH) **AZ4495**





APULIA IP54

Outdoor lamps





APULIA R

LED integrated

voltage: 230V	LED 10W 800lm 3000K	
IP54	installation place	
technical specification		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4333**
- DARK GREY (DGR) **AZ4335**
- WHITE (WH) **AZ4334**




APULIA S

LED integrated

voltage: 230V	LED 10W 800lm 3000K	
IP54	installation place	
technical specification		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4336**
- DARK GREY (DGR) **AZ4338**
- WHITE (WH) **AZ4337**



* - EXPLANATION SHORTCUT PAGE 2 (E)

PAPIKO IP65

Outdoor lamps




PAPIKO IP65

bulb not included

voltage: 230V	GU10 1x MAX 50W <input checked="" type="checkbox"/>
IP65	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4216**
- WHITE (WH) **AZ4217**



ALIX IP65

Outdoor lamps





ALIX IP65

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP65	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4056**
- GREY (GR) **AZ4057**
- WHITE (WH) **AZ4055**



* - EXPLANATION SHORTCUT PAGE 2 (E)

ALIX IP65

Outdoor lamps

75





FANO IP54

76

Outdoor lamps



WH *


FANO S 30

bulb not included

voltage: 230V	E27 2X MAX 18W	
IP54		
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4372**
- DARK GREY (DGR) **AZ4370**
- WHITE (WH) **AZ4374**



BK *


FANO R 30

bulb not included

voltage: 230V	E27 2X MAX 18W	
IP54		
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4371**
- DARK GREY (DGR) **AZ4369**
- WHITE (WH) **AZ4373**



BK

DGR



WH



BK

DGR




WH

* - EXPLANATION SHORTCUT PAGE 2 (E)



FANO IP54

Outdoor lamps



DGR *

FANO SQUARE

LED integrated

voltage: 230V	E27 2X MAX 18W
IP54	
technical specification	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2186**



22



DGR *

FANO R

LED integrated

voltage: 230V	E27 2X MAX 18W
IP54	
technical specification	installation place

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ2187**



Ø22





FANO SMART

78

Outdoor lamps



WH *


FANO S 30 SMART LED RGB

LED integrated

voltage: 230V	LED 24W 1720lm RGB	
IP54	2600-6000K	
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4786**
- DARK GREY (DGR) **AZ4787**
- WHITE (WH) **AZ4788**



CCT = 2600-6000K DIMMABLE REMOTE CONTROL



BK *


FANO R 30 SMART LED RGB

LED integrated

voltage: 230V	LED 24W 1720lm RGB	
IP54	2600-6000K	
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4783**
- DARK GREY (DGR) **AZ4784**
- WHITE (WH) **AZ4785**



CCT = 2600-6000K DIMMABLE REMOTE CONTROL



BK

DGR



WH



BK

DGR



WH



* - EXPLANATION SHORTCUT PAGE 2 (E)

GAGARIN IP44

Outdoor lamps




GAGARIN IP44

bulb not included

voltage: 230V	E27 1x MAX 18 W	<input type="checkbox"/>
IP44	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4352**



IKA IP65

Outdoor lamps




IKA SQUARE IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 50W <input type="checkbox"/>
IP65	installation place <input type="checkbox"/>
	inlet opening <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2864**
- BLACK (BK) **AZ4230**
- DARK GREY (DGR) **AZ4231**



* B. PLAN. 7.00. SHORTCUT PAGE 2 (E)

IKA IP65

Outdoor lamps




IKA ROUND IP65

bulb not included

voltage: 230V	connect GU10 1x Max. 50W <input type="checkbox"/>
IP65	installation place <input type="checkbox"/>
	inlet opening <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ2865**
- BLACK (BK) **AZ3017**
- DARK GREY (DGR) **AZ4232**



REZIA IP54

Outdoor lamps





REZIA 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4343**
- DARK GRAY (DGR) **AZ4344**




REZIA 2

bulb not included

voltage: 230V	GU10 2x MAX 35W	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4345**
- DARK GRAY (DGR) **AZ4346**



* - EXPLANATION SHORTCUT PAGE 2 (E)

REZIA IP54


Outdoor lamps

83



RIMINI SQUARE IP54

Outdoor lamps



DGR *



RIMINI 1 SQUARE

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4311**
- WHITE (WH) **AZ4313**
- BLACK (BK) **AZ4267**



BK *

RIMINI 2 SQUARE

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4312**
- WHITE (WH) **AZ4314**
- BLACK (BK) **AZ4268**



* - EXPLANATION SHORTCUT PAGE 2 (E)

RIMINI SQUARE IP54

Outdoor lamps

85



RIMINI IP54

Outdoor lamps



BK *


RIMINI 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	<input checked="" type="checkbox"/>
IP54		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2176**
- WHITE (WH) **AZ2175**
- BLACK (BK) **AZ4265**



BK *


RIMINI 2

bulb not included

voltage: 230V	GU10 2x MAX 35W	<input checked="" type="checkbox"/>
IP54		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2178**
- WHITE (WH) **AZ2177**
- BLACK (BK) **AZ4266**



* - EXPLANATION SHORTCUT PAGE 2 (E)

JAKE IP54

Outdoor lamps



BK *


JAKE WALL 2

bulb not included

voltage: 230V	GU10 2x MAX 35W <input type="checkbox"/>
IP54	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3321**
- WHITE (WH). **AZ3322**
- BLACK (BK). **AZ4269**



DGR


WH

new

BK

PEDER IP54

Outdoor lamps




PEDER

bulb not included 

voltage: 230V	GU10 1x MAX 35W 
IP54	installation place 

COLOUR / NEW INDEX NO.

-  BLACK (BK) **AZ4514**
-  DARK GREY (DGR) **AZ4515**



TILT 90°



* - EXPLANATION SHORTCUT PAGE 2 (E)

GORAN

Outdoor lamps




GORAN SENSOR

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP44	
	installation place <input type="checkbox"/>


COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4695**
- DARK GRAY (DGR) **AZ4696**
- WHITE (WH) **AZ4697**



TILT 90°

MASTER SLAVE SYSTEM




ULF IP44

90

Outdoor lamps



MASTER SLAVE SYSTEM



* - EXPLANATION SHORTCUT PAGE 2 (E)

ULF IP44

Outdoor lamps




ULF 1 WALL SENSOR

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP44	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4454**
- DARK GREY (DGR) **AZ4455**




ULF 2 WALL

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP44	
	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4473**
- DARK GREY (DGR) **AZ4474**



JOE IP54

Outdoor lamps



DGR *


JOE TUBE

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3313**
- BLACK (BK) **AZ3314**
- WHITE (WH) **AZ3315**
- BRIGHT GREY (BGR) **AZ3316**



new

WH *


JOE WALL 1

bulb not included

voltage: 230V	GU10 1x MAX 35W	
IP54		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3317**
- BLACK (BK) **AZ3318**
- WHITE (WH) **AZ4315**



* - EXPLANATION SHORTCUT PAGE 2 (E)

JOE IP54

Outdoor lamps





JOE WALL 2

bulb not included

voltage: 230V	GU10 2x MAX 35W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3319**
- BLACK (BK) **AZ3320**
- WHITE (WH) **AZ4316**




JOE SQUARE

bulb not included

voltage: 230V	GU10 1x MAX 35W
IP54	
	installation place


COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ3323**
- WHITE (WH) **AZ3324**
- BLACK (BK) **AZ4270**



VENTA IP54

Outdoor lamps




VENTA

bulb not included

voltage: 230V	E27 1x MAX 18 W	<input type="checkbox"/>
IP54	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4350**
- DARK GREY (DGR) **AZ4351**



* - EXPLANATION SHORTCUT PAGE 2 (E)

VENETO IP54

Outdoor lamps

95




VENETO

bulb not included

voltage: 230V	E27 1x MAX 18 W	<input type="checkbox"/>
IP54	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.


- BLACK (BK) **AZ4348**
- DARK GREY (DGR) **AZ4349**





CASOLA IP54

Outdoor lamps



CASOLA

LED integrated

voltage: 230V

LED 12W 950lm 3000K

IP54



LED


technical

installation place

specification

COLOUR / NEW INDEX NO.


- BLACK (BK) **AZ4355**
- DARK GREY (DGR) **AZ4356**





COSEL IP54

Outdoor lamps



COSEL

LED integrated

voltage: 230V

LED 2x8W 1300lm 3000K

IP54



LED

technical specification

installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4353**
- DARK GREY (DGR) **AZ4354**





ARBAX IP54

Outdoor lamps



ARBAX 1

LED integrated

voltage: 230V

LED 6W 500lm 3000K

IP54




LED

technical

installation place

specification

COLOUR / NEW INDEX NO.

■ DARK GREY (DGR) **AZ4341**

ARBAX 2

LED integrated

voltage: 230V

LED 12W 1000lm 3000K

IP54




LED

technical

installation place

specification

COLOUR / NEW INDEX NO.

■ DARK GREY (DGR) **AZ4342**

ARIDA IP54

Outdoor lamps




ARIDA

bulb not included

voltage: 230V	E27 1x Max 18W
IP54	installation place <input type="checkbox"/>

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4347**



** NUMBERS IS NOT INCLUDED



**





GAMBINO IP54

Outdoor lamps



GAMBINO 1 3000K / 4000K


LED integrated

voltage: 230V	LED 2x3W 500lm 3000K	LED
IP54	LED 2x3W 500lm 4000K	
technical specification	installation place	




COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ0950**
- 3000K BRIGHT GREY (BGR) **AZ0958**
- 3000K DARK GREY (DGR) **AZ0957**
- 3000K BLACK (BK) **AZ4148**
- 4000K BLACK (BK) **AZ4470**
- 4000K DARK GREY (DGR) **AZ4471**
- 4000K WHITE (WH) **AZ4472**



FOUR ADJUSTABLE LIGHT ANGLE




TILT 90°





LETICIA 2 LED IP54

Outdoor lamps



FOUR ADJUSTABLE LIGHT ANGLE

LETICIA 2 LED

LED integrated

voltage: 230V

LED 2x3W 400lm 3000K

IP54




technical specification

installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4469**
- DARK GREY (DGR) **AZ2189**
- WHITE (WH) **AZ2190**





CREMONA IP54

102

Outdoor lamps





CREMONA IP54

Outdoor lamps



BK *



WH *

CREMONA S

LED integrated

voltage: 230V

LED 2x3W 350lm 3000K



IP54




technical

specification

installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2180**
- WHITE (WH) **AZ2179**
- BLACK (BK) **AZ4339**



CREMONA M

LED integrated

voltage: 230V

LED 2x5W 500lm 3000K



IP54




technical

specification

installation place

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2182**
- WHITE (WH) **AZ2181**
- BLACK (BK) **AZ4340**





LARS IP54

Outdoor lamps



BK *


LARS ROUND WALL 3000K / 4000K

LED integrated

voltage: 230V	LED 13W 1000lm 3000K	
IP44	LED 13W 1000lm 4000K	
technical specification		installation place

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4504**
- 4000K BLACK (BK) **AZ4505**



BK *


LARS SQUARE 3000K / 4000K

LED integrated

voltage: 230V	LED 13W 1000lm 3000K	
IP44	LED 13W 1000lm 4000K	
technical specification		installation place

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4506**
- 4000K BLACK (BK) **AZ4507**



* - EXPLANATION SHORTCUT PAGE 2 (E)



ZITA XL IP54

Outdoor lamps

105



BK *

ZITA XL



LED integrated

voltage: 230V	LED 6W 450lm 3000K
IP54	
technical specification	installation place



COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ2200**
- BRIGHT GREY (BGR) **AZ2201**
- BLACK (BK) **AZ4150**
- WHITE (WH) **AZ4151**





CIVITA IP54

Outdoor lamps




CIVITA

LED integrated

voltage: 230V	LED 12W 800lm 3000K		
IP54	installation place		
technical specification			

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4361**




CIVITA SENSOR

LED integrated


voltage: 230V	LED 12W 800lm 3000K		
IP54	installation place		
technical specification			

COLOUR / NEW INDEX NO.

DARK GREY (DGR) **AZ4360**



MASTER SLAVE SYSTEM (OPTION)



One lamp with a PIR sensor (passive motion sensor) is enough to turn on all other lamps connected to the Master line (in the diagram it is marked with a dashed line).



* EXPLANATION SHORTCUT SYMBOLS



GINNA IP54

Outdoor lamps



GINNA 3

LED integrated

voltage: 230V

LED 6W 500lm 3000K

IP54





technical

installation place

specification

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ3484**
- GOLD (GO) **AZ3485**
- DARK GREY (DGR) **AZ4194**
- WHITE (WH) **AZ4195**





ENOK IP54

108

Outdoor lamps





ENOK IP54

Outdoor lamps



ENOK ROUND WALL 3000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K

IP54




technical

installation place

specification

COLOUR / NEW INDEX NO.

3000K DARK GREY (DGR) **AZ4460**



ENOK SQUARE WALL 3000K / 4000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K

IP54



technical


installation place

specification

COLOUR / NEW INDEX NO.



3000K BLACK (BK) **AZ4461**

4000K BLACK (BK) **AZ4462**



2 IN 1

THERE ARE 2 TYPES OF FRONT COVER FOR THE LAMP INCLUDED.
THANKS TO MAGNETIC FIXING SYSTEM THEY CAN BE EASILY CHANGED OR REMOVED COMPLETELY.





CASORIA IP54

Outdoor lamps




CASORIA ROUND

LED integrated

voltage: 230V	LED 6W 450lm 3000K		
IP54	installation place		
technical specification			

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4365**
- BLACK (BK) **AZ4366**




CASORIA SLIM

LED integrated

voltage: 230V	LED 6W 450lm 3000K		
IP54	installation place		
technical specification			

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4368**




CASORIA SQUARE

LED integrated

voltage: 230V	LED 6W 450lm 3000K		
IP54	installation place		
technical specification			

COLOUR / NEW INDEX NO.

- DARK GREY (DGR) **AZ4367**



* - EXPLANATION SHORTCUT PAGE 2 (E)



CASORIA IP54

Outdoor lamps

111





AFI IP54

Outdoor lamps



AFI 3000K / 4000K

LED integrated

voltage: 230V

LED 2W 150lm 3000K

IP54

LED 2W 150lm 4000K

LED

technical


installation place

specification



COLOUR / NEW INDEX NO.

- 3000K DARK GREY (DGR) **AZ4510**
- 3000K BLACK (BK) **AZ4512**
- 4000K DARK GREY (DGR) **AZ4511**
- 4000K BLACK (BK) **AZ4513**



* - EXPLANATION SHORTCUT PAGE 2 (E)



OVE WALL IP54

Outdoor lamps

113



OVE WALL 3000K / 4000K

LED integrated

voltage: 230V

LED 2W 150lm 3000K

IP54

LED 2W 150lm 4000K

LED

technical



installation place

specification



COLOUR / NEW INDEX NO.

- 3000K DARK GREY (DGR) **AZ4508**
- 4000K DARK GREY (DGR) **AZ4509**





ALF IP65

Outdoor lamps





ALF ROUND 3000K

LED integrated

voltage: 230V	LED 3W 250lm 3000K	
IP65		
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4463**
- DARK GREY (DGR) **AZ4464**




ALF SQUARE 3000K

LED integrated

voltage: 230V	LED 3W 250lm 3000K	
IP65		
technical specification	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4465**
- DARK GREY (DGR) **AZ4466**





* - EXPLANATION SHORTCUT PAGE 2 (E)



ALF IP65

Outdoor lamps

115



NIKLAS IP44

Outdoor lamps




NIKLAS 2 WALL



		bulb included	
voltage: 230V	E27 1x MAX 60W		
IP44	installation place		

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4488**



MASTER SLAVE SYSTEM (OPTION)



NIKLAS IP44

Outdoor lamps




NIKLAS WALL bulb not included

voltage: 230V	E27 1x MAX 60W
IP44	
	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4486**




NIKLAS WALL SENSOR bulb not included

voltage: 230Vs	E27 1x MAX 60 W
IP44	
	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4487**



MIKKEL IP54

Outdoor lamps




MIKKEL WALL

bulb not included

voltage: 230V	E27 1x MAX 15W	
IP65	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4484**



MIKKEL

bulb not included

voltage: 230V	E27 1x MAX 15W	
IP54	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4485**



* - EXPLANATION SHORTCUT PAGE 2 (E)

MIKKEL IP54

Outdoor lamps

119



RASMUS IP65

Outdoor lamps




RASMUS WALL

bulb not included

voltage: 230V	E27 1x MAX 15W	<input type="checkbox"/>
IP65		
	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4482**




RASMUS

bulb not included

voltage: 230V	E27 1x MAX 15W	<input type="checkbox"/>
IP65		
	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4483**



* - EXPLANATION SHORTCUT PAGE 2 (E)

OSVALD IP44

Outdoor lamps

121




OSVALD WALL

bulb not included

voltage: 230V	E27 1x MAX 25W	<input type="checkbox"/>
IP44	installation place	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4489**



ROLF IP44

Outdoor lamps





ROLF 1 WALL

bulb not included

voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP44	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4475**
- DARK GREY (DGR) **AZ4476**
- WHITE (WH) **AZ4477**




ROLF 2 500

bulb not included

voltage: 230V	LED GU10 2x MAX 35W	<input type="checkbox"/>
IP44	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4456**
- DARK GREY (DGR) **AZ4457**




ROLF 2 900

bulb not included

voltage: 230V	LED GU10 2x MAX 35W	<input type="checkbox"/>
IP44	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4458**
- DARK GREY (DGR) **AZ4459**



* - EXPLANATION SHORTCUT PAGE 2 (E)

ROLF IP44

Outdoor lamps

123



SORANO IP44

124

Outdoor lamps




SORANO 500

bulb not included

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4444**
- DARK GREY (DGR) **AZ4358**




SORANO 700

bulb not included

voltage: 230V	E27 1x MAX 40W
IP54	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4445**
- DARK GREY (DGR) **AZ4359**



* - EXPLANATION SHORTCUT PAGE 2 (E)

SORANO IP44

Outdoor lamps

125





SORANO WALL

bulb not included

voltage: 230V	E27 1x MAX 40W	
IP54	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4446**
- DARK GREY (DGR) **AZ4357**




NILS IP44

Outdoor lamps



MASTER SLAVE SYSTEM (OPTION)



* - EXPLANATION SHORTCUT PAGE 2 (E)




NILS WALL

bulb not included

voltage: 230V	E27 1x MAX 13W	
IP44	installation place	

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4478**




NILS WALL SENSOR

bulb not included

voltage: 230V	E27 1x MAX 13W	
IP44	installation place	

COLOUR / NEW INDEX NO.


BLACK (BK) **AZ4479**



NILS IP44

Outdoor lamps

127




NILS 500

bulb not included

voltage: 230V	E27 1x MAX 13W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4480**




NILS 800

bulb not included

voltage: 230V	E27 1x MAX 13W
IP44	
	installation place

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4481**



FRAME IP54

128

Outdoor lamps



* - EXPLANATION SHORTCUT PAGE 2 (E)

FRAME IP54

Outdoor lamps



BK *

FRAME WALL

LED integrated

voltage: 230V

LED 8W 800lm 3000K

IP54





installation place

technical specification



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4308**
- DARK GREY (DGR) **AZ2132**
- BRIGHT GREY (BGR) **AZ2133**



BK *

FRAME SPIKE

LED integrated

voltage: 230V

LED 8W 800lm 3000K

IP54




installation place

technical specification



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4307**
- DARK GREY (DGR) **AZ2128**
- BRIGHT GREY (BGR) **AZ2129**



BK *

FRAME 70

LED integrated

voltage: 230V

LED 8W 800lm 3000K

IP54




installation place

technical specification



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4305**
- DARK GREY (DGR) **AZ2130**
- BRIGHT GREY (BGR) **AZ2131**



EDVIN / EDWARD IP65

Outdoor lamps




EDVIN

bulb not included

voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP65		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4502**




EDWARD

bulb not included

voltage: 230V	GU10 1x MAX 35W	<input type="checkbox"/>
IP65		
	installation place	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

■ BLACK (BK) **AZ4503**





FLOKI IP54

Outdoor lamps

131



FLOKI 3000K / 4000K

LED integrated

voltage: 230V

IP65

technical

specification



LED 6W 500lm 3000K


LED 6W 500lm 4000K

installation place



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4468**
- 4000K BLACK (BK) **AZ4467**



TILT 180°



HAVANA IP44

Outdoor lamps




HAVANA

bulb not included

voltage: 230V	E27 1x MAX 25W	
IP44	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4662**
- WHITE (WH) **AZ4663**



* - EXPLANATION SHORTCUT PAGE 2 (E)


HAVANA IP44

Outdoor lamps

133



waterproof switch button






BOOMBOX IP44

134

Outdoor lamps



HIT! – Portable LED lamp with a built-in 10W Bluetooth speaker



Portable LED lamp with a built-in 10W Bluetooth speaker. Equipped with a practical carrying handle. Lamp consists of 9 LEDs with variable color and 6 LEDs with white light. It has 7 light colors in various modes of operation. Product is made of white plastic. Comes with a remote control as well as a battery and USB charging cable so that the lamp can be placed anywhere

due to the fact that it is not limited by access to mains supply. This is a wonderful decoration that can inspire to create an amazing arrangement in your garden. IP44 water resistance allows outdoor use.

Play music from your smartphone or tablet via bluetooth!



BOOMBOX MEDIUM RGBW + REMOTE CONTROL

Dimensions: 22x22x32cm
 Power: 10W speaker
 Battery: 2000mAh
 Color: RGBW
 Accessories: remote control included



BOOMBOX BUCKET RGBW + REMOTE CONTROL

Dimensions: 32x56cm
 Power: 5W speaker
 Battery: 2000mAh
 Color: RGBW
 Accessories: remote control included



* - EXPLANATION SHORTCUT PAGE 2 (E)



BOOMBOX IP44

Outdoor lamps

135



WH *

BOOMBOX MEDIUM RGBW + REMOTE CONTROL

LED integrated

voltage: 230V

LED 10W 800lm RGBW DIMM USB



IP44

3000K

technical

installation place



specification



COLOUR / NEW INDEX NO.

WHITE (WH). **AZ4664**



22



WH *

BOOMBOX BUCKET RGBW + REMOTE CONTROL

LED integrated

voltage: 230V

LED 5W 400lm RGBW DIMM USB



IP44

3000K

technical

installation place



specification



COLOUR / NEW INDEX NO.

WHITE (WH). **AZ4665**



22



Ra (CRI) - Colour Rendering Index **EU standard – Ra ≥ 80**
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw **Standard UE – Ra ≥ 80**
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb **Štandard EU – Ra ≥ 80**
NajlepšÍ index podania farieb Ra(CRI)=100

Ra (CRI)- Index podání barev **Standard EU – Ra ≥ 80**
NejlepšÍ index podání barev Ra(CRI)=100



5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).
The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počíta od dátumu zakoupení zboží.



We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

We reserve the rights to make changes in the product range, design and model.

Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modèles.

Veuillez noter qu'en raison des techniques d'impression les teintes des produits peuvent légèrement varier par rapport à celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.

Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.

Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.

Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konstrukčných zmien.

Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.

Azzardo®

TECHNOline



New collection 2022

AZZARDO



BULGARIA

VISTA_G LTD

tel.: +359 32 655 877
 mobile: +359 885 388 003
 e-mail: sales@iml.bg
 • www.vista-g.com



CROATIA REP. OF BOSNIA AND HERZEGOVINA MONTENEGRO

REMBOL D.O.O.

KOPERNIKOVA 5; 10000 ZAGREB
 tel.: +91 222 02 29
 tel.: +91 520 12 54
 e-mail: info@azzardo.com.hr
 • www.azzardo.com.hr



CZECH REPUBLIC

AZZARDO LIGHTING S.R.O.

tel.: +421 41 565 22 56
 e-mail: info@azzardo.sk
 • www.azzardodesign.com



HUNGARY

ELTER LTD.

tel.: +36 74 510 348
 e-mail: info@elter.hu
 • www.elter.hu



ICELAND

PFAFF

tel.: +354 414 0400
 fax: +354 414 0401
 e-mail: pfaff@pfaff.is
 • www.pfaff.com



ITALY

LEONARDO ANICETO

tel.: +39 3931212029
 e-mail: aniceto.staff@gmail.com

ANGELO FOLLIERO

tel.: +39 336 605 301
 e-mail: angelofolliero@libero.it



NETHERLANDS

HENNIE BUKKEMS

tel.: +31 6201 36811
 e-mail: bukkemsagenturen@gmail.com



POLAND

TORINO HOLDING S.A.

tel.: +48 61 849 40 80
 fax: +48 61 849 40 84
 e-mail: biuro@lampy.it
 • www.azzardolighting.com



PORTUGAL

DOMOLED

NÚCLEO EMPRESARIAL
 DA ABRUNHEIRA ZONA
 POENTE PAV.4, 2710-089 SINTRA
 tel.: +351 219 111 201
 tel.: +351 911 003 235
 e-mail: geral@domoled.pt
 • www.domoled.pt



ROMANIA

JACEK KREMPIŃSKI

tel.: +48 518 543 875
 e-mail: jacekkrempinski@gmail.com



SLOVAKIA

AZZARDO LIGHTING S.R.O.

TEL.: +421 41 565 22 56
 e-mail: info@azzardo.sk
 • www.azzardodesign.com



UKRAINE

ELEKOMP

m. KYIV, provulok Lukianivsky 11B
 fax: +38 063 263 30 64
 tel.: +38 067 353 3757
 e-mail: elekomp.project@gmail.com
 • www.elekomp.com.ua

PROFORMA

KYIV, EKSKAVATORNA 24
 tel.: +38 098 193 22 22
 tel.: +38 097 083 81 53
 e-mail: zakaz@proforma.kiev.ua
 • www.proforma.kiev.ua



UNITED KINGDOM AND IRELAND

IAN DORMER

tel.: 07745 763251
 e-mail: ian@eurolamps.uk

AUTHORISED POINT OF SALE

PF FURNITURE LTD
 UNIT A PRESTWICH INDUSTRIAL ESTATE
 COAL PIT LN
 ATHERTON, M46 OFY
 MANCHESTER


tel.: +44 073 839 768 12
 tel.: +44 019 428 717 37
 e-mail: sales@pffurniture.co.uk

AZzardo[®]

TRACKLINE

www.azzardolighting.com

NAMING OF BASIC ACCESSORIES FOR 1-LINE TRACK SYSTEM



1-LINE
TRACK

1 - LINE

track 1-Line




- 2 ACCESORIES FOR TRACK 1 LINE
- 6 EXO
- 7 LOLO
- 8 KIRKE
- 9 JERRY

TRACK 1-LINE

2


Accessories for Track 1 Line

1-Li




Tracks (1m, 1,5m, 2m, 3m)

- | | | | |
|-------------------------------------|--------------------|-------|---------------|
| <input checked="" type="checkbox"/> | TRACK 1M (BLACK) | | AZ4729 |
| <input type="checkbox"/> | TRACK 1M (WHITE) | | AZ4728 |
| <input checked="" type="checkbox"/> | TRACK 1,5M (BLACK) | | AZ4731 |
| <input type="checkbox"/> | TRACK 1,5M (WHITE) | | AZ4730 |
| <input checked="" type="checkbox"/> | TRACK 2M (BLACK) | | AZ4733 |
| <input type="checkbox"/> | TRACK 2M (WHITE) | | AZ4732 |
| <input checked="" type="checkbox"/> | TRACK 3M (BLACK) | | AZ4735 |
| <input type="checkbox"/> | TRACK 3M (WHITE) | | AZ4734 |



Straight Connector

- | | | | |
|-------------------------------------|----------------------------|-------|---------------|
| <input checked="" type="checkbox"/> | STRAIGHT CONNECTOR (BLACK) | | AZ4737 |
| <input type="checkbox"/> | STRAIGHT CONNECTOR (WHITE) | | AZ4736 |




* - EXPLANATION SHORTCUT PAGE 2 (E)

TRACK 1-LINE

Accessories for Track 1 Line

3

Available options for installation place (surface and pendent mounted)

**Track Set (1m, 1,5m, 2m, 3m)**

with THE END POWER + END CAP (All included)

- | | | |
|-------------------------------------|------------------------|---------------|
| <input checked="" type="checkbox"/> | SET 1M (BLACK) | AZ4723 |
| <input type="checkbox"/> | SET 1M (WHITE) | AZ4722 |
| <input checked="" type="checkbox"/> | SET 1,5M (BLACK) | AZ4725 |
| <input type="checkbox"/> | SET 1,5M (WHITE) | AZ4724 |
| <input checked="" type="checkbox"/> | SET 2M (BLACK) | AZ4727 |
| <input type="checkbox"/> | SET 2M (WHITE) | AZ4726 |

**End Power**

- | | | |
|-------------------------------------|-------------------------|---------------|
| <input checked="" type="checkbox"/> | END POWER (BLACK) | AZ4743 |
| <input type="checkbox"/> | END POWER (WHITE) | AZ4742 |



TRACK 1-LINE

Accessories for Track 1 Line




L Connector

- L CONNECTOR (BLACK)AZ4739
- L CONNECTOR (WHITE)AZ4738



T Connector

- T CONNECTOR (BLACK)AZ4741
- T CONNECTOR (WHITE)AZ4740



End Cap

- END CAP (BLACK)AZ4745
- END CAP (WHITE)AZ4744



Track 1Line Pendant Accessory 1.5m

- TRACK 1LINE PENDANT ACCESSORY 1.5M (BLACK)AZ4747
- TRACK 1LINE PENDANT ACCESSORY 1.5M (WHITE)AZ4746



* - EXPLANATION SHORTCUT PAGE 2 (E)

TRACK 1-LINE

Accessories for Track 1 Line



Ceiling plate + wire

- CEILING PLATE + WIRE (BLACK)AZ4780
- CEILING PLATE + WIRE (WHITE)AZ4782



Electric

- ELECTRIC (BLACK)AZ4749
- ELECTRIC (WHITE)AZ4748



EXO TRACK

6 Track 1 Line



BK *


EXO TRACK 1 LINE GU10

bulb not included 

voltage: 230V	GU10 1x Max 35W
IP20	installation: Track 1 Line 

COLOUR / NEW INDEX NO.

-  BLACK (BK) **AZ4660**
-  WHITE (WH) **AZ4661**



WH

BK

* - EXPLANATION SHORTCUT PAGE 2 (E)

LOLO TRACK

Track 1 Line




LOLO TRACK 1 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	<input checked="" type="checkbox"/>
IP20	installation: Track 1 Line	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4654**
- WHITE (WH) **AZ4655**





KIRKE TRACK 10W CCT

Track 1 Line



KIRKE TRACK 1 LINE 10W CCT

LED integrated

voltage: 230V

LED 10W 800lm

IP20

3000K | 4000K | 6000K CCT

LED

technical

installation: Track 1 Line


specification

beam angle: 40°



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4656**
- WHITE (WH) **AZ4657**



* - EXPLANATION SHORTCUT PAGE 2 (E)

JERRY TRACK

Track 1 Line



WH *



WH

BK


JERRY TRACK 1 LINE

bulb not included


voltage: 230V	ES111 1x Max 16W	<input type="checkbox"/>
IP20		
technical specification	installation place: Track 1 Line	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4666**
- WHITE (WH) **AZ4667**




NAMING OF BASIC ACCESSORIES FOR TRACK 3-LINE SYSTEM



3 - LINE

track 3-Line




- 12 ACCESORIES FOR TRACK 3 LINE
- 18 EIGER
- 19 MEGARA
- 20 LOLO
- 21 GULIA
- 22 SANTOS
- 24 KIRKE
- 25 GALILEO
- 26 LUMI
- 27 LUMI
- 28 SKYE
- 29 COSTA
- 30 MIKKA
- 31 MONA
- 32 LINNEA

TRACK 3-LINE

Accessories for Track 3 Line


3-Li

Example of the connection between track



TRACKS (1m, 1,5m, 2m, 3m)


- TRACK 1m (BLACK) **AZ2973**
- TRACK 1m (WHITE) **AZ2974**
- TRACK 1,5m (BLACK) **AZ3000**
- TRACK 1,5m (WHITE) **AZ2999**
- TRACK 2m (BLACK) **AZ2975**
- TRACK 2m (WHITE) **AZ2976**
- TRACK 3m (BLACK) **AZ4272**
- TRACK 3m (WHITE) **AZ4271**



Track Set (1m, 1,5m, 2m, 3m)

with THE END POWER + END CAP (All included)

- TRACK SET 1m (BLACK) **AZ2987**
- TRACK SET 1m (WHITE) **AZ2991**
- TRACK SET 1,5m (BLACK) **AZ3001**
- TRACK SET 1,5m (WHITE) **AZ3002**
- TRACK SET 2m (BLACK) **AZ2992**
- TRACK SET 2m (WHITE) **AZ2988**




* - EXPLANATION SHORTCUT PAGE 2 (E)

TRACK 3-LINE


Accessories for Track 3 Line

13

Available options for installation place – surface-mounted, flush-mounted and suspended

**TRACKS GIPS (1m, 2m, 3m)**

- | | | |
|---|---------------------------------|---------------|
| ■ | TRACK GIPS 1m (BLACK) | AZ4790 |
| □ | TRACK GIPS 1m (WHITE) | AZ4789 |
| ■ | TRACK GIPS 2m (BLACK) | AZ4292 |
| □ | TRACK GIPS 2m (WHITE) | AZ4291 |
| ■ | TRACK GIPS 3m (BLACK) | AZ4294 |
| □ | TRACK GIPS 3m (WHITE) | AZ4293 |

**MINI SIMPLE CONNECTION**

- | | | |
|---|--|---------------|
| ■ | MINI SIMPLE CONNECTION (BLACK) | AZ2981 |
| □ | MINI SIMPLE CONNECTION (WHITE) | AZ2982 |



TRACK 3-LINE

Accessories for Track 3 Line



End Power (Left, Right)

- END POWER RIGHT (BLACK) **AZ4116**
- END POWER RIGHT (WHITE) **AZ4117**
- END POWER LEFT (BLACK) **AZ4284**
- END POWER LEFT (WHITE) **AZ4283**



Power

- POWER (BLACK) **AZ4274**
- POWER (WHITE) **AZ4273**




L Connector (Left, Right)

- L CONNECTOR RIGHT (BLACK) **AZ2983**
- L CONNECTOR RIGHT (WHITE) **AZ2984**
- L CONNECTOR LEFT (BLACK) **AZ2985**
- L CONNECTOR LEFT (WHITE) **AZ2986**



T Connector (Left, Right)

- T CONNECTOR LEFT (BLACK) **AZ4276**
- T CONNECTOR LEFT (WHITE) **AZ4275**
- T CONNECTOR RIGHT (BLACK) **AZ4278**
- T CONNECTOR RIGHT (WHITE) **AZ4277**



TRACK 3-LINE

Accessories for Track 3 Line


15

**End Power Gips (Left, Right)**

- END POWER GIPS RIGHT (BLACK) **AZ4304**
- END POWER GIPS RIGHT (WHITE) **AZ4303**
- END POWER GIPS LEFT (BLACK) **AZ4310**
- END POWER GIPS LEFT (WHITE) **AZ4309**

**Power Gips**


- POWER GIPS (BLACK) **AZ4296**
- POWER GIPS (WHITE) **AZ4295**

**L Connector Gips (only Right)**

- L CONNECTOR GIPS RIGHT (BLACK) **AZ4298**
- L CONNECTOR GIPS RIGHT (WHITE) **AZ4297**

**T Connector Gips (only Right)**

- T CONNECTOR GIPS RIGHT (BLACK) **AZ4300**
- T CONNECTOR GIPS RIGHT (WHITE) **AZ4299**




TRACK 3-LINE

Accessories for Track 3 Line



X Connector

- X CONNECTOR (BLACK)AZ4280
- X CONNECTOR (WHITE)AZ4279



Power Adjustable Connector

- POWER ADJUSTABLE CONNECTOR (BLACK)AZ4286
- POWER ADJUSTABLE CONNECTOR (WHITE)AZ4285



Track 3Line Pendant Accessory 1.5m

- TRACK 3LINE PENDANT ACCESSORY 1.5M (BLACK)AZ4797
- TRACK 3LINE PENDANT ACCESSORY 1.5M (WHITE)AZ4796



Ceiling Plate + Wire

- CEILING PLATE + WIRE (BLACK)AZ4780
- CEILING PLATE + WIRE (WHITE)AZ4782



* - EXPLANATION SHORTCUT PAGE 2 (E)


TRACK 3-LINE

Accessories for Track 3 Line




X Connector Gips

- X CONNECTOR GIPS (BLACK)AZ4302
- X CONNECTOR GIPS (WHITE)AZ4301




Flexible Connector

- FLEXIBLE CONNECTOR (BLACK)AZ4282
- FLEXIBLE CONNECTOR (WHITE)AZ4281



End Cap

- END CAP (BLACK)AZ4288
- END CAP (WHITE)AZ4287



EIGER TRACK

Track 3 Line




EIGER TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	
IP20	installation: Track 3 Line	<input checked="" type="checkbox"/>
	beam angle: 60°	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4205**
- BLACK / GOLD (BK/GO) **AZ4206**
- WHITE (WH) **AZ4204**



* - EXPLANATION SHORTCUT PAGE 2 (E)

MEGARA TRACK

Track 3 Line



WH *



WH

BK


MEGARA TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 2x Max. 50W	<input checked="" type="checkbox"/>
IP20		
	installation: Track 3 Line	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4443**
- WHITE (WH) **AZ4442**



LOLO TRACK

Track 3 Line



BK *


LOLO TRACK 3 LINE GU10

bulb not included

voltage: 230V	GU10 1x Max. 50W	
IP20	installation: Track 3 Line	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4577**
- WHITE (WH) **AZ4578**



* - EXPLANATION SHORTCUT PAGE 2 (E)

GULIA TRACK

Track 3 Line



GO *


GULIA TRACK TRACK 3-LINE GU10

bulb not included

voltage: 230V	LED GU10 1x Max. 50W	<input type="checkbox"/>
IP20	installation place: Track 3 Line	<input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4710**
- WHITE (WH) **AZ4709**
- GOLD (GO) **AZ4711**



SANTOS TRACK

Track 3 Line



BK *


SANTOS TRACK 3 LINE GU10

bulb not included

voltage: 48V	GU10 1x Max. 50W
IP20	
technical specification	installation: Track 3 Line <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4203**
- WHITE (WH) **AZ4202**



* - EXPLANATION SHORTCUT PAGE 2 (E)



SANTOS TRACK

Track 3 Line



BK / BK *



BK / BK

WH / WH

BK / GO

WH / GO

SANTOS TRACK 3 LINE 12W 3000K

LED integrated

voltage: 230V

LED 12W 950lm 3000K

IP20



technical


installation place: Track 3 Line

specification

beam angle: 60°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4183**
- WHITE / WHITE (WH / WH) **AZ4184**
- BLACK / GOLD (BK / GO) **AZ2924**
- WHITE / GOLD (WH / GO) **AZ2925**



TILT 90°

ROTATION 350°





KIRKE TRACK

Track 3 Line



BK *



WH

BK

KIRKE TRACK 3 LINE 10W CCT

LED integrated

voltage: 230V

LED 10W 800lm

IP20

3000K | 4000K | 5500K CCT

LED

technical

installation: Track 3 Line




specification

beam angle: 40°



COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4658**
- WHITE (WH) **AZ4659**



TILT 90°

ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)



GALILEO TRACK

Track 3 Line



WH *

GALILEO TRACK 3000K

LED integrated

voltage: 230V

LED 15W 1200lm 3000K

IP20



technical


installation place: Track 3 Line

specification

beam angle: 12°÷ 35°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4066**
- BLACK (BK) **AZ4067**



12° 35°



ADJUSTABLE BEAM ANGLE



WH

BK



LUMI TRACK

Track 3 Line



BK *

LUMI TRACK 3 LINE 3000K

LED integrated

voltage: 230V

LED 5W 500lm 3000K



IP20



technical

installation: Track 3 Line




specification

adjustable beam angle: 19°÷ 70°



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4558**
- BLACK (BK) **AZ4557**



BK *

LUMI FLEX TRACK 3 LINE 3000K

LED integrated

voltage: 230V

LED 5W 500lm 3000K



IP20



technical

installation: Track 3 Line




specification

adjustable beam angle: 19°÷ 70°



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4560**
- BLACK (BK) **AZ4559**



WH

BK

WH

BK



* - EXPLANATION SHORTCUT PAGE 2 (E)



LUMI TRACK

Track 3 Line



ADJUSTABLE BEAM ANGLE

19°

70°



SKYE TRACK

Track 3 Line



WH *

SKYE TRACK 3 LINE 3000K

LED integrated

voltage: 48V

LED 12W 1300lm 3000K

IP20



technical


installation place: Track 3 Line

specification

beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4519**
- BLACK (BK) **AZ4520**



WH

BK



* - EXPLANATION SHORTCUT PAGE 2 (E)



COSTA TRACK

Track 3 Line



BK *



WH

BK

COSTA TRACK 3 LINE 12W 3000K / 4000K

LED integrated

voltage: 230V

IP20

technical
specification



LED 12W 1100lm 3000K

LED 12W 1100lm 4000K


installation place: Track 3 Line

beam angle: 22°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4550**
- 3000K BLACK (BK) **AZ4549**
- 4000K WHITE (WH) **AZ4552**
- 4000K BLACK (BK) **AZ4551**





MIKKA TRACK

Track 3 Line



BK *

MIKKA TRACK 3 LINE 3000K

LED integrated

voltage: 48V

LED 24W 1700lm 3000K

IP20



LED

technical


installation: Track 3 Line

specification

beam angle: 120°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4516**



* - EXPLANATION SHORTCUT PAGE 2 (E)



MONA TRACK

Track 3 Line



BK *

MONA TRACK 12W 3000K / 4000K

LED integrated

voltage: 230V

LED 12W 1000lm 3000K



IP20

LED 12W 1000lm 4000K

technical

installation: Track 3 Line


specification

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4541**
- 3000K BLACK (BK) **AZ4542**
- 4000K WHITE (WH) **AZ4544**
- 4000K BLACK (BK) **AZ4543**



WH *

MONA TRACK 18W 3000K

LED integrated

voltage: 230V

LED 18W 1500lm 3000K



IP20

installation: Track 3 Line

technical


beam angle: 120°

specification



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4548**
- BLACK (BK) **AZ4547**



WH

WH



BK

BK





LINNEA TRACK CCT

Track 3 Line



BK *

LINNEA 29 TRACK 12W CCT

LED integrated

voltage: 48V

IP20

technical

specification




LED 12W 700lm
3000K | 4000K | 5000K CCT
installation: Track 3 Line
beam angle: 120°




COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4564**
- BLACK (BK) **AZ4563**



TILT 45° ROTATION 350°



BK *

LINNEA 86 TRACK 3 LINE 36W CCT

LED integrated

voltage: 230V

IP20

technical

specification




LED 36W 2000lm
3000K | 4000K | 5000K CCT
installation: Track 3 Line
beam angle: 120°




COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4568**
- BLACK (BK) **AZ4567**



TILT 45° ROTATION 350°



BK *

LINNEA 57 TRACK 3 LINE 24W CCT

LED integrated

voltage: 48V

IP20

technical

specification




LED 24W 1400lm
3000K | 4000K | 5000K CCT
installation: Track 3 Line
beam angle: 120°



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4566**
- BLACK (BK) **AZ4565**



TILT 45° ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)




LINNEA TRACK CCT

Track 3 Line




NAMING OF BASIC ACCESSORIES FOR TRACK MAGNETIC SYSTEM



MAGNETIC TRACK

MAGNETIC

track Magnetic




- 36** ACCESORIES FOR TRACK MAGNETIC
- 42** SAGA
- 44** SAGA CORNER
- 46** KIRA
- 48** NIKKI
- 49** NIKO
- 50** ALDO
- 51** SKYE PENDANT
- 52** ELIN
- 53** ELSA
- 54** MAYA
- 55** KORI

TRACK MAGNETIC

Accessories for Track Magnetic

Example of the connection between track




01 Insert the MECHANICAL CONNECTOR (B) into the TRACK (A).

02 Tighten the screw between A and B.

03 Slide and fasten TRACK (C) to the MECHANICAL CONNECTOR (B).


04 Put STRAIGHT CONNECTOR (D) between the two connected tracks (A+C).



Track Magnetic 27 (1m, 1,5m, 2m, 3m)

WITH END CAP 2X (ALL INCLUDED)

- TRACK 27 1M (BLACK) **AZ4713**
- TRACK 27 1M (WHITE) **AZ4712**
- TRACK 27 1,5M (BLACK) **AZ4715**
- TRACK 27 1,5M (WHITE) **AZ4714**
- TRACK 27 2M (BLACK) **AZ4717**
- TRACK 27 2M (WHITE) **AZ4716**
- TRACK 27 3M (BLACK) **AZ4719**
- TRACK 27 3M (WHITE) **AZ4718**



Track Magnetic 52 (1m, 1,5m, 2m, 3m)

WITH END CAP 2X (ALL INCLUDED)


- TRACK 52 1M (BLACK) **AZ4638**
- TRACK 52 1M (WHITE) **AZ4639**
- TRACK 52 1,5M (BLACK) **AZ4640**
- TRACK 52 1,5M (WHITE) **AZ4641**
- TRACK 52 2M (BLACK) **AZ4642**
- TRACK 52 2M (WHITE) **AZ4643**
- TRACK 52 3M (BLACK) **AZ4644**
- TRACK 52 3M (WHITE) **AZ4645**

* - EXPLANATION SHORTCUT PAGE 2 (E)

TRACK MAGNETIC

Accessories for Track Magnetic

Available options for installation place – surface-mounted, flush-mounted and suspended



Track Magnetic 52 Gips (1m, 1,5m, 2m)

WITH END CAP 2X (ALL INCLUDED)

- TRACK 52 GIPS 1M (BLACK) **AZ4646**
- TRACK 52 GIPS 1M (WHITE) **AZ4647**
- TRACK 52 GIPS 1,5M (BLACK) **AZ4648**
- TRACK 52 GIPS 1,5M (WHITE) **AZ4649**
- TRACK 52 GIPS 2M (BLACK) **AZ4650**
- TRACK 52 GIPS 2M (WHITE) **AZ4651**



Power Supply Covert (60W; 100W; 200W)

- POWER SUPPLY 60W (BLACK) **AZ4669**
- POWER SUPPLY 60W (WHITE) **AZ4670**
- POWER SUPPLY 100W (BLACK) **AZ4671**
- POWER SUPPLY 100W (WHITE) **AZ4672**
- POWER SUPPLY 200W (BLACK) **AZ4673**
- POWER SUPPLY 200W (WHITE) **AZ4674**

TRACK MAGNETIC

Accessories for Track Magnetic



Track Magnetic Inner Corner 90° + Flex

SURFACE INNER CORNER 90°
+ POWER CONNECTOR FLEXIBLE

- INNER CORNER 90 + FLEX (BLACK) **AZ4683**
- INNER CORNER 90 + FLEX (WHITE) **AZ4684**



Track Magnetic Inner Corner 90° + Flex Gips

SURFACE INNER CORNER 90°
+ POWER CONNECTOR FLEXIBLE

- INNER CORNER 90 + FLEX GIPS (BLACK) **AZ4685**
- INNER CORNER 90 + FLEX GIPS (WHITE) **AZ4686**




Track Magnetic 27 L Connector

- MAGNETIC 27 L CONNECTOR (BLACK) **AZ4721**
- MAGNETIC 27 L CONNECTOR (WHITE) **AZ4720**



Track Magnetic Flex Connector Electric

- FLEX CONNECTOR ELECTRIC (BLACK) **AZ4687**
- FLEX CONNECTOR ELECTRIC (WHITE) **AZ4688**



TRACK MAGNETIC

Accesories for Track Magnetic



Track Magnetic Straight Connector


- STRAGHT CONNECTOR (BLACK)AZ4677
- STRAGHT CONNECTOR (WHITE)AZ4678



Track Magnetic Driver Meanwell 100W / 200W 48V

Outer TRACK MAGNETIC 100W / 200W 48V

- DRIVER MEANWELL (100W)AZ4691
- DRIVER MEANWELL (200W)AZ4692



Track Magnetic Corner90 + Flex POWER CONNECTOR FLEXIBLE

- CORNER90 + FLEX (BLACK)AZ4679
- CORNER90 + FLEX (WHITE)AZ4680



Track Magnetic Corner90 + Flex Gips

POWER CONNECTOR FLEXIBLE

- TRIMLESS (BLACK)AZ4681
- TRIMLESS (WHITE)AZ4682

TRACK MAGNETIC

Accessories for Track Magnetic



Track Magnetic Suspension Kit 2m

- TRACK MAGNETIC SUSPENSION KIT 2M (BLACK)AZ4693
- TRACK MAGNETIC SUSPENSION KIT 2M (WHITE)AZ4694




Track Magnetic Power Supply Case

- POWER SUPPLY CASE (BLACK)AZ4675
- POWER SUPPLY CASE (WHITE)AZ4676




Track Magnetic Mechanical Connector

- MECHANICAL CONNECTOR (BLACK)AZ4689
- MECHANICAL CONNECTOR (WHITE)AZ4690



Track Magnetic Cover 1m

- COVER 1M (BLACK)AZ4652
- COVER 1M (WHITE)AZ4653



* - EXPLANATION SHORTCUT PAGE 2 (E)

TRACK MAGNETIC

Accessories for Track Magnetic



Ceiling Plate + Wire


- CEILING PLATE + WIRE (BLACK) **AZ4780**
- CEILING PLATE + WIRE (WHITE) **AZ4782**





SAGA TRACK

Track Magnetic



BK *

SAGA TRACK MAGNETIC 12W MILKY120

3000K / 4000K

LED integrated

voltage: 48V

LED 12W 550lm 3000K

IP20

LED 12W 600lm 4000K



technical

installation: Track Magnetic – 52 or 27



specification

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4604**
- 3000K BLACK (BK) **AZ4603**
- 4000K WHITE (WH) **AZ4606**
- 4000K BLACK (BK) **AZ4605**



BK *

SAGA TRACK MAGNETIC 24W MILKY120

3000K / 4000K

LED integrated

voltage: 48V

LED 24W 1100lm 3000K

IP20

LED 24W 1200lm 4000K



technical

installation: Track Magnetic – 52 or 27




specification

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4608**
- 3000K BLACK (BK) **AZ4607**
- 4000K WHITE (WH) **AZ4610**
- 4000K BLACK (BK) **AZ4609**



BK *

SAGA TRACK MAGNETIC 36W MILKY120

3000K / 4000K

LED integrated

voltage: 48V

LED 36W 1800lm 3000K

IP20

LED 36W 1800lm 4000K



technical

installation: Track Magnetic – 52 or 27




specification

beam angle: 120°



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4612**
- BLACK (BK) **AZ4611**



WH

BK

* - EXPLANATION SHORTCUT PAGE 2 (E)



SAGA TRACK


Track Magnetic





SAGA TRACK

Track Magnetic



SAGA TRACK MAGNETIC CORNER A 24W

MILKY120 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1200lm 3000K

LED 24W 1300lm 4000K


installation: Track Magnetic – 52 or 27

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4614**
- 3000K BLACK (BK) **AZ4613**
- 4000K WHITE (WH) **AZ4616**
- 4000K BLACK (BK) **AZ4615**



SAGA TRACK MAGNETIC CORNER B 24W

MILKY120 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 24W 1200lm 3000K

LED 24W 1300lm 4000K


installation: Track Magnetic – 52 or 27

beam angle: 120°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4618**
- 3000K BLACK (BK) **AZ4617**
- 4000K WHITE (WH) **AZ4620**
- 4000K BLACK (BK) **AZ4619**



* - EXPLANATION SHORTCUT PAGE 2 (E)



SAGA TRACK

Track Magnetic

45



KIRA TRACK

46

Track Magnetic


Track type – 52 mm






KIRA TRACK

Track Magnetic



BK *



WH *

KIRA TRACK MAGNETIC 12W POINTS60

3000K / 4000K

LED integrated

voltage: 48V

LED 12W 750lm 3000K



IP20

LED 12W 800lm 4000k

technical

installation place:


specification

beam angle: 60°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4596**
- 3000K BLACK (BK) **AZ4595**
- 4000K WHITE (WH) **AZ4598**
- 4000K BLACK (BK) **AZ4597**



KIRA TRACK MAGNETIC 24W POINTS60

3000K / 4000K

LED integrated

voltage: 48V

LED 24W 1300lm 3000K



IP20

LED 24W 1400lm 4000K

technical

installation place:

specification

beam angle: 60°



COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4600**
- 3000K BLACK (BK) **AZ4599**
- 4000K WHITE (WH) **AZ4602**
- 4000K BLACK (BK) **AZ4601**



WH

BK



NIKKI TRACK

Track Magnetic



GO/BK *

NIKKI TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 3W 350lm 3000K




installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4589**
- GOLD / BLACK (GO/BK) **AZ4591**
- WHITE / BLACK (WH/BK) **AZ4590**



BK/BK *

NIKKI 2 TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 2x3W 350lm 3000K




installation: Track Magnetic – 52 or 27

beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK / BLACK (BK/BK) **AZ4592**
- GOLD / BLACK (GO/BK) **AZ4594**
- WHITE / BLACK (WH/BK) **AZ4593**



* - EXPLANATION SHORTCUT PAGE 2 (E)



NIKO TRACK

Track Magnetic



WH/BK *

NIKO TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical specification



LED 7W 550lm 3000K

LED 7W 600lm 4000K


installation: Track Magnetic – 52 or 27

beam angle: 30°



COLOUR / NEW INDEX NO.

- 4000K GOLD / BLACK (GO/BK) . . . **AZ4583**
- 3000K BLACK / BLACK (BK/BK) . . . **AZ4579**
- 3000K WHITE / BLACK (WH/BK) . . . **AZ4580**
- 4000K BLACK / BLACK (BK/BK) . . . **AZ4581**
- 4000K WHITE / BLACK (WH/BK) . . . **AZ4582**



GO/BK *

NIKO 2 TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical specification



LED 2x7W 550lm 3000K

LED 2x7W 600lm 4000K


installation: Track Magnetic – 52 or 27

beam angle: 30°



COLOUR / NEW INDEX NO.


- 3000K GOLD / BLACK (GO/BK) . . . **AZ4588**
- 3000K BLACK / BLACK (BK/BK) . . . **AZ4584**
- 3000K WHITE / BLACK (WH/BK) . . . **AZ4585**
- 4000K BLACK / BLACK (BK/BK) . . . **AZ4586**
- 4000K WHITE / BLACK (WH/BK) . . . **AZ4587**





ALDO TRACK

Track Magnetic



BK *

ALDO TRACK MAGNETIC 12W MILKY120 3000K

LED integrated

voltage: 48V

LED 12W 900lm 3000K

IP20



technical specification




installation: Track Magnetic – 52 or 27

beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4626**
- BLACK (BK) **AZ4625**



ROTATION POSSIBLE WITH TRACK MAGNETIC27 ONLY

TILT 90°

ROTATION 360°



WH

BK

WH

BK



WH *

ALDO TRACK MAGNETIC 12W POINTS60 3000K / 4000K

LED integrated

voltage: 48V

LED 12W 1300lm 3000K

IP20

LED 12W 1300lm 4000K



technical specification




installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4622**
- 3000K BLACK (BK) **AZ4621**
- 4000K WHITE (WH) **AZ4624**
- 4000K BLACK (BK) **AZ4623**



ROTATION POSSIBLE WITH TRACK MAGNETIC27 ONLY

TILT 90°

ROTATION 350°



* - EXPLANATION SHORTCUT PAGE 2 (E)



SKYE TRACK MAGNETIC PENDANT

Track Magnetic



WH *



WH

BK

SKYE TRACK MAGNETIC PENDANT 12W 3000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 12W 1200lm 3000K




installation: Track Magnetic – 52 or 27

beam angle: 60°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4637**
- BLACK (BK) **AZ4636**



TILT 60°





ELIN TRACK

52

Track Magnetic



ELIN TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 7W 850lm 3000K

LED 7W 850lm 4000K

installation: Track Magnetic – 52 or 27

beam angle: 190°




COLOUR / NEW INDEX NO.

3000K BLACK (BK) **AZ4630**

3000K GOLD (GO) **AZ4632**

4000K BLACK (BK) **AZ4631**



* - EXPLANATION SHORTCUT PAGE 2 (E)

ELSA TRACK

Track Magnetic



ELSA TRACK MAGNETIC 7W 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 7W 700lm 3000K

LED 7W 700lm 4000K


installation Track Magnetic – 52 or 27

beam angle: 190°



COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4633**
- 3000K GOLD (GO) **AZ4635**
- 4000K BLACK (BK) **AZ4634**



MAYA TRACK

Track Magnetic



BK *

MAYA TRACK MAGNETIC 3W 3000K

LED integrated

voltage: 48V

LED 3W 250lm 3000K

IP20



LED

technical


installation Track Magnetic – 52 or 27

specification

beam angle: 190°

COLOUR / NEW INDEX NO.

BLACK (BK) **AZ4629**



* - EXPLANATION SHORTCUT PAGE 2 (E)



KORI TRACK

Track Magnetic



GO *

KORI TRACK MAGNETIC 5W 3000K

LED integrated

voltage: 48V

LED 5W 500lm 3000K

IP20



technical



installation: Track Magnetic – 52 or 27

specification

beam angle: 40°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4627**
- GOLD (GO) **AZ4628**





SETS FOR TRACK MAGNETIC

SETS FOR

Track Magnetic



- 58** 1 M SET FOR TRACK MAGNETIC
- 60** 1,5 M SET FOR TRACK MAGNETIC
- 61** 2 M SET FOR TRACK MAGNETIC
- 65** 3 M SET FOR TRACK MAGNETIC

TRACK MAGNETIC SET 1 M

Sets for Track Magnetic



52M1031BK-AZ4798
track magnetic 1m, 3000K, black



52M1031WH-AZ4799
track magnetic 1m, 3000K, white

TRACK MAGNETIC SET 1M 3000K / 4000K

LED integrated


voltage: 48V	LED 26W 1120lm 3000K		
IP20	LED 26W 1815lm 4000K		
technical specification	installation: Track Magnetic		
	pendant with AZ4828 or AZ4829		

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4798	(52M1031BK)
	3000K WHITE (BK)	AZ4799	(52M1031WH)
	4000K BLACK (BK)	AZ4800	(52M1041BK)
	4000K WHITE (BK)	AZ4801	(52M1041WH)

Set specification:

AZ4798 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4603
 AZ4799 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4604
 AZ4800 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4605
 AZ4801 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4606



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m





TRACK MAGNETIC SET 1 M

Sets for Track Magnetic



52M1032BK-AZ4802
track magnetic 1m, 3000K, black



52M1032WH-AZ4803
track magnetic 1m, 3000K, white

TRACK MAGNETIC SET 1M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 26W 2022m 3000K

LED 26W 1930lm 4000K

installation: Track Magnetic

pendant with AZ4828 or AZ4829




COLOUR / NEW INDEX NO.

<input checked="" type="checkbox"/>	3000K BLACK (BK)	AZ4802	(52M1032BK)
<input type="checkbox"/>	3000K WHITE (BK)	AZ4803	(52M1032WH)
<input checked="" type="checkbox"/>	4000K BLACK (BK)	AZ4804	(52M1042BK)
<input type="checkbox"/>	4000K WHITE (BK)	AZ4805	(52M1042WH)

* Ceiling Plate + Wire

** Track Magnetic Suspension Kit 2m




Set specification:

AZ4802 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4584

AZ4803 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4585

AZ4804 = AZ4638 + AZ4669 + AZ4652 + 2x AZ4586

AZ4805 = AZ4639 + AZ4670 + AZ4653 + 2x AZ4587



TRACK MAGNETIC SET 1,5 M

Sets for Track Magnetic



52M1531BK-AZ4806
track magnetic 1,5 m, 3000K, black



52M1531BK/GO-AZ4807
track magnetic 1,5 m, 3000K, black/gold

TRACK MAGNETIC SET 1,5M

3000K / 4000K

LED integrated

voltage: 48V

LED 41W 2905lm 3000K

LED

IP20

LED 41W 2910lm 4000K

technical

installation: Track Magnetic

specification

pendant with AZ4828 or AZ4829



COLOUR / NEW INDEX NO.


	3000K BLACK (BK)	AZ4806	(52M1531BK)
	3000K WHITE (BK)	AZ4807	(52M1531BK/GO)
	4000K BLACK (BK)	AZ4808	(52M1531WH/GO)
	4000K WHITE (BK)	AZ4809	(52M1541BK)



52M1531WH/GO-AZ4808
track magnetic 1,5 m, 3000K, white/gold

Set specification:

- AZ4806 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4630
- AZ4807 = AZ4640 + AZ4669 + AZ4652 + AZ4607+2x AZ4632
- AZ4808 = AZ4641 + AZ4670 + AZ4653 + AZ4607+2x AZ4632
- AZ4809 = AZ4640 + AZ4671 + AZ4652 + AZ4607+2x AZ4631



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m



ELIN TRACK MAGNETIC 7W 3000K GOLD



TRACK MAGNETIC SET 2 M

Sets for Track Magnetic



52M2031BK-AZ4810
track magnetic 2m, 3000K, black



52M2031WH-AZ4811
track magnetic 2m, 3000K, white

TRACK MAGNETIC SET 2M 3000K / 4000K

LED integrated

voltage: 48V

IP20

technical

specification



LED 51W 3131lm 3000K

LED 53W 3041lm 4000K


installation: Track Magnetic

pendant with AZ4828 or AZ4829



COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4810	(52M2031BK)
	3000K WHITE (BK)	AZ4811	(52M2031WH)
	4000K BLACK (BK)	AZ4812	(52M2041BK)
	4000K WHITE (BK)	AZ4813	(52M2041WH)



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m

Set specification:

AZ4810 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4584

AZ4811 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4585

AZ4812 = AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4586

AZ4813 = AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4587



NIKO 2 TRACK MAGNETIC 2x7W 3000K WH/BK



NIKO 2 TRACK MAGNETIC 2x7W 3000K BK/BK

TRACK MAGNETIC SET 2 M



Track Magnetic



52M2032BK-AZ4814
track magnetic 2m, 3000K, black



52M2032WH-AZ4815
track magnetic 2m, 3000K, white

TRACK MAGNETIC SET 2M 3000K / 4000K

LED integrated


voltage: 48V	LED 69W 3533lm 3000K		LED
IP20	LED 69W 3609lm 4000K		
technical specification	installation: Track Magnetic	pendant with AZ4828 or AZ4829	

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4814	(52M2032BK)
	3000K WHITE (BK)	AZ4815	(52M2032WH)
	4000K BLACK (BK)	AZ4816	(52M2042BK)
	4000K WHITE (BK)	AZ4817	(52M2042WH)

Set specification:

AZ4814 =
AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4579 + 2xAZ4595
AZ4815 =
AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4580 + 2xAZ4596
AZ4816 =
AZ4642 + AZ4671 + AZ4652 + AZ4609+2x AZ4581+ 2xAZ4597
AZ4817 =
AZ4643 + AZ4672 + AZ4653 + AZ4610+2x AZ4582+ 2xAZ4598



* Ceiling Plate + Wire
** Track Magnetic Suspension Kit 2m

NIKO TRACK MAGNETIC 7W 3000K WH/BK



KIRA TRACK MAGNETIC 12W POINTS60 3000K WH



NIKO TRACK MAGNETIC 7W 3000K BK/BK



KIRA TRACK MAGNETIC 12W POINTS60 3000K BK





TRACK MAGNETIC SET 2 M

Sets for Track Magnetic



52M2034BK-AZ4820
track magnetic 2m, 3000K, black



52M2034WH-AZ4821
track magnetic 2m, 3000K, white

TRACK MAGNETIC SET 2M 3000K

LED integrated

voltage: 48V

LED 51W 3131lm 3000K

IP20




technical specification

installation: Track Magnetic

pendant with AZ4828 or AZ4829

COLOUR / NEW INDEX NO.

- 3000K BLACK (BK) **AZ4820** (52M2034BK)
- 3000K WHITE (BK) **AZ4821** (52M2034WH)



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m

Set specification:

- AZ4820 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4589+ AZ4592
- AZ4821 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4590 + AZ4593



TRACK MAGNETIC SET 2 M



Sets for Track Magnetic



52M2033BK/GO-AZ4818
track magnetic 2m, 3000K, black/gold



52M2033WH/GO-AZ4819
track magnetic 2m, 3000K, white/gold

TRACK MAGNETIC SET 2M 3000K

LED integrated

voltage: 48V

LED 53W 3540lm 3000K

LED

IP20



installation: Track Magnetic

technical

specification

pendant with AZ4828 or AZ4829


COLOUR / NEW INDEX NO.

<input checked="" type="checkbox"/>	3000K BLACK (BK)	AZ4818	(52M2033BK/GO)
<input type="checkbox"/>	3000K WHITE (BK)	AZ4819	(52M2033WH/GO)

Set specification:

AZ4818 = AZ4642 + AZ4671 + AZ4652 + AZ4607+2x AZ4588

AZ4819 = AZ4643 + AZ4672 + AZ4653 + AZ4608+2x AZ4588



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m





TRACK MAGNETIC SET 3 M

Sets for Track Magnetic



52M1031BK-AZ4798
track magnetic 3m, 3000K, black



52M3031WH-AZ4823
track magnetic 3m, 3000K, white

TRACK MAGNETIC SET 3M 3000K

LED integrated

voltage: 48V	LED 156W 8722lm 3000K	
IP20		
technical	installation: Track Magnetic	
specification	pendant with AZ4828 or AZ4829	

COLOUR / NEW INDEX NO.


- 3000K BLACK (BK) **AZ4820** (52M2034BK)
- 3000K WHITE (BK) **AZ4821** (52M2034WH)

Set specification:

- AZ4822 = AZ4644 + AZ4673 + AZ4652 + 2x AZ4604 + 2x AZ4611 + 4x AZ4621
- AZ4823 = AZ4645 + AZ4674 + AZ4653 + 2x AZ4605 + 2x AZ4612 + 4x AZ4622



ALDO TRACK MAGNETIC 12W POINTS60 3000K BK



ALDO TRACK MAGNETIC 12W POINTS60 3000K WH

TRACK MAGNETIC SET 3 M

Sets for Track Magnetic



52M3032BK-AZ4824
track magnetic 3m, 3000K, black



52M3032WH-AZ4825
track magnetic 3m, 3000K, white

TRACK MAGNETIC SET 3M 3000K / 4000K

LED integrated


voltage: 48V	LED 145W 7332lm 3000K		LED
IP20	LED 120W 6316lm 4000K		
technical specification	installation: Track Magnetic	pendant with AZ4828 or AZ4829	

COLOUR / NEW INDEX NO.

	3000K BLACK (BK)	AZ4824	(52M3032BK)
	3000K WHITE (BK)	AZ4825	(52M3032WH)
	4000K BLACK (BK)	AZ4826	(52M3042BK)
	4000K WHITE (BK)	AZ4827	(52M3042WH)

Set specification:

AZ4824 =
AZ4644 + AZ4673 + AZ4652 + AZ4603+2x AZ4611 + 2x AZ4579 + AZ4584
AZ4825 =
AZ4645 + AZ4674 + AZ4653 + AZ4604+2x AZ4612 + 2x AZ4580 + AZ4585
AZ4826 =
AZ4644 + AZ4673 + AZ4652 + AZ4605+2x AZ4609 + 2x AZ4581 + AZ4586
AZ4827 =
AZ4645 + AZ4674 + AZ4653 + AZ4606+2x AZ4610 + 2x AZ4582 + AZ4587



- * Ceiling Plate + Wire
- ** Track Magnetic Suspension Kit 2m



NIKO TRACK MAGNETIC 7W 3000K WH/BK



NIKO 2 TRACK MAGNETIC 7W 3000K BK/BK



TRACK MAGNETIC SET 3 M

Sets for Track Magnetic

67



index technoline

COSTA	72	LORENZA	110
ROTONDO.	73	LORENZO	111
BRANT	74	ESTER SQUARE	112
MANE	75	ESTER ROUND	114
MANE	76	AIDA ROUND	118
FRIDA	78	AIDA SQUARE	119
NIKEA.	80	MALTA R	120
MONA 12W	82	GALATA	124
MONA 18W	83	KASTORIA.	125
MONA SPOT 12W	84	LAMIR R.	126
MONA SPOT 18W	85	LAMIR S.	127
SANTOS.	86	OKA.	128
ECO ALEX 230V.	87	PABLO IP54	129
GALILEO 1 PENDANT	88	CARLO	130
EIGER IP54	90	EDITTA	131
ECO ALIX	91	MILET	132
PAOLA 230V.	92	TITO IP54	133
TORONTO.	94	MINORKA	134
TORONTO 1 SPOT.	95	REMI	136
LINNEA PENDANT.	96	ITAKA	137
OJOS	98	VEGA	140
MAKALU	100	VERA	141
SKYE	102	LUMI	142
SKYE PENDANT.	103	LUMI FLEX	143
MONZA S CCT	104	VELIA ROUND	144
MONZA R CCT	106	VELIA SQUARE	145

AZzardo[®]

TECHNOLINE


www.azzardolighting.com



EXPOSED DOWNLIGHTS

EXPOSED

downlights



- 72 COSTA
- 73 ROTONDO
- 74 BRANT
- 75 MANE
- 76 MANE
- 78 FRIDA
- 80 NIKEA
- 82 MONA 12W
- 83 MONA 18W
- 84 MONA SPOT 12W
- 85 MONA SPOT 18W
- 86 SANTOS
- 87 ECO ALEX 230V
- 88 GALILEO 1 PENDANT
- 90 EIGER IP54
- 91 ECO ALIX
- 92 PAOLA 230V
- 94 TORONTO
- 95 TORONTO 1 SPOT
- 96 LINNEA PENDANT
- 98 OJOS
- 100 MAKALU
- 102 SKYE
- 103 SKYE PENDANT
- 104 MONZA S CCT
- 106 MONZA R CCT

COSTA

72

Exposed downlights




COSTA 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000K		
IP20	LED 12W 1100lm 4000K		
technical specification	installation place		
	beam angle: 22°		

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ2856**
- 3000K BLACK (BK) **AZ2857**
- 4000K WHITE (WH) **AZ4554**
- 4000K BLACK (BK) **AZ4553**




COSTA SPOT

LED integrated

voltage: 230V	LED 12W 1020lm 3000K		
IP20			
technical specification	installation place		
	inlet opening Ø 9cm		
	beam angle: 22°		

COLOUR / NEW INDEX NO.

- WHITE/WHITE (WH/WH) **AZ2705**
- BLACK/BLACK (BK/BK) **AZ2706**



* - EXPLANATION SHORTCUT PAGE 2 (E)

ROTONDO

Exposed downlights




ROTONDO

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4207**
- BLACK (BK) **AZ4208**
- BRONZE (BZ) **AZ4209**



BRANT

Exposed downlights




BRANT

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2819**
- WHITE (WH) **AZ2818**
- BLACK / CHROME (BK / CH) **AZ2929**




BRANT 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2821**
- WHITE (WH) **AZ2820**
- BLACK / CHROME (BK / CH) **AZ2930**





MANE

Exposed downlights

75



BK *

MANE 10W 3000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 850lm 3000K RA>90


LED

installation place

beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ2844**
- WHITE (WH) **AZ2845**
- GOLD (GO) **AZ2846**



new

GO *

MANE 10W 4000K

LED integrated

voltage: 230V

IP20

technical

specification



LED 10W 800lm 4000K


LED

installation place

beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4322**
- WHITE (WH) **AZ4324**
- GOLD (GO) **AZ4323**





MANE

76

Exposed downlights




MANE 20W

LED integrated	
voltage: 230V	LED 20W 1600lm 3000K
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4153**
- WHITE (WH) **AZ4152**
- GOLD (GO) **AZ4154**




MANE 20W DIMM

LED integrated	
voltage: 230V	LED 20W DIMM 1600lm 3000K
IP20	
technical specification	installation place
	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4325**
- WHITE (WH) **AZ4327**
- GOLD (GO) **AZ4326**



* - EXPLANATION SHORTCUT PAGE 2 (E)



MANE

Exposed downlights




MANE 30W

voltage: 230V	LED 30W 2400lm 3000K	LED integrated
IP20		LED
technical specification	installation place	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4156**
- WHITE (WH) **AZ4155**
- GOLD (GO) **AZ4157**




MANE 30W DIMM

voltage: 230V	LED 30W DIMM 2400lm 3000K	LED integrated
IP20		LED
technical specification	installation place	beam angle: 23°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4328**
- WHITE (WH) **AZ4330**
- GOLD (GO) **AZ4329**





FRIDA

78

Exposed downlights



BK *

FRIDA 7W 3000K / 4000K

LED integrated

voltage: 230V

LED 7W 500lm 3000K

LED

IP54



LED 7W 550lm 4000K

technical

installation place inlet opening 7-8cm

specification

beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4525**
- 3000K BLACK (BK) **AZ4523**
- 4000K WHITE (WH) **AZ4526**
- 4000K BLACK (BK) **AZ4524**



Ø 8,5

TILT 90°

ROTATION 350°



WH *

FRIDA 12W 3000K / 4000K

LED integrated

voltage: 230V

LED 12W 1100lm 3000K

LED

IP54



LED 12W 1100lm 4000K

technical

installation place inlet opening 7-8cm

specification

beam angle: 24°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4529**
- 3000K BLACK (BK) **AZ4527**
- 4000K WHITE (WH) **AZ4530**
- 4000K BLACK (BK) **AZ4528**



Ø 10

TILT 90°

ROTATION 350°



BK

BK

WH

WH

* - EXPLANATION SHORTCUT PAGE 2 (E)

FRIDA

Exposed downlights

79



NIKEA

Exposed downlights




NIKEA 1 GU10

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4430**
- WHITE (WH) **AZ4431**
- BLACK (BK) **AZ4432**




NIKEA 2 GU10

bulb not included

voltage: 230V	GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4433**
- WHITE (WH) **AZ4434**
- BLACK (BK) **AZ4435**



* - EXPLANATION SHORTCUT PAGE 2 (E)




NIKEA 1 ES111

bulb not included

voltage: 230V	ES111 1x Max 16W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4436**
- WHITE (WH). **AZ4437**
- BLACK (BK). **AZ4438**




NIKEA 2 ES111

bulb not included

voltage: 230V	ES111 2x Max 16W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ4439**
- WHITE (WH). **AZ4440**
- BLACK (BK). **AZ4441**



MONA 12W

Exposed downlights




MONA 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1000lm 3000/4000K	LED
IP20	installation place	
technical specification	beam angle: 120°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4538**
- 3000K BLACK (BK) **AZ4537**
- 4000K WHITE (WH) **AZ4540**
- 4000K BLACK (BK) **AZ4539**





MONA 18W

Exposed downlights




MONA 18W 3000K

LED integrated

voltage: 230V	LED 18W 1500lm 3000K
IP20	LED
technical specification	installation place
	beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4546**
- 3000K BLACK (BK) **AZ4545**





MONA SPOT 12W

Exposed downlights




MONA SPOT 12W 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 800lm 3000K	
IP20	LED 12W 1000lm 4000K	
technical specification	installation place <input type="checkbox"/> inlet opening 7,5cm	
	beam angle: 120°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4532**
- 3000K BLACK (BK) **AZ4531**
- 4000K WHITE (WH) **AZ4534**
- 4000K BLACK (BK) **AZ4533**





MONA SPOT 18W

Exposed downlights



MONA SPOT 18W 3000K

LED integrated

voltage: 230V

LED 18W 1300lm 3000K

IP20

LED

technical specification




installation place inlet opening 9,5cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4536**
- 3000K BLACK (BK) **AZ4535**



TILT 90°

ROTATION 350°



SANTOS

Exposed downlights



SANTOS 3000K

LED integrated

voltage: 230V	LED 12W 800lm 3000K	
IP20		
technical specification	installation place	
	beam angle: 37°	

COLOUR / NEW INDEX NO.

- WHITE / GOLD (WH/GO) **AZ2417**
- BLACK / GOLD (BK/GO) **AZ2416**
- WHITE / WHITE (WH/WH) **AZ4182**
- BLACK / BLACK (BK/BK) **AZ4181**




SANTOS GU10

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4201**
- WHITE (WH) **AZ4200**



* - EXPLANATION SHORTCUT PAGE 2 (E)

ECO ALEX 230V

Exposed downlights

new



BK *


ECO ALEX V.2

bulb not included 

voltage: 230V	ES111 1 x MAX 16W	
IP20	installation place	

COLOUR / NEW INDEX NO.


- WHITE (WH) **AZ4318**
- BLACK (BK) **AZ4317**





GALILEO 1 PENDANT

Exposed downlights



GALILEO 1 PENDANT 3000K

LED integrated

voltage: 230V

LED 15W 750lm 3000K

IP20

technical

specification




installation place

adjustable beam angle: 12°÷ 35°



COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4068**
- BLACK (BK) **AZ4069**



12° 35°

ADJUSTABLE BEAM ANGLE



5,5



* - EXPLANATION SHORTCUT PAGE 2 (E)


GALILEO 1 PENDANT

Exposed downlights



EIGER IP54

Exposed downlights



BK *

EIGER IP54

bulb not included


voltage: 230V	GU10 1x MAX 50W
IP54	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4260**
- BLACK / GOLD (BK/GO) **AZ4261**
- WHITE (WH) **AZ4259**



RECOMMENDED FOR DROPPED CEILING



BK

WH



BK / GO

* - EXPLANATION SHORTCUT PAGE 2 (E)

ECO ALIX

Exposed downlights





ECO ALIX V2.

bulb not included 

voltage: 230V	ES111 1x Max. 16W	
IP20	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4320**
- BLACK (BK) **AZ4319**



PAOLA 230V

Exposed downlights



BK *

PAOLA 1 230V

bulb not included

voltage: 230V	connect 1x ES111 Max 16W or	
IP20	ADAP111 + GU10 Max 50W	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4128**
- BLACK (BK) **AZ4130**



WH *


PAOLA 2 230V

bulb not included

voltage: 230V	connect 2x ES111 Max 16W or	
IP20	ADAP111 + GU10 Max 50W	
	installation place	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4132**
- BLACK (BK) **AZ4134**



WH

WH

BK

BK

* - EXPLANATION SHORTCUT PAGE 2 (E)

PAOLA 230V

Exposed downlights

93





TORONTO

Exposed downlights



BK *


TORONTO 1 3000K

LED integrated

voltage: 230V	LED 10W 700lm 3000K		
IP20	installation place		
technical specification	beam angle: 60°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4070**
- BLACK (BK) **AZ4064**



WH



BK



WH *


TORONTO 2 3000K

LED integrated

voltage: 230V	LED 2x10W 1000lm 3000K		
IP20	installation place		
technical specification	beam angle: 60°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4072**
- BLACK (BK) **AZ4065**



WH



BK



* - EXPLANATION SHORTCUT PAGE 2 (E)



TORONTO 1 SPOT

Exposed downlights



TORONTO 1 SPOT 3000K

LED integrated

voltage: 230V

LED 15W 700lm 3000K

IP20

technical
specification




installation place inlet opening 16,2cm

beam angle: 60°

LED

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4071**
- BLACK (BK) **AZ4063**





LINNEA PENDANT

Exposed downlights




LINNEA 112 PENDANT CCT

LED integrated

voltage: 230V	LED 48W 2700lm		LED
IP20	3000K/4000K/5500K		
technical specification	installation place	<input type="checkbox"/>	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4570**
- BLACK (BK) **AZ4569**





LINNEA 140 PENDANT CCT

LED integrated

voltage: 230V	LED 54W 3100lm		LED
IP20	3000K/4000K/5500K		
technical specification	installation place	<input type="checkbox"/>	<input type="checkbox"/>
	beam angle: 120°	<input type="checkbox"/>	<input type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4572**
- BLACK (BK) **AZ4571**



* - EXPLANATION SHORTCUT PAGE 2 (E)



LINNEA PENDANT

Exposed downlights

97





OJOS

Exposed downlights




OJOS 1

LED integrated

voltage: 230V	LED 9W 700lm 3000K	
IP20	installation place	
technical specification	beam angle: 24°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4196**
- BLACK (BK) **AZ4197**




OJOS 2

LED integrated

voltage: 230V	LED 12W 950lm 3000K	
IP20	installation place	
technical specification	beam angle: 24°	

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4198**
- BLACK (BK) **AZ4199**



* - EXPLANATION SHORTCUT PAGE 2 (E)

OJOS

Exposed downlights

99



MAKALU

Exposed downlights



BK *


MAKALU 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4210**
- WHITE (WH) **AZ4211**



WH *


MAKALU 2

bulb not included

voltage: 230V	connect GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4212**
- WHITE (WH) **AZ4213**



BK *


MAKALU 3

bulb not included

voltage: 230V	connect GU10 3x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4214**
- WHITE (WH) **AZ4215**



BK

WH

BK

WH

BK

WH

* - EXPLANATION SHORTCUT PAGE 2 (E)

MAKALU

Exposed downlights

101





SKYE

Exposed downlights



SKYE 3000K

LED integrated

voltage: 230V

LED 12W 950lm 3000K

IP20



LED

technical

installation place

specification

beam angle: 60°


COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4517**
- BLACK (BK) **AZ4518**



TILT 40°

ROTATION 360°



* - EXPLANATION SHORTCUT PAGE 2 (E)



SKYE PENDANT

Exposed downlights



BK *

SKYE PENDANT 3000K

LED integrated

voltage: 230V

LED 12W 950lm 3000K

IP20



LED

technical


installation place

specification

beam angle: 60°


COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4522**
- BLACK (BK) **AZ4521**



TILT 40°

ROTATION 360°



WH

BK



MONZA S CCT

Exposed downlights




MONZA S 22 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 20W 1400lm CCT
IP20	
technical	installation place
specification	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4770**
- WHITE (WH) **AZ4769**
- CHAMPAGNE (CHA) **AZ4768**





MONZA S 30 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 30W 2100lm CCT
IP20	
technical	installation place
specification	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4773**
- WHITE (WH) **AZ4772**
- CHAMPAGNE (CHA) **AZ4771**




MONZA S 40 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 50W 3500lm CCT
IP20	
technical	installation place
specification	beam angle: 110°

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4776**
- WHITE (WH) **AZ4775**
- CHAMPAGNE (CHA) **AZ4774**



* - EXPLANATION SHORTCUT PAGE 2 (E)



MONZA S CCT

Exposed downlights

105





MONZA R CCT

Exposed downlights




MONZA R 22 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 20W 1400lm CCT		LED
IP20	installation place		
technical specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4758**
- WHITE (WH) **AZ4757**
- CHAMPAGNE (CHA) **AZ4756**




MONZA R 30 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 30W 2100lm CCT		LED
IP20	installation place		
technical specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4761**
- WHITE (WH) **AZ4760**
- CHAMPAGNE (CHA) **AZ4759**




MONZA R 40 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 50W 3500lm CCT		LED
IP20	installation place		
technical specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4764**
- WHITE (WH) **AZ4763**
- CHAMPAGNE (CHA) **AZ4762**




MONZA R 50 CCT + REMOTE CONTROL

LED integrated

voltage: 230V	LED 80W 5500lm CCT		LED
IP20	installation place		
technical specification	beam angle: 110°		

COLOUR / NEW INDEX NO.

- BLACK (BK) **AZ4767**
- WHITE (WH) **AZ4766**
- CHAMPAGNE (CHA) **AZ4765**



* - EXPLANATION SHORTCUT PAGE 2 (E)



MONZA R CCT

Exposed downlights



MONZA PENDANT ACCESORIES**

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ3453**
- BLACK (BK) **AZ3454**
- CHAMPAGNE (CHA) **AZ4830**



** - ONLY FOR SIZE 30CM, 40CM, 50CM, 60CM



EXCLUSIVE DOWNLIGHTS

EXCLUSIVE


downlights



- 110 LORENZA
- 111 LORENZO
- 112 ESTER SQUARE
- 114 ESTER ROUND

LORENZA

Exclusive downlights




LORENZA

voltage: 230V		connect GU10 1x Max 50W	bulb not included
IP20		installation place	
		inlet opening	Ø 7,0cm

COLOUR / NEW INDEX NO.



- WHITE MATT (WH) **AZ1476**
- CHROME (CH) **AZ1475**
- BLACK (BK) **AZ4174**



* - EXPLANATION SHORTCUT PAGE 2 (E)

LORENZO

Exclusive downlights




LORENZO

bulb not included

voltage: 230V	connect GU10 1x Max 50W <input checked="" type="checkbox"/>
IP20	
	installation place <input type="checkbox"/>
	inlet opening <input checked="" type="checkbox"/> 7,0cm

COLOUR / NEW INDEX NO.

- WHITE MATT (WH) **AZ1496**
- CHROME (CH) **AZ1617**
- BLACK (BK) **AZ4173**



ESTER SQUARE

Exclusive downlights




ESTER SQUARE 1

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 5,8 x 5,8cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ4410**
- GOLD (GO) **AZ4412**
- BLACK (BK) **AZ4411**



ESTER SQUARE 2

bulb not included

voltage: 230V	connect GU10 1x Max 50W
IP20	
	installation place
	inlet opening 5,8 x 5,8cm

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ4413**
- GOLD (GO) **AZ4415**
- BLACK (BK) **AZ4414**



10



* - EXPLANATION SHORTCUT PAGE 2 (E)

ESTER SQUARE


Exclusive downlights

113



ESTER ROUND

Exclusive downlights





ESTER ROUND 1

bulb not included	
voltage: 230V	connect GU10 1x Max 50W
IP20	
installation place	
inlet opening Ø 6,5cm	

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1449**
- GOLD (GO) **AZ1450**
- BLACK (BK) **AZ4175**




ESTER ROUND 2

bulb not included	
voltage: 230V	connect GU10 1x Max 50W
IP20	
installation place	
inlet opening Ø 6,5cm	

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ1451**
- GOLD (GO) **AZ2467**
- BLACK (BK) **AZ4176**




* - EXPLANATION SHORTCUT PAGE 2 (E)

ESTER ROUND

Exclusive downlights


115





DOWNLIGHTS

DOWNlights




- 118 AIDA ROUND
- 119 AIDA SQUARE
- 120 MALTA R
- 124 GALATA IP44
- 125 KASTORIA IP44
- 126 LAMIR R IP44
- 127 LAMIR S IP44
- 128 OKA
- 129 PABLO IP54
- 130 CARLO
- 131 EDITTA
- 132 MILET
- 133 TITO IP54
- 134 MINORKA
- 136 REMI
- 137 ITAKA



AIDA ROUND

Downlights



BK *

AIDA ROUND 9W 3000K

LED integrated

voltage: 230V	LED 9W 700lm 3000K		LED
IP20	installation place <input type="checkbox"/> inlet opening 9,5cm		
technical specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4218**
- BLACK (BK) **AZ4220**



Ø 10,2



WH *


AIDA ROUND 16W 3000K

LED integrated


voltage: 230V	LED 16W 1300lm 3000K		LED
IP20	installation place <input type="checkbox"/> inlet opening 13,5cm		
technical specification	beam angle: 120°		

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4222**
- BLACK (BK) **AZ4224**



Ø 14,5



BK

BK

WH

WH

* - EXPLANATION SHORTCUT PAGE 2 (E)



AIDA SQUARE

Downlights



AIDA SQUARE 9W 3000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K



IP20






technical specification

installation place inlet opening 9,1x9,1cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4226**
- BLACK (BK) **AZ4227**



AIDA SQUARE 16W 3000K

LED integrated

voltage: 230V

LED 16W 1300lm 3000K



IP20




technical specification

installation place inlet opening 13x13cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4228**
- BLACK (BK) **AZ4229**





MALTA R

120

Downlights



MALTA R 18 3000K / 4000K

LED integrated

voltage: 230V	LED 12W 1100lm 3000K	
IP20	LED 12W 1100lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4233**
- 3000K BLACK (BK) **AZ4235**
- 4000K WHITE (WH) **AZ4234**
- 4000K BLACK (BK) **AZ4236**



MALTA R 23 3000K / 4000K

LED integrated

voltage: 230V	LED 18W 1600lm 3000K	
IP20	LED 18W 1600lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4237**
- 3000K BLACK (BK) **AZ4239**
- 4000K WHITE (WH) **AZ4238**
- 4000K BLACK (BK) **AZ4240**




MALTA R 30 3000K / 4000K

LED integrated

voltage: 230V	LED 24W 2200lm 3000K	
IP20	LED 24W 2200lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4241**
- 3000K BLACK (BK) **AZ4243**
- 4000K WHITE (WH) **AZ4242**
- 4000K BLACK (BK) **AZ4244**



* - EXPLANATION SHORTCUT PAGE 2 (E)



MALTA R

Downlights

121





MALTA R

122

Downlights



MALTA R 40 3000K / 4000K

LED integrated

voltage: 230V	LED 32W 2700lm 3000K	
IP20	LED 32W 2700lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4245**
- 3000K BLACK (BK) **AZ4247**
- 4000K WHITE (WH) **AZ4246**
- 4000K BLACK (BK) **AZ4248**




MALTA R 50 3000K / 4000K

LED integrated

voltage: 230V	LED 42W 3400lm 3000K	
IP20	LED 42W 3200lm 3000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4249**
- 3000K BLACK (BK) **AZ4251**
- 4000K WHITE (WH) **AZ4250**
- 4000K BLACK (BK) **AZ4252**




MALTA R 60 3000K / 4000K

LED integrated

voltage: 230V	LED 48W 4100lm 3000K	
IP20	LED 48W 4400lm 4000K	
technical	installation place	
specification	beam angle: 115°	

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4253**
- 3000K BLACK (BK) **AZ4255**
- 4000K WHITE (WH) **AZ4254**
- 4000K BLACK (BK) **AZ4256**



* - EXPLANATION SHORTCUT PAGE 2 (E)





GALATA IP44

Downlights



GALATA R IP44 3000K / 4000K

LED integrated

voltage: 230V

LED 9W 700lm 3000K

IP44



LED 9W 700lm 4000K



technical

installation place inlet opening 6,8cm

specification

beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4380**
- 3000K BLACK (BK) **AZ4379**
- 4000K WHITE (WH) **AZ4382**
- 4000K BLACK (BK) **AZ4381**



7,9



* - EXPLANATION SHORTCUT PAGE 2 (E)



KASTORIA IP44

Downlights

125



CH *



CH

BK



GO

KASTORIA IP44

LED integrated

voltage: 230V

LED 7W 550lm 3000K

IP44



LED

technical


installation place inlet opening 3,9cm

specification

beam angle: 120°

COLOUR / NEW INDEX NO.

- CHROME (CH) **AZ4391**
- BLACK (BK) **AZ4389**
- GOLD (GO) **AZ4390**





LAMIR R IP44

Downlights



LAMIR R 9 IP44 3000K / 4000K

LED integrated

voltage: 230V	LED 9W 700lm 3000K	
IP44	LED 9W 700lm 4000K	
technical specification	installation place <input type="checkbox"/>	inlet opening 7cm
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4384**
- 4000K WHITE (WH) **AZ4383**




LAMIR R 12 IP44 3000K / 4000K

LED integrated

voltage: 230V	LED 16W 1300lm 3000K	
IP44	LED 16W 1300lm 4000K	
technical specification	installation place <input type="checkbox"/>	inlet opening 10cm
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4385**
- 4000K WHITE (WH) **AZ4386**




LAMIR R 17 DIMM IP44 3000K / 4000K

LED integrated

voltage: 230V	LED 22W DIMM 1800lm 3000K	
IP44	LED 22W DIMM 1800lm 4000K	
technical specification	installation place <input type="checkbox"/>	inlet opening 15cm
		beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4387**
- 4000K WHITE (WH) **AZ4392**



* - EXPLANATION SHORTCUT PAGE 2 (E)



LAMIR S

Downlights

127



LAMIR S 17 DIMM IP44 3000K / 4000K

LED integrated

voltage: 230V

IP44

technical
specification



LED 22W DIMM 1800lm 3000K DIMM

LED 22W DIMM 1800lm 4000K DIMM




installation place inlet opening 15x15cm

beam angle: 120°

COLOUR / NEW INDEX NO.

- 3000K WHITE (WH) **AZ4388**
- 4000K WHITE (WH) **AZ4393**





OKA

Downlights



WH *


OKA AL 3000K / 4000K

LED integrated

voltage: 230V	LED 3W 3000K RA>90 250lm	
IP20	LED 3W 4000K RA>90 260lm	
technical specification	installation place	
	beam angle: 66°	inlet opening Ø 3cm

COLOUR / NEW INDEX NO.

- WHITE 3000K (WH) **AZ2232**
- WHITE 4000K (WH) **AZ2233**



AC *


OKA AC 3000K / 4000K

LED integrated

voltage: 230V	LED 3W 3000K RA>90 250lm	
IP20	LED 3W 4000K RA>90 260lm	
technical specification	installation place	
	beam angle: 66°	inlet opening Ø 3cm

COLOUR / NEW INDEX NO.

- ACRYLIC 3000K (AC) **AZ2234**
- ACRYLIC 4000K (AC) **AZ2235**
- BLACK 3000K (BK) **AZ4171**
- BLACK 4000K (BK) **AZ4172**



* - EXPLANATION SHORTCUT PAGE 2 (E)



PABLO IP54

Downlights



ALU *



WH



BK



ALU

new


PABLO

bulb not included

voltage: 230V	GU10 1x 50W only LED
IP54	
	installation place
	inlet opening 6cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ1015**
- WHITE (WH) **AZ0817**
- BLACK 4000K (AC) **AZ4140**



CARLO

Downlights





CARLO

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø 7,7cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0804**
- WHITE (WH) **AZ0805**
- BLACK (BK) **AZ4141**



* - EXPLANATION SHORTCUT PAGE 2 (E)

EDITTA

Downlights



BK *


EDITTA

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening Ø7,7cm

COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0806**
- WHITE (WH) **AZ0807**
- BLACK (BK) **AZ4144**



WH

ALU



BK



MILET

Downlights





MILET

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place <input checked="" type="checkbox"/>
	inlet opening 7,2cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4075**
- BLACK (BK) **AZ4076**



* - EXPLANATION SHORTCUT PAGE 2 (E)

TITO IP54

Downlights




TITO

bulb not included

voltage: 230V	GU10 1x 40W only LED <input type="checkbox"/>
IP54	
	installation place <input type="checkbox"/>
	inlet opening <input type="checkbox"/> 6cm


COLOUR / NEW INDEX NO.

- ALUMINIUM (ALU) **AZ0814**
- WHITE (WH) **AZ0815**
- BLACK (BK) **AZ4139**



MINORKA

Downlights




MINORKA

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening 9cm

COLOUR / NEW INDEX NO.

- WHITE / BLACK (WH / BK) **AZ1362**
- BLACK / GOLD (BK/GO) **AZ2802**
- WHITE / WHITE (WH/WH) **AZ2801**
- BLACK / BLACK (BK/BK) **AZ4142**



* - EXPLANATION SHORTCUT PAGE 2 (E)

MINORKA

Downlights

135



REMI

Downlights




REMI

bulb not included

voltage: 230V	GU10 1x Max 50W
IP20	
	installation place
	inlet opening 9cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ1363**
- BLACK (BK) **AZ4143**



TILT 40°



new



* - EXPLANATION SHORTCUT PAGE 2 (E)



ITAKA

bulb not included

voltage: 230V	GU10 1x Max 50W	
IP20	installation place	
	inlet opening	7,5cm

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4073**
- BLACK (BK) **AZ4074**

Ø 8,4



4,8






INDOOR WALL LAMPS

INDOOR

wall lamps



- 140 VEGA
- 141 VERA
- 142 LUMI
- 143 LUMI FLEX
- 144 VELIA ROUND
- 145 VELIA SQUARE

VEGA

Indoor wall lamps



WH *




VEGA

bulb not included

voltage: 230V	connect G9 1x Max. 40W	
IP20		
	installation place	

COLOUR / NEW INDEX NO.

- BLACK / GOLD (BK / GO) **AZ1709**
- WHITE (WH). **AZ1708**
- CHROME (CH). **AZ1758**
- ANODISED GOLD (AGO). **AZ1746**
- BLACK / BLACK (BK / BK) **AZ4145**



* - EXPLANATION SHORTCUT PAGE 2 (E)



VERA

Indoor wall lamps

141



VERA

LED integrated

voltage: 230V

LED 6W+3W 510lm+255lm 3000K



IP20



technical


installation place

specification

beam angle: 20°

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4417**
- BLACK (BK) **AZ3201**



switch


usb socket





LUMI

Indoor wall lamps




LUMI

LED integrated

voltage: 230V	LED 5W 500lm 3000K		
IP20	technical specification		
technical specification	installation place		
adjustable beam angle: 19°÷ 70°			

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4556**
- BLACK (BK) **AZ4555**



* - EXPLANATION SHORTCUT PAGE 2 (E)



LUMI FLEX

Indoor wall lamps

143



LUMI FLEX

LED integrated

voltage: 230V

LED 5W 500lm 3000K

IP20



LED

technical


installation place

specification

adjustable beam angle: 19°÷ 70°

COLOUR / NEW INDEX NO.

- WHITE FINISH SHINING(WH) **AZ4562**
- BLACK FINISH SHINING (BK) **AZ4561**



19° 70°



* - EXPLANATION SHORTCUT PAGE 2 (E)

VELIA ROUND

Indoor wall lamps




VELIA ROUND 2

bulb not included

voltage: 230V	GU10 2x Max 50W
IP20	
	installation place

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4398**
- BLACK (BK) **AZ4399**
- BRASS (BS) **AZ4397**




* - EXPLANATION SHORTCUT PAGE 2 (E)

VELIA SQUARE

Indoor wall lamps

145




VELIA SQUARE 2

bulb not included

voltage: 230V	GU10 2x Max 50W <input type="checkbox"/>
IP20	installation place <input checked="" type="checkbox"/>

COLOUR / NEW INDEX NO.

- WHITE (WH) **AZ4403**
- BLACK (BK) **AZ4401**
- BRASS (BS) **AZ4402**





Ra (CRI) - Colour Rendering Index **EU standard – Ra ≥ 80**
Best colour rendering index, Ra (CRI) = 100

Ra (CRI) - wskaźnik oddawania barw **Standard UE – Ra ≥ 80**
Najlepszy wskaźnik oddawania barw, Ra (CRI) = 100

Ra (CRI)- Index podania farieb **Standard EU – Ra ≥ 80**
Najlepší index podania farieb Ra(CRI)=100

Ra (CRI)- Index podání barev **Standard EU – Ra ≥ 80**
Nejlepší index podání barev Ra(CRI)=100



5 lat gwarancji na sterownik w lampie LED oraz moduł świecący (wraz z diodami).
Czas gwarancji jest liczony od dnia zakupu potwierdzonego paragonem lub fakturą.

A warranty of 5 years is given for the driver for LED lamps and light modules (with diodes).
The warranty is counted from the day of purchase, confirmed by a bill or an invoice.

5 év garancia érvényes a LED vezérlőre és a Led panelre egyaránt.
A garancia a vásárlás napján lép életbe, melyet számlával vagy nyugtával szükséges igazolni

Les 5 ans de garantie concernant le driver de LED et le module lumineux (avec les diodes). La durée de la garantie est dès le jour d'achat confirmé par un ticket de caisse ou une facture.

5 -ročná záruka sa vzťahuje na ovládač pre LED lampy, vrátane svetelného zdroja
Záručná doba sa počíta od dátumu zakúpenia tovaru.

5 letá záruka se vztahuje na ovládač pro LED lampy, včetně světelného zdroje.
Záruční doba se počítá od dátumu zakoupení zboží.



We can paint the lamps in any RAL colour subject to an extra charge.

Contre un supplément, il est possible de commander la lampe dans une teinte choisie dans la palette RAL.

Za dopłatą, możliwość wybarwienia lampy z palety kolorów RAL.

Za doplatek je možné svítidlo barevně upravit dle vzorníku barev RAL.

Za doplatok je možné svietidlo farebne upraviť podľa vzorkovníka farieb RAL.

We reserve the rights to make changes in the product range, design and model.

Please note that, as a result of printing processes, actual colors may vary from those reproduced here.

Nous nous reservons le droit d'apporter des modifications dans le choix et le design des modeles.

Veillez noter qu'en raison des techniques d'impression les teintes des produits peuvent legerement varier par rapport a celles du catalogue.

Zastrzegamy sobie prawo do dokonania zmian ofertowych i konstrukcyjnych.
Z uwagi na proces druku przedstawione kolory mogą się różnić od rzeczywistych.

Fenntartjuk a jogunkat a termékskála, a dizájn és a modellek változtatására.
Kérem vegyék figyelembe, a nyomtatási folyamat eredményeképpen
a termék valós színe esetleg kismértékben különbözhet a nyomtatott változattól.

Vyhrazujeme si právo k provádění nabídkových a konstrukčních změn.
Vzhledem k procesu tisku se mohou nabízené barvy lišit od reálných.

Vyhradzujeme si právo na vykonávanie ponukových a konstrukčných zmien.
Vzhľadom k procesu tlače sa môžu ponúkané farby líšiť od reálnych.