



39283 ANTELAO

General Information

Material number	39283
Type	pendant light
Product segment	Indoor
Theme	Crystal & Design

Dimensions

Article Height (in mm)	1500
Article Width (in mm)	320
Article Length (in mm)	1150
Net Weight	7.6 Kilogram



Material & Colour

Enclosure Material	steel
Enclosure Colour	chrome
Glass/Shade Material	crystal
Glass/Shade Colour	clear

Functionality

Switch Type	without switch
Function	LED not replaceable
Battery	No

Technical Information

Protection Degree	IP20
Protection Class	2
Mains Voltage	220-240V,50/60Hz
Dimmable	Yes

Technical changes reserved



EGLO Leuchten GmbH
 Heiligkreuz 22 | 6136 Pill | Austria
 Tel. +43 (0) 5242 / 6996 - 0
 Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style

max. Wattage (1)	39W
Illuminant 1	
Socket Type (1)	LED
Illuminant Type (1)	LED
Illuminant incl. (1)	Inclusive
Nominal Luminous Flux (in lm)	5100
Equivalence With Incandescent Lamp (W)	282
Colour Temperature	4000K neutral white
Nominal Lifetime (in h)	25000
Switching Cycles	15000
Colour Rendering Index (Ra, CRI)	>80
Energy Efficiency Class	LED - A+
Dimmable	Yes
Function	LED not replaceable
Rated Lamp Power (0,1W precision)	39
Colour Tolerance (LED, SDCM)	<6



Compatible Dimmers

BERKER - 2830 10
 BERKER - 286710
 BERKER - 2873
 BERKER - 8542 12 00
 BUSCH-JAEGER - 2247 U
 BUSCH-JAEGER - 2250 U
 BUSCH-JAEGER - 6513 U-102
 BUSCH-JAEGER - 6519 U
 BUSCH-JAEGER - 6523 U
 BUSCH-JAEGER - 6524 U
 ELKO - 315GLE
 ELTAKO - EUD61NPN
 GIRA - 0307 00/I02
 GIRA - 2262 00/I00
 GIRA - 238500/I00
 HAMILTON - LITESTAT
 JUNG - 225 NV DE
 JUNG - 225 TDE
 JUNG - 266 GDE

Technical changes reserved



EGLO Leuchten GmbH
 Heiligkreuz 22 | 6136 Püll | Austria
 Tel. +43 (0) 5242 / 6996 - 0
 Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style

LEGRAND - 400T
LEGRAND - 7759 03
MERTEN - 5771
OPUS - 852095
PEHA - 433 HAB
PEHA - 434
SCHALK - ETD U2
SIEMENS - 5TC8 263
SIEMENS - 5TC8 284
SIEMENS - 5TC8211-0



Technical changes reserved



EGLO Leuchten GmbH
Heiligkreuz 22 | 6136 Pöll | Austria

Tel. +43 (0) 5242 / 6996 - 0
Fax: +43 (0) 5242 / 6996 - 938
www.eglo.com

my light | my style