



ideal lux | Led Panel




Code	246390
Item name	LED PANEL 3000K CRI90
Source	LED SMD
Power	38,5W
Driver included	ON/OFF
Driver available	1-10V DALI/PUSH
Lumen	3950 Lm
MacAdam	SDCM ≤ 4
Beam	81°
CCT	3000K
CRI	≥ 90
UGR	<19
LED Life	25.000 h
Insulation class	Class II
IP	20
Material	Aluminum
Warranty	5 years
Net Weight	2,200 Kg
Volume	0,0144 m ³
Base / Hole	52,5 x 52,5 cm




ideal lux | Led Panel

DRIVER
NOT INCLUDED | OPTIONAL



Code	247854
Item name	LED PANEL DRIVER 1-10V
Power	40W
Range	850-1050 mA
Output	1000 mA
Measure	125 x 26 x 83 mm




Code	247847
Item name	LED PANEL DRIVER DALI
Power	40W
Range	550-1050 mA
Output	1000 mA
Measure	106 x 28 x 69 mm

ideal lux | Led Panel

MOUNTING KIT
NOT INCLUDED | OPTIONAL



Code	244198
Item name	LED PANEL KIT PENDANT
Ceiling cup	No
N° Cables	4
Cables length	1000 mm
Finish	Grey



Code	244204
Item name	LED PANEL KIT SURFACE
Finish	Grey