

Kanlux



Kanlux
SONOR GU10
CEILING-MOUNTED FITTING

1.



LED
strip

2.



PAR16
GU10

3.



LED
strip + PAR16
GU10

*Kanlux SONOR GU10
is a ceiling-mounted fitting
with an additional LED strip.*

*The use of two separate light
sources allows the lamp to offer
three different lighting options.*

Unique
Kanlux SONOR GU10 fitting
with various lighting options.

meet the 3 lighting options 



LED strip is only on

Gently warm **100 lm** light, lit ceiling effect - the so-called lighting crown.


Ideal evening light or ideal for providing a small amount of light.



PAR16 GU10 light source is only on

The plastic lampshade makes the light source invisible.

The fitting looks as if it was integrated, while the milky lampshade disperses light.



LED strip & PAR16 GU10 light source are both on

All fitting lighting options combined.

To ensure consistent light, we recommend using light sources with a colour temperature of 3000 K.

Kanlux SONOR GU10

High quality.
Two standard
colours.



24362

SONOR GU10 CO-B

24363

SONOR GU10 CO-W

Kanlux

Завантажено з mamadecor.ua

Kanlux SONOR GU10
is a fitting that
provides perfect light
regardless of the
time of day
or night.

Kanlux

Завантажено з mamadecor.ua



**Kanlux
SONOR GU10**
adapts to your
everyday needs.



kanlux.com

Kanlux

Завантажено з mamadecor.ua



Kanlux SONOR GU10

in public spaces
- bistros, coffee houses,
stores,
hotel rooms.



Kanlux SONOR GU10


- SONOR GU10 CO-B **24362** black body
- SONOR GU10 CO-W **24363** white body

Rated voltage[V]: **220-240 AC**
Rated frequency [Hz]: **50**
Appliance protection class: **I**
IP rating: **20**

Lampshade material: **plastic**
Housing material: **aluminium alloy**

Light source:
Output [W]: **max 10W**
Light source: **PAR16**
Base: **GU10**

LED strip:
Output [W]: **4W**
LED type: **LED SMD**
Luminous flux [lm]: **100**
Colour temperature: **3000K (WW)**
Colour rendering index Ra: **≥80**
Lifespan [h]: **20 000**
On/off cycles: **≥15 000**



The GU10 light source is not included.



**safe
packaging**