






DAMPPROOF COMPACT







| | EAN | l x w x h [mm] | W | lm | lm/W | K | IP | IK |
|-----------------------------------|---------------|----------------|----|------|------|-------|----|----|
| DP COMPACT 1200 23W/4000K GR IP65 | 4058075062085 | 1290 x 86 x 68 | 23 | 2800 | 120 | 4000K | 65 | 08 |
| DP COMPACT 1200 44W/4000K GR IP65 | 4058075062108 | 1290 x 86 x 68 | 44 | 5400 | 120 | 4000K | 65 | 08 |
| DP COMPACT 1200 44W/6500K GR IP65 | 4058075062122 | 1290 x 86 x 68 | 44 | 5400 | 120 | 6500K | 65 | 08 |
| DP COMPACT 1500 31W/4000K GR IP65 | 4058075062146 | 1590 x 86 x 68 | 31 | 3800 | 120 | 4000K | 65 | 08 |
| DP COMPACT 1500 55W/4000K GR IP65 | 4058075062160 | 1590 x 86 x 68 | 55 | 6700 | 120 | 4000K | 65 | 08 |
| DP COMPACT 1500 55W/6500K GR IP65 | 4058075062184 | 1590 x 86 x 68 | 55 | 6700 | 120 | 6500K | 65 | 08 |








| | EAN | V _{AC} | Hz | ∠ | PF | R _a | 👤 |
|-----------------------------------|---------------|-----------------|----------|------|-------|----------------|--------|
| DP COMPACT 1200 23W/4000K GR IP65 | 4058075062085 | 220-240V | 50/60 Hz | 120° | ≥ 0.9 | ≥ 80 | 1.1 kg |
| DP COMPACT 1200 44W/4000K GR IP65 | 4058075062108 | 220-240V | 50/60 Hz | 120° | ≥ 0.9 | ≥ 80 | 1.2 kg |
| DP COMPACT 1200 44W/6500K GR IP65 | 4058075062122 | 220-240V | 50/60 Hz | 120° | ≥ 0.9 | ≥ 80 | 1.2 kg |
| DP COMPACT 1500 31W/4000K GR IP65 | 4058075062146 | 220-240V | 50/60 Hz | 120° | ≥ 0.9 | ≥ 80 | 1.4 kg |
| DP COMPACT 1500 55W/4000K GR IP65 | 4058075062160 | 220-240V | 50/60 Hz | 120° | ≥ 0.9 | ≥ 80 | 1.4 kg |
| DP COMPACT 1500 55W/6500K GR IP65 | 4058075062184 | 220-240V | 50/60 Hz | 120° | ≥ 0.9 | ≥ 80 | 1.4 kg |







DAMPPROOF COMPACT



| n | B10  | B16  | C10  | C16  |
|-------------------------|---|---|---|---|
| DP COMPACT 1200 GR IP65 | 20 | 20 | 20 | 20 |
| DP COMPACT 1500 GR IP65 | 16 | 16 | 16 | 16 |

DAMPPROOF COMPACT





CE   RoHS



C10449057
G11031009
06.03.18



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com