














PANEL 600/625






	EAN	l x w x h [mm]	W	lm	lm/W	K	IP	IK
PANEL 600 36W/3000K OP	4058075113060	595 x 595 x 12.2	36	4320	120	3000	20	03
PANEL 600 36W/4000K OP	4058075113084	595 x 595 x 12.2	36	4320	120	4000	20	03
PANEL 600 36W/3000K MP	4058075113107	595 x 595 x 12.2	36	4320	120	3000	20	03
PANEL 600 36W/4000K MP	4058075113121	595 x 595 x 12.2	36	4320	120	4000	20	03
PANEL 625 36W/3000K OP	4058075113145	620 x 620 x 12.2	36	4320	120	3000	20	03
PANEL 625 36W/4000K OP	4058075113183	620 x 620 x 12.2	36	4320	120	4000	20	03
PANEL 625 36W/3000K MP	4058075113206	620 x 620 x 12.2	36	4320	120	3000	20	03
PANEL 625 36W/4000K MP	4058075113220	620 x 620 x 12.2	36	4320	120	4000	20	03
PANEL 600 36W/3000K OP IP54	4058075149489	595 x 595 x 12.6	36	4320	120	3000	54/20	06
PANEL 600 36W/4000K OP IP54	4058075149502	595 x 595 x 12.6	36	4320	120	4000	54/20	06
PANEL 625 36W/3000K OP IP54	4058075149526	620 x 620 x 12.6	36	4320	120	3000	54/20	06
PANEL 625 36W/4000K OP IP54	4058075149540	620 x 620 x 12.6	36	4320	120	4000	54/20	06

	EAN	θ _{amb} (°C)	V _{AC}	Hz	∠	PF	R _a	⚖
PANEL 600 36W/3000K OP	4058075113060	-10...+40	220-240 V	50/60 Hz	120°	> 0.9	≥80	2.7 kg
PANEL 600 36W/4000K OP	4058075113084	-10...+40	220-240 V	50/60 Hz	120°	> 0.9	≥80	2.7 kg
PANEL 600 36W/3000K MP	4058075113107	-10...+40	220-240 V	50/60 Hz	90°	> 0.9	≥80	2.7 kg
PANEL 600 36W/4000K MP	4058075113121	-10...+40	220-240 V	50/60 Hz	90°	> 0.9	≥80	2.7 kg
PANEL 625 36W/3000K OP	4058075113145	-10...+40	220-240V	50/60 Hz	120°	> 0.9	≥80	2.8 kg
PANEL 625 36W/4000K OP	4058075113183	-10...+40	220-240V	50/60 Hz	120°	> 0.9	≥80	2.8 kg
PANEL 625 36W/3000K MP	4058075113206	-10...+40	220-240V	50/60 Hz	90°	> 0.9	≥80	2.8 kg
PANEL 625 36W/4000K MP	4058075113220	-10...+40	220-240V	50/60 Hz	90°	> 0.9	≥80	2.8 kg
PANEL 600 36W/3000K OP IP54	4058075149489	-10...+40	220-240V	50/60 Hz	120°	> 0.9	≥80	3.2 kg
PANEL 600 36W/4000K OP IP54	4058075149502	-10...+40	220-240V	50/60 Hz	120°	> 0.9	≥80	3.2 kg
PANEL 625 36W/3000K OP IP54	4058075149526	-10...+40	220-240V	50/60 Hz	120°	> 0.9	≥80	3.2 kg
PANEL 625 36W/4000K OP IP54	4058075149540	-10...+40	220-240V	50/60 Hz	120°	> 0.9	≥80	3.2 kg



PANEL 600/625



Suspension Kit
600x600, 625x625
EAN 4058075108868

2x

90°

Mounting Clips
600x600, 625x625
EAN 4058075109421






8x

Panel LED 600: 580 mm
Panel LED 625: 605 mm

Panel LED 600: 580 mm
Panel LED 625: 605 mm

3

4



RoHS



C10449057
 G11041124
 10.04.18



LEDVANCE GmbH
 Steinerne Furt 62
 86167 Augsburg, Germany
www.ledvance.com