



Type of luminaire

Type of luminaire	Wall luminaire.
Photometric body	Double-sided light facing up and down.
Characteristics of the luminaire	Wall-mounted luminaire with modern design. For lighting private areas and public spaces.

General information

Materials	Base - galvanized steel. Front - galvanized steel or powder coated galvanized steel. Lens - safety glass, transparent. Silicone gasket.
Mounting method	Fixing of the luminaire: 2 holes $\varnothing 4,2\text{mm}$, spacing 45mm.
Terminal	Zaciski podłączeniowe: max $3 \times 2,5\text{mm}^2$, możliwość podłączenia oprawy w pętlę max $3 \times 1,5\text{mm}^2$. Przewód w oponie okrągłej o średnicy $\varnothing 7...10,5\text{mm}$.
Type of light source	LED Gu10 lamp
Net / gross weight of luminaire	0,94kg / 1,35kg
Box dimensions [cm]	20x13x10

Technical data

2 LED GU10 lamps.	LED PAR16
Light source wattage	2 x max 4W
Lamp luminous flux	2 X ~ 265lm
Ta Rated temperature	+25°C

This product contains light sources of energy efficiency class **A+**

Possibility to order luminaire with LED GU10 lamp type Philips Master LED ExpertColor 256lm/3,9W/2700K/25D (dimnable).

Accessories sold separately

46102507

Recommended light sources

Osram LED Parathom Advanced / Pro max 4W PAR16 Gu10 Philips Master LED max 4W PAR16 Gu10

Files to download

Photometric LDT files	Photometric IES files
Manual	BIM ArchiCAD

Indexes

Index	Color	RAL
1371B	BLACK	9005
1371BC	BLACK/COPPER	-
1371GA	GALVANIZED	-