



Type of luminaire

| | |
|----------------------------------|---|
| Type of luminaire | Bollard. |
| Photometric body | Uncovered light, partly covered from the top. |
| Characteristics of the luminaire | Bollard luminaire of stable and durable construction. For lighting private areas and public spaces. |

General information

| | |
|---------------------------------|---|
| Materials | Hot-dip galvanized steel. Lens - plastic PMMA in milky color. Silicone gasket. |
| Mounting method | Fixing of the luminaire: 3 holes $\varnothing 9\text{mm}$ with a diameter of $\varnothing 65\text{mm}$ every 120° . |
| Terminal | Connection terminals: max $3 \times 2,5\text{mm}^2$, possibility to connect luminaire in loop max $3 \times 2,5\text{mm}^2$. A round wire in the isolation with a diameter of max $\varnothing 12,5\text{mm}$. |
| Type of light source | E27 lamp |
| Light control | Phase-dimming (TRIAC). |
| Net / gross weight of luminaire | 7,88kg / 8,52kg |
| Box dimensions [cm] | 15,5x15,5x55 |

Technical data

| | |
|-------------------------------------|---|
| E27 lamp | Philips Master LEDbulb A60 8,5W \leftrightarrow 60W E27 |
| Light source wattage | 8,5W |
| Luminaire wattage | 8,5W |
| Lamp luminous flux | $\sim 806\text{lm}$ |
| Luminaire luminous flux | 252lm |
| Efficiency of the luminaire | 29,6lm/W |
| Colour consistency (McAdam ellipse) | SDCM6 |
| Colour rendering index CRI | 80 |
| Rated life time L70/B50 at 25°C | 25 000h |
| Power Factor luminaire | PF 0,70 |
| Ta Rated temperature | +25°C |

This product contains light source of energy efficiency class **A+**

Accessories sold separately

| | |
|-----------|--------------------|
| 205ZX0010 | Concreting anchor. |
| 206GA0010 | Ground anchor. |
| 206GA0S10 | Anchoring support. |

Recommended light sources

Osram LED Parathom Classic / Retrofit E27 Philips Master LEDbulb / Classic / CorePro E27

Spare parts

| | |
|----------|---------------|
| 06295000 | Lens. |
| 08295000 | Gasket. |
| 46999021 | LED E27 lamp. |

Files to download

| | |
|-----------------------|-----------------------|
| Photometric LDT files | Photometric IES files |
| Manual | BIM ArchiCAD |

Indexes

| Index | Color | RAL |
|--------|------------|------|
| 1488B | BLACK | 9005 |
| 1488GA | GALVANIZED | - |
| 1488GR | GRAPHITE | 7016 |