



Type of luminaire

Type of luminaire	In-ground luminaire.
Photometric body	Four side light distribution covered from the top.

General information

Materials	Powder painted aluminum cast. Lens - satin polycarbonate, UV stabilized . Silicone gasket. Nickel plated brass cable gland.
Type of light source	LED Gu10 lamp
Light control	Phase-dimming (TRIAC).
Net / gross weight of luminaire	1kg / 1,25kg
Box dimensions [cm]	16,7x16,5x21,5

Technical data

LED GU10 lamp	Philips MASTER LED ExpertColor 36D 5,5W-50W Gu10
Light source wattage	5,5W
Luminaire wattage	5,5W
Lamp luminous flux	375lm
Luminaire luminous flux	13lm
Light source efficiency	68,2lm/W
Efficiency of the luminaire	2,4lm/W
Color temperature	3000K
Colour consistency (McAdam ellipse)	SDCM3
Colour rendering index CRI	90
Rated life time L70/B50 at 25°C	40 000h
Power Factor luminaire	PF 0,85
Ta Rated temperature	+25°C

This product contains light source of energy efficiency class **A+**

Recommended light sources

Osram LED Parathom max 6W <=> 50W PAR16 Gu10	Philips Master LED ExpertColor LED max 5,5W<=>50W PAR16 Gu10
--	--

Spare parts

06155010	Lens.
08155000	Gasket.
46102508	LED Gu10 lamp.
915500121	Front.

Files to download

Photometric LDT files	Photometric IES files
Manual	BIM ArchiCAD

Indexes

Index	Color	RAL
1631B	BLACK	9005
1631GR	GRAPHITE	7016