


---

MAGNETIC  
DECORATIVE LIGHTING  
SYSTEMS








**DION | 9028803**

Magnetic Circular Structure  
Satin Gold Aluminium IP20  
Included Driver 350 Watt  
AC220-240V Output 24V DC  
D1: 100 D2: 80 D3: 60 H: 200 cm






**DION | 9028800**

Magnetic Circular Structure  
Satin Gold Aluminium IP20  
Included Driver 200 Watt  
AC220-240V Output 24V DC  
D1: 80 D2: 60 H: 150 cm




EASY  
INSTALLATION  
UP  
DOWN



**DION | 9028600**


Magnetic Circular Structure  
Satin Gold Aluminium IP20  
Included Driver 60 Watt  
AC220-240V Output 24V DC  
D: 60 H: 120 cm






**DION | 9028923**

Magnetic Circular Structure  
Sandy Black Aluminium IP20  
Included Driver 350 Watt  
AC220-240V Output 24V DC  
D1: 100 D2: 80 D3: 60 H: 200 cm



**DION | 9028922**

Magnetic Circular Structure  
Sandy Black Aluminium IP20  
Included Driver 200 Watt  
AC220-240V Output 24V DC  
D1: 80 D2: 60 H: 150 cm




**DION | 9028921**

Magnetic Circular Structure  
Sandy Black Aluminium IP20  
Included Driver 60 Watt  
AC220-240V Output 24V DC  
D: 60 H: 120 cm







**FEDON | 9028820**

Magnetic Linear Structure  
Satin Gold Aluminium IP20  
Included Driver 100 Watt  
AC220-240V Output 24V DC  
L: 80 H: 110 cm



**FEDON | 9028981**


Magnetic Linear Structure  
Sandy Black Aluminium IP20  
Included Driver 100 Watt  
AC220-240V Output 24V DC  
L: 80 H: 110 cm








**GRAMMI 03 | 9028348**



Magnetic Tubular Structure  
Satin Gold Aluminium IP20  
Included Driver 60 Watt  
AC220-240V Output 24V DC  
L: 150 H: 35 cm



**GRAMMI 04 | 9028750**



Magnetic Tubular Structure  
Satin Gold Aluminium IP20  
Included Driver 60 Watt  
AC220-240V Output 24V DC  
L: 150 H: 75 cm







IF 110cm  
IS NOT  
COMPATIBLE  
FOR YOU  
WE HAVE ALSO  
35cm & 70cm  
TUBE


**GRAMMI 01 | 9180563**

Magnetic Tubular Structure  
Sandy Black Aluminium IP20  
Included Driver 60 Watt AC85-265V  
L: 150 H: 110 cm



**ZED | 9980751**

Sandy Black Aluminium  
Tube  
D: 2 H: 70 cm





**ZED | 9980752**

Sandy Black Aluminium  
Tube  
D: 2 H: 35 cm





**GRAMMI 02 | 9180564**

Magnetic Tubular Structure  
Sandy Black Aluminium IP20  
Included Driver 100 Watt AC85-265V  
L: 200 H: 110 cm









**CRON | 9028310**

Magnetic Tubular Structure  
Satin Gold Aluminium IP20  
Included Driver 100 Watt  
AC220-240V Output 24V DC  
L: 300 H: 35 cm




**CRON | 9028311**

Magnetic Tubular Structure  
Sandy Black Aluminium IP20  
Included Driver 100 Watt  
AC220-240V Output 24V DC  
L: 300 H: 35 cm











**CRIMSON | 9190800**



Magnetic Tubular Structure  
Sandy Black Aluminium IP20  
Included Driver 100 Watt AC85-265V  
Output 24V DC  
L: 200 W: 80 H: 35 cm



**CRIMSON | 9190350**





Magnetic Tubular Structure  
Sandy Black Aluminium  
L: 200 H: 35 cm

**JUST COMBINE THE 9190800 AND 9190350 TO CREATE A DOUBLE MAGNETIC LAYER**




For accessories go on page 032







**HOW IT WORKS**



CHOOSE YOUR MAGNETIC ACCESSORIES






IF YOU WANT TO COMBINE MORE THAN ONE 'PUZZLES' USE 'PLUS 9180569'



TO ADJUST THE HEIGHT CHOOSE 'ZED' 9180567 OR 9180568 OR 9980570




MAGNETIC DECORATIVE  
ACCESSORIES





ONE SOURCE  
OF LIGHT  
MANY  
DIFFERENT  
ACCESSORIES

CRI  
90




JUST KEEP THE 9028801 OR 9028924 AND PICK THE GLASS YOU NEED

Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9028801	Satin Gold Aluminium	5W	DC24V	Philips	D: 3 H: 9.2	600Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9028924	Sandy Black Aluminium	5W	DC24V	Philips	D: 3 H: 9.2	600Lm	>90	<18	120°	3000K	IP20	X	X	X	III




**SPOK | 9028801**  
5W · 3000K




**SPOK | 9028924**  
5W · 3000K



**SURF | 9028804**




**FLER | 9028805**



**ALMON | 9028806**




**LAN | 9028807**



**NUDA | 9028808**









CRI 90



**COCKTAIL** | 9090290  
5W · 3000K



**COCKTAIL** | 9090291  
5W · 3000K




**GRU** | 9090289  
8W · 3000K



**GRU** | 9090288  
8W · 3000K



**MINIMAL** | 9090284  
5W · 3000K



**MINIMAL** | 9090283  
5W · 3000K





Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9090290	Satin Gold Alum. & Glass	5W	DC24V	Philips	D: 12 H: 14	220Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090291	Sandy Black Alum. & Glass	5W	DC24V	Philips	D: 12 H: 14	220Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090289	Sandy Black Alum. & Glass	8W	DC24V	Philips	D: 5 H: 27	400Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090288	Satin Gold Alum. & Glass	8W	DC24V	Philips	D: 5 H: 27	400Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090284	Satin Gold Alum. & Glass	5W	DC24V	Osram	D: 10 H: 14	380Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090283	Sandy Black Alum. & Glass	5W	DC24V	Osram	D: 10 H: 14	380Lm	>90	<18	120°	3000K	IP20	X	X	X	III







CRI 90



**VERSUS** | 9090293  
10W · 3000K



**VERSUS** | 9090292  
10W · 3000K



**CONO** | 9090285  
5W · 3000K




**CONO** | 9090286  
5W · 3000K




**BAR** | 9180561  
5W · 3000K



**BAR** | 9090281  
5W · 3000K



**TAG** | 9180562  
5W · 3000K



**TAG** | 9090282  
5W · 3000K




Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9090293	Sandy Black Aluminium	10W	DC24V	Osram	L:25 W:2.6 H:4.4	430Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090292	Satin Gold Aluminium	10W	DC24V	Osram	L:25 W:2.6 H:4.4	430Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090285	Sandy Black Aluminium	5W	DC24V	Osram	D:6 H:10.6	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090286	Satin Gold Aluminium	5W	DC24V	Osram	D:6 H:10.6	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9180561	Sandy Black Aluminium	5W	DC24V	Philips	D:3 H:14.9	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9090281	Satin Gold Aluminium	5W	DC24V	Philips	D:3 H:14.9	300Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9180562	Sandy Black Aluminium	5W	DC24V	Cree	D:3.2 H:13.5	330Lm	>90	<14	35°	3000K	IP20	✓	X	X	III
	9090282	Satin Gold Aluminium	5W	DC24V	Cree	D:3.2 H:13.5	330Lm	>90	<14	35°	3000K	IP20	✓	X	X	III









CRI 90




**POINT 9028818**  
15W · 3000K





**ART 9028817**  
15W · 3000K




**ART 9028925**  
15W · 3000K



**NOX 9190615**  
15W · 3000K



**ZEON 9190619**  
20W · 3000K



**ZEON 9028838**  
38W · 3000K






Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9028818	Sandy Black Aluminium	15W	DC24V	Osram	D: 16 H: 27.3	1100Lm	>90	<18	120°	3000K	IP20	√	X	X	III
	9028817	Satin Gold Aluminium	15W	DC24V	Osram	D: 16 H: 5	1100Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9028925	Sandy Black Aluminium	15W	DC24V	Osram	D: 16 H: 5	1100Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9190615	Sandy Black Aluminium	15W	DC24V	Osram	L: 45.4 H: 7.4	1100Lm	>90	<18	120°	3000K	IP20	X	X	X	III
	9190619	Sandy Black Aluminium	20W	DC24V	Osram	L: 75.5 H1: 4 H2: 10	1400Lm	>90	<18	120°	3000K	IP20	√	X	X	III
	9028838	Sandy Black Aluminium	38W	DC24V	Osram	L: 150 H1: 4 H2: 10	2660Lm	>90	<18	120°	3000K	IP20	√	X	X	III



WALL MAGNETIC DECORATIVE  
& ACCESSORIES






**CREATE  
YOUR  
WALL  
DESIGN**



**MAGNA | 9180660**

Magnetic Wall Structure  
Sandy Black Aluminium IP20  
Included Driver 60 Watt  
AC85-265V Output 24V DC  
L: 150 W: 1.5 H: 12 cm




**MAGNA | 9180120**

Magnetic Wall Structure  
Sandy Black Aluminium IP20  
Included Driver 120 Watt  
AC85-265V Output 24V DC  
L: 150 W: 1.5 H: 12 cm




**MAGNA | 9180121**

Magnetic Wall Structure  
Sandy Black Aluminium  
L: 150 W: 1.5 H: 12 cm




**MAGNA | 9180122**

Magnetic Wall Structure  
Sandy Black Aluminium  
L: 150 W: 1.5 H: 9 H2: 12 cm



**MAGNA | 9180123**

Magnetic Wall Structure  
Sandy Black Aluminium  
L: 150 W: 1.5 H: 12 cm



**HOW IT  
WORKS**

**YOU CAN MAKE YOUR OWN SHAPE**

- Choose the stick with the driver you need
- Connect magnetically the sticks you need
- Add your favorite accessories the driver supports

**FOR ONE LINE ORDER:**  
9180660 or 9180120

**FOR TWO LINES ORDER:**  
9180660 + 9180122

**FOR THREE LINES ORDER:**  
9180660 + 9180121  
9180123

**FOR FOUR LINES ORDER:**  
9180120 + 9180121  
9180123 + 9180121

**FOR FIVE LINES ORDER:**  
9180120 + 9180121  
9180121 + 9180121  
9180123

**FOR SIX LINES ORDER:**  
9180120 + 9180121  
9180123 + 9180121  
9180123 + 9180122





CHOOSE  
YOUR  
ACCESSORY

CRI  
90




**LIBO** | 9180006  
6W · 3000K



**LIBO** | 9180015  
15W · 3000K



Photo	Code	Material	Watt	Volt	LED Chip	Dimension (cm)	Lumen	CRI	UGR	Beam Angle	Kelvin	Protection	Adj.	Driver Included	Dim.	Class
	9180006	Sandy Black Aluminium	6W	DC24V	Osram	D: 16 H: 6	300Lm	>90	<14	120°	3000K	IP20	X	X	X	III
	9180015	Sandy Black Aluminium	15W	DC24V	Osram	D: 16 H: 6	900Lm	>90	<18	120°	3000K	IP20	X	X	X	III






CREATE  
YOUR  
WALL  
DESIGN

- Choose the stick MAGNA with the driver you need



**MAGNA | 9180660**

Magnetic Wall Structure  
Sandy Black Aluminium IP20  
Included Driver 60 Watt  
AC85-265V Output 24V DC  
L: 150 W: 1.5 H: 12 cm



**MAGNA | 9180120**

Magnetic Wall Structure  
Sandy Black Aluminium IP20  
Included Driver 120 Watt  
AC85-265V Output 24V DC  
L: 150 W: 1.5 H: 12 cm




- Add the RUB accessory



**RUB | 9180661**

Magnetic Wall Accessory  
Sandy Black Aluminium  
38 Watt 24V DC IP20  
2660Lm 3000K CRI>90  
UGR<18 Beam Angle 120°  
L: 150 H: 10 cm



ROTATING & MOVABLE



ROTATING & MOVABLE

