

02 Recessed Spots Fixed LED>The Mirror Dark Light Range

10103H/B/W



3W Dark light recessed spot, IP20.

Complete with 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Mirror Dark Light Range
Order Code	10103H/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	47mm
Diameter	40mm
Cutout Hole Diameter	34mm
Recessed Ceiling	Yes
Depth Required	70mm
Indoor	Yes

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

3W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

Fitting

Input Type

Constant Current

Input Current

700mA

Voltage

3,5V

Safety Class



Power(Watts)

3W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 3535

LED Brand

Bridgelux

LED Number

1

F Mark



Gear

Gear Type


Led Driver

Input Voltage

220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	1,75-3,15W
Power Factor	0,5
Constant Current	Yes
700mA	2,5-4,5V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	-20°C...+50°C
Operating Temp	75°C
Brand	Eaglerise
Protection	Over Load Protection, Over Voltage Protection, Short circuit Protection

Illumination Data

Colour Temperature	3000K
Lumen Output	160lm
Light Efficiency	53,33lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Pcs/Carton	60
Barcode	5291889074960
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

