

06 Downlights Fixed LED>The Budget Downlight Range Aluminium

10103T/W/C



3W SMD LED recessed downlight, budget range, IP20.

Complete with 250mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

06 Downlights Fixed LED

Family

The Budget Downlight Range Aluminium

Order Code

10103T/W/C

Colour

White

Material

Aluminium

Shape



Circular


Height

35mm

Diameter	90mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	9V
Safety Class	
Power(Watts)	2,5W
IP Rating	IP20
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Sanan

LED Number

6

Завантажено з mamadecor.ua

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

2-3W

Power Factor

0,5

Constant Current

Yes

Output

250mA

Voltage Range

8-12V

IP Rating

IP20

Safety Class



Dimmable

No

Housing Material

Plastic

Output Terminal

Cable

Brand

Kegu

Illumination Data

Colour Temperature

4000K

Lumen Output

220lm

Light Efficiency

73,33lm/W

CRI

80

Beam Angle

120°

Illumination Diagram



Packing Info

Box Length

9,5cm

Box Width	9,5cm
Box Height	6cm
Box Weight	0,125kg
Pcs/Carton	100
Barcode	5291889045755
HS Code	9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

