

01 Recessed Spots Fixed>The Dual Ring Range Aluminium

10105A1/B



Dual Ring Range Recessed MR16 spot with GU10 lampholder.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

01 Recessed Spots Fixed

Family

The Dual Ring Range Aluminium

Order Code

10105A1/B

Colour

Black

Material

Aluminium

Shape

Circular

Height



24mm

Diameter	80mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	120mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	No
------	----

Fitting + Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU10
Number of Lamps	1
Dimmable	N/A
Cable Length	15cm
F Mark	

Illumination Data

Illumination Diagram	
----------------------	---

Packing Info

Box Length	9cm
Box Width	9cm

Box Height	5cm
Box Weight	0,132kg
Pcs/Carton	100
Barcode	5291889060321
HS Code	9405409900

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

