

## 02 Recessed Spots Fixed LED&gt;The Mirror Dark Light Range

## 10110H/B/W



10W Dark light recessed spot, IP20.

Complete with 700mA driver.

Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Physical Specification

Item Group	02 Recessed Spots Fixed LED
Family	The Mirror Dark Light Range
Order Code	10110H/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	38mm
Diameter	85mm
Cutout Hole Diameter	75mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes

## Electrical Characteristics

## Gear

## External-Included

## Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

10W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

## Fitting

Input Type

Constant Current

Input Current

700mA

Voltage

12V

Safety Class



Power(Watts)

10W

IP Rating

IP20

Light Source

LED built in

LED Type

SMD 3535

LED Brand

Bridgelux

LED Number

4

F Mark



## Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	7,7-11,9W
Power Factor	0,5
Constant Current	Yes
700mA	11-17V
IP Rating	IP20
Safety Class	
Dimmable	No
Ambient Temp	-20°C...+45°C
Operating Temp	75°C
Brand	Eaglerise
Protection	Over Load Protection, Over Voltage Protection, Short circuit Protection

## Illumination Data

Colour Temperature	3000K
Lumen Output	700lm
Light Efficiency	70lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

## Packing Info

Pcs/Carton	40
Barcode	5291889074830
HS Code	9405413990

## Certification &amp; Warranty

switch to  
**one light!**

one  
LIGHT

