

06 Downlights Fixed LED>The Frameless IP65 Range

10115CF/W



15W LED frameless downlight, IP65. Suitable for Indoor/Outdoor installation and bathroom.

Complete with 500mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Related items



050146/B



050146/W

Physical Specification

Item Group

06 Downlights Fixed LED

Family

The Frameless IP65 Range

Order Code

10115CF/W

Завантажено з mamadecor.ua

Colour

White

Material

Die Cast

Diffuser Material

PC

Shape

Circular

Height

22mm

Diameter

155mm

Cutout Hole Diameter

135mm

Recessed Ceiling

Yes

Depth Required

50mm

Indoor

Yes

Outdoor

Yes

Adjustable

No

IK Rating

8

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

15W

IP Rating

IP65

Light Source

LED built in

Dimmable

No



F Mark



Fitting

Input Type

Constant Current

Input Current	500mA
Voltage	22,5V
Safety Class	
Power(Watts)	11,25W
IP Rating	IP65
Light Source	LED built in
LED Type	SMD 4014
LED Brand	Zhaochi
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	8,5-12W
Power Factor	0,9
Constant Current	Yes
500mA	17-24V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Kegu

Illumination Data

Colour Temperature	3000K
Lumen Output	1650lm
Light Efficiency	110lm/W
CRI	80

Beam Angle

120°

Завантажено з mamadecor.ua

Illumination Diagram



Packing Info

Box Length

21cm

Box Width

19,5cm

Box Height

3cm

Box Weight

0.420kg

Pcs/Carton

20

Carton Length

43cm

Carton Width

37cm

Carton Height

22cm

Carton Weight

9,4Kg

Barcode

5291889057109

HS Code

9405413990

Energy Label



Energy Class

F

Energy Consumption

15kWh/1000h

Certification & Warranty

switch to
one light!

one
LIGHT

