

## 02 Recessed Spots Fixed LED&gt;The Retro Dark Light Range

10120Z/B/W



20W Recessed Dark Light LED spot with black and brass reflector, IP20.

Supplied with Black & Brass reflectors.

Complete with 500mA driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family

The Retro Dark Light Range

Order Code

10120Z/B/W

Colour

Black

Material

Die Cast + Plastic

Shape



Circular


Height

85mm

|                      |       |
|----------------------|-------|
| Diameter             | 118mm |
| Cutout Hole Diameter | 105mm |
| Recessed Ceiling     | Yes   |
| Depth Required       | 105mm |
| Indoor               | Yes   |
| Adjustable           | No    |

## Electrical Characteristics


| Gear             | External-Included   |
|------------------|---|
| Fitting + Driver |   |
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Safety Class     |  |
| Power(Watts)     | 20W   |
| IP Rating        | IP20  |
| Light Source     | LED built in  |
| Dimmable         | No  |
| F Mark           |  |

| Fitting       |   |
|---------------|---|
| Input Type    | Constant Current  |
| Input Current | 500mA   |
| Voltage       | 37,2V   |
| Safety Class  |  |
| Power(Watts)  | 18,6W   |
| IP Rating     | IP20  |
| Light Source  | LED built in  |
| LED Type      | COB   |
| LED Brand     | Cree  |

## Gear

|                  |   |
|------------------|---|
| Gear Type        | Led Driver  |
| Input Voltage    | 220-240V  |
| 50 Hz            | Yes   |
| 60 Hz            | Yes   |
| Power(Watts)     | 12,5-20W  |
| Power Factor     | 0,5   |
| Constant Current | Yes   |
| 500mA            | 25-40V  |
| IP Rating        | IP20  |
| Safety Class     |  |
| Dimmable         | No  |
| Housing Material | Plastic   |
| Output Terminal  | Cable   |
| Brand            | Lifud   |

## Illumination Data

|                      |   |
|----------------------|---|
| Colour Temperature   | 3000K   |
| Lumen Output         | 1600lm  |
| Light Efficiency     | 80lm/W  |
| CRI                  | 80  |
| Beam Angle           | 45°   |
| Illumination Diagram |  |
| Dark Light           | Yes   |

## Packing Info

|            |        |
|------------|--------|
| Box Length | 16cm   |
| Box Width  | 13,5cm |

|            |               |
|------------|---------------|
| Box Height | 10cm          |
| Pcs/Carton | 20            |
| Barcode    | 5291889059035 |
| HS Code    | 9405409900    |

10cm

20

5291889059035

9405409900

Certification & Warranty

|                |         |
|----------------|---------|
| Warranty       | 3 Years |
| Weee Directive | Yes     |

3 Years

Yes

switch to  
**one light!**

