

## 04 Recessed Spots Adjustable LED>The Dark Light Range

## 11103D/G/C



3W LED Dark Light Recessed adjustable spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions




### Gallery



### Must be ordered separately



89004





89004T

## Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The Dark Light Range
Order Code	11103D/G/C
Colour	Grey
Material	Aluminium
Shape	Circular
Height	78mm
Diameter	100mm
Cutout Hole Diameter	90mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	1 Direction


## Electrical Characteristics

## Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	1
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature	4000K
--------------------	-------

Lumen Output	160lm
Light Efficiency	53,33lm/W
CRI	80
Beam Angle	45°
Illumination Diagram	
Dark Light	Yes

## Packing Info

Box Length	11cm
Box Width	7cm
Box Height	8,5cm
Pcs/Carton	50
Barcode	5291889032830
HS Code	9405409900

## Certification &amp; Warranty

Warranty	2 Years
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

