

## 04 Recessed Spots Adjustable LED>Moving Inner Cylinder Range

# 11103M/W/W



3W LED Recessed Moving Inner Cylinder Range adjustable LED Spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions




### Gallery



### Must be ordered separately



89004





89004T

## Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	Moving Inner Cylinder Range
Order Code	11103M/W/W
Colour	White
Material	Aluminium
Shape	Circular
Cutout Hole Diameter	44mm
Recessed Ceiling	Yes
Depth Required	35mm
Indoor	Yes
Adjustable	2 Directions


## Electrical Characteristics

## Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Citizen
LED Number	1
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature	3000K
--------------------	-------

Lumen Output	280lm
Light Efficiency	93,33lm/W
CRI	90
Beam Angle	36°
Illumination Diagram	
Dark Light	Yes

## Packing Info

Box Length	6,5cm
Box Width	6,5cm
Box Height	6,5cm
Box Weight	0,085Kg
Pcs/Carton	100
Barcode	5291889055242
HS Code	9405409900

## Certification &amp; Warranty

Warranty	3 Years
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

