

## 04 Recessed Spots Adjustable LED>The 3x1W Glass Lens Spots

# 11103N/AL/D/35



3x1W LED glass lens adjustable recessed spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



### Downloads



### Dimensions




### Gallery



### Must be ordered separately



89004





89004T

## Physical Specification

Item Group	04 Recessed Spots Adjustable LED
Family	The 3x1W Glass Lens Spots
Order Code	11103N/AL/D/35
Colour	Aluminium
Material	Natural Aluminium
Diffuser Material	Glass
Shape	Circular
Height	40mm
Diameter	80mm
Cutout Hole Diameter	70mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

## Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	3
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature	6000K
Lumen Output	180lm
Light Efficiency	60lm/W
Beam Angle	35°
Illumination Diagram	

6000K

180lm

60lm/W

35°



### Packing Info

Pcs/Carton	100
Barcode	5291889023180
HS Code	9405409900

100

5291889023180

9405409900

### Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

2 Years

Yes

switch to  
**one light!**

one  
LIGHT

