

03 Recessed Spots Adjustable>The Dual Ring Range Aluminium

11105ABG/AL



Recessed adjustable MR16 spot with GU10 lamp holder.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Dual Ring Range Aluminium
Order Code	11105ABG/AL
Colour	Aluminium
Material	Aluminium
Shape	Circular
Height	30mm
Diameter	92mm
Cutout Hole Diameter	80mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes

Electrical Characteristics

Gear	No
------	----

Fitting + Driver

Input Voltage	100-240V
---------------	----------

50 Hz	Yes
-------	-----

60 Hz	Yes
-------	-----

Safety Class	
--------------	---

Power(Watts)	10W
--------------	-----

IP Rating	IP20
-----------	------

Light Source	Replaceable lamp
--------------	------------------

Lamp Holder	GU10
-------------	------

Number of Lamps	1
-----------------	---

Dimmable	N/A
----------	-----

Cable Length	15cm
--------------	------

F Mark	
--------	---

Illumination Data

Illumination Diagram	
----------------------	---

Packing Info

Box Length	10cm
------------	------

Box Width	10cm
-----------	------

Box Height	5cm
------------	-----

Box Weight	0,153kg
------------	---------

Pcs/Carton	50
------------	----

Barcode	5291889037033
---------	---------------

HS Code	9405409900
---------	------------

Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

