

03 Recessed Spots Adjustable&gt;The Dual Ring Range Aluminium

11105ABGL/W



Recessed adjustable MR16 spot with Leaf Springs and GU10 lamp holder.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Physical Specification

Item Group

03 Recessed Spots Adjustable

Family

The Dual Ring Range Aluminium

Order Code

11105ABGL/W

Colour

White

Material

Aluminium

Shape

Circular

Height



34mm

Diameter	92mm
Cutout Hole Diameter	80mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	2 Directions

## Electrical Characteristics

Gear	No
------	----

## Fitting + Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU10
Number of Lamps	1
Dimmable	N/A
Cable Length	15cm
F Mark	

## Illumination Data

Illumination Diagram	
----------------------	---------------------------------------------------------------------------------------

## Packing Info

Box Length	10cm
Box Width	10cm

Box Height	5cm
Box Weight	0,183kg
Pcs/Carton	50
Barcode	5291889050339
HS Code	9405409900

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

