

03 Recessed Spots Adjustable>The Dual Ring Range Round

11105AL/AL



Recessed adjustable MR16 spot with GU5.3 lampholder.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Dual Ring Range Round
Order Code	11105AL/AL
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	35mm
Diameter	80mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	70mm
Indoor	Yes

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	12V AC/DC
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU5.3
Number of Lamps	1
Cable Length	40cm

Illumination Data

Illumination Diagram



Packing Info

Box Length	10cm
Box Width	9,5cm
Box Height	5cm
Box Weight	0,119kg
Pcs/Carton	50
Barcode	5291889003106
HS Code	9405409900

Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

