

03 Recessed Spots Adjustable&gt;The Lock Ring Range Die cast

**11105C/ABS**

Recessed adjustable MR16 spot with GU5.3 lampholder.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Physical Specification

Item Group	03 Recessed Spots Adjustable
Family	The Lock Ring Range Die cast
Order Code	11105C/ABS
Colour	Antique Brass
Material	Die Cast
Shape	Circular
Height	30mm
Diameter	94mm
Cutout Hole Diameter	82mm
Recessed Ceiling	Yes
Depth Required	60mm
Indoor	Yes

## Electrical Characteristics

## Fitting

Input Type	Constant Voltage
Input Voltage	12V AC/DC
Safety Class	
Power(Watts)	50W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU5.3
Number of Lamps	1
Cable Length	40cm

## Illumination Data

Illumination Diagram



## Packing Info

Box Length	10cm
Box Width	10cm
Box Height	5cm
Box Weight	0,113kg
Pcs/Carton	100
Barcode	5291889003113
HS Code	9405409900

Certification & Warranty

Warranty

5 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

