

03 Recessed Spots Adjustable>The Firehood GU10 Range

11105CF/MC



Recessed adjustable MR16 spot with GU10 lamp holder.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

03 Recessed Spots Adjustable

Family

The Firehood GU10 Range

Order Code

11105CF/MC

Colour

Brushed Chrome

Material

Die Cast

Shape

Circular

Height



150mm

Diameter	98mm
Cutout Hole Diameter	87mm
Recessed Ceiling	Yes
Depth Required	180mm
Indoor	Yes
Adjustable	1 Direction

Electrical Characteristics

Gear	No
------	----

Fitting + Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	10W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU10
Number of Lamps	1
Dimmable	N/A
F Mark	

Illumination Data

Illumination Diagram	
----------------------	---

Packing Info

Box Length	10cm
Box Width	10cm
Box Height	5cm

Box Weight	0,118kg
Pcs/Carton	50
Barcode	5291889027799
HS Code	9405409900

0,118kg

50

5291889027799

9405409900

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

5 Years

Yes

switch to
one light!

