

## 04 Recessed Spots Adjustable LED&gt;The Reflector Spots

11106K/W



6W LED adjustable recessed spot, with built-in 100-240V LED driver, made of plastic, with 3 plastic rings, white, black and grey colour.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.




## Downloads



## Dimensions



## Gallery



## Physical Specification

Item Group

04 Recessed Spots Adjustable LED

Family

The Reflector Spots

Order Code

11106K/W

Material

Plastic

Shape

Circular

Height



59,5mm


Diameter

86mm

Cutout Hole Diameter	67mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
IP Rating	IP20
Light Source	LED built in
LED Brand	Nichia
LED Number	1
F Mark	

Gear	
Gear Type	Led Driver
Input Voltage	100-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	6W
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Output Terminal	Cable

#### Illumination Data

Colour Temperature	3000K
Lumen Output	345lm
Light Efficiency	57,5lm/W
CRI	80
Beam Angle	38°
Illumination Diagram	

#### Packing Info

Box Length	10cm
Box Width	10cm
Box Height	8,5cm
Box Weight	0,150Kg
Pcs/Carton	48
Barcode	5291889035015
HS Code	9405104090

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

