

07 Downlights Adjustable LED>Adjustable Multi LED Aluminium

11106LB/W/35



6W LED adjustable multiled downlight, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89008

Physical Specification

| | |
|----------------------|--------------------------------|
| Item Group | 07 Downlights Adjustable LED |
| Family | Adjustable Multi LED Aluminium |
| Order Code | 11106LB/W/35 |
| Colour | Black |
| Material | Aluminium |
| Shape | Circular |
| Height | 40mm |
| Diameter | 105mm |
| Cutout Hole Diameter | 90mm |
| Recessed Ceiling | Yes |
| Depth Required | 50mm |
| Indoor | Yes |
| Adjustable | 1 Direction |

Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Safety Class |  |
| Power(Watts) | 6W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Number | 6 |
| Cable Length | 40cm |
| F Mark |  |

Illumination Data

| | |
|--------------------|-------|
| Colour Temperature | 3000K |
|--------------------|-------|

| |
|----------------------|
| Lumen Output |
| Light Efficiency |
| Beam Angle |
| Illumination Diagram |

270lm

45lm/W

35°



Packing Info

| |
|------------|
| Pcs/Carton |
| Barcode |
| HS Code |

50

5291889022084

9405409900

Certification & Warranty

| |
|----------------|
| Warranty |
| Weee Directive |

2 Years

Yes

switch to
one light!

one
LIGHT

