

## 04 Recessed Spots Adjustable LED&gt;The Reflector Spots

11106K/W



6W LED adjustable recessed spot, with built-in 100-240V LED driver, made of plastic, with 3 plastic rings, white, black and grey colour.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.




## Downloads



## Dimensions



## Gallery



## Physical Specification

Item Group

04 Recessed Spots Adjustable LED

Family

The Reflector Spots

Order Code

11106K/W

Material

Plastic

Shape

Circular

Height

59,5mm

Diameter

86mm

Cutout Hole Diameter
Recessed Ceiling
Depth Required
Indoor
Adjustable

67mm
Yes
90mm
Yes
1 Direction

Electrical Characteristics

Gear
------

Built In
----------

Fitting + Driver

Input Voltage
50 Hz
60 Hz
Safety Class
Power(Watts)
IP Rating
Light Source
Dimmable
F Mark

100-240V
Yes
Yes

6W
IP20
LED built in
No


Fitting

Input Type
IP Rating
Light Source
LED Brand
LED Number
F Mark

Constant Current
IP20
LED built in
Nichia
1


Gear

Gear Type
Input Voltage

Led Driver
100-240V

50 Hz	Yes
60 Hz	Yes
Power(Watts)	6W
Constant Current	Yes
IP Rating	IP20
Safety Class	
Dimmable	No
Output Terminal	Cable

#### Illumination Data

Colour Temperature	3000K
Lumen Output	345lm
Light Efficiency	57,5lm/W
CRI	80
Beam Angle	38°
Illumination Diagram	

#### Packing Info

Box Length	10cm
Box Width	10cm
Box Height	8,5cm
Box Weight	0,150Kg
Pcs/Carton	48
Barcode	5291889035015
HS Code	9405104090

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to  
**one light!**

one  
LIGHT

