

07 Downlights Adjustable LED&gt;Adjustable Multi LED Aluminium

11106LB/D/35



6W LED adjustable multiled downlight, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Must be ordered separately



89008

## Physical Specification

Item Group	07 Downlights Adjustable LED
Family	Adjustable Multi LED Aluminium
Order Code	11106LB/D/35
Colour	Black
Material	Aluminium
Shape	Circular
Height	40mm
Diameter	105mm
Cutout Hole Diameter	90mm
Recessed Ceiling	Yes
Depth Required	50mm
Indoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

## Fitting

Input Type	Constant Current
Input Current	350mA
Safety Class	
Power(Watts)	6W
IP Rating	IP20
Light Source	LED built in
LED Number	6
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature	6000K
--------------------	-------

Lumen Output
Light Efficiency
Beam Angle
Illumination Diagram

360lm

60lm/W

35°



### Packing Info

Pcs/Carton
Barcode
HS Code

50

5291889022091

9405409900

### Certification & Warranty

Warranty
Weee Directive

2 Years

Yes

switch to  
**one light!**

one  
LIGHT

