

04 Recessed Spots Adjustable LED>The Trimless COB Spot Die cast

11107BT/W/W

7W COB LED recessed trimless adjustable spot, suitable for indoor/outdoor applications, IP54.

Requires 700mA constant current LED driver.


Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery



Must be ordered separately



89015A




89015AT

Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The Trimless COB Spot Die cast
Order Code	11107BT/W/W
Colour	White
Material	Die Cast
Shape	Rectangular
Length	120mm
Width	120mm
Height	80mm
Cutout Hole Diameter	96mm
Recessed trimless ceiling	Yes
Depth Required	105mm
Indoor	Yes
Outdoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Fitting	
Input Type	Constant Current
Input Current	700mA
Voltage	10V
Safety Class	III
Power(Watts)	7W

IP Rating	IP54
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
LED Number	1
Cable Length	40cm
F Mark	

Illumination Data

Colour Temperature	3000K
Lumen Output	500lm
Light Efficiency	71,42lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Length	13cm
Box Width	13cm
Box Height	8cm
Box Weight	0,45Kg
Pcs/Carton	30
Barcode	5291889046998
HS Code	9405409900

Certification & Warranty

Warranty

5 Years

Average Lifetime

40000hours

Weee Directive

Yes

switch to
one light!

one
LIGHT

