

## 04 Recessed Spots Adjustable LED>The Interchangeable Rings Range

### 11107K/B/W

Aluminium



7W COB LED adjustable recessed spot with interchangeable rings.

Ring must be ordered separately.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



#### Downloads



#### Dimensions



#### Must be ordered separately



050102/B



050102/BS



050102/C



050102/CU



050102/W





89015A

## Physical Specification


Item Group	04 Recessed Spots Adjustable LED
Family	The Interchangeable Rings Range Aluminium
Order Code	11107K/B/W
Colour	Black
Material	Aluminium
Shape	Circular
Height	73mm
Diameter	85mm
Cutout Hole Diameter	76mm
Recessed Ceiling	Yes
Depth Required	100mm
Indoor	Yes
Adjustable	1 Direction

## Electrical Characteristics

## Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	10V
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Cree
LED Number	1
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature	3000K
Lumen Output	550lm
Light Efficiency	78,57lm/W
CRI	80
Beam Angle	35°
Illumination Diagram	
Dark Light	Yes

## Packing Info

Box Length	9,5cm
Box Width	9,5cm
Box Height	8,5cm
Box Weight	0,260Kg
Pcs/Carton	30
Barcode	5291889054177
HS Code	9405409900

## Certification &amp; Warranty

Warranty	3 Years
Weee Directive	Yes

switch to  
**one light!**

one  
LIGHT

