

05 Downlights>Extractable R111 Die cast

11110H/W



Recessed adjustable R111 extractable downlight with GU10 lampholder.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

05 Downlights

Family

Extractable R111 Die cast

Order Code

11110H/W

Colour

White

Material

Die Cast

Shape

Circular

Height



160mm

Diameter	195mm
Cutout Hole Diameter	185mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	No
------	----

Fitting + Driver

Input Voltage	100-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	75W
IP Rating	IP20
Light Source	Replaceable lamp
Lamp Holder	GU10
Number of Lamps	1
Dimmable	N/A
Cable Length	20cm
F Mark	

Illumination Data

Illumination Diagram	
----------------------	---

Packing Info

Box Length	20cm
Box Width	20cm

Box Height	18cm
Box Weight	1,38Kg
Pcs/Carton	8
Barcode	5291889020684
HS Code	9405409900

Certification & Warranty

Warranty	5 Years
Weee Directive	Yes

switch to
one light!

one
LIGHT

