

07 Downlights Adjustable LED>Dark Mirror Reflector Range

11120E/W/W



20W COB LED adjustable recessed Spot with dark chrome reflector.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	07 Downlights Adjustable LED
Family	Dark Mirror Reflector Range
Order Code	11120E/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	72mm
Diameter	160mm
Cutout Hole Diameter	140mm
Recessed Ceiling	Yes
Depth Required	110mm
Indoor	Yes

Electrical Characteristics

Gear

External-Included

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

20W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

500mA

Voltage

36,9V

Safety Class



Power(Watts)

18,45W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Cree

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz
60 Hz
Power(Watts)
Power Factor
Constant Current
500mA
IP Rating
Safety Class
Dimmable
Housing Material
Output Terminal
Brand

Yes

Yes

12,5-20W

0,9

Yes

25-40V

IP20



No

Plastic

Cable

Lifud

Illumination Data

Colour Temperature
Lumen Output
Light Efficiency
CRI
Beam Angle
Illumination Diagram
Dark Light

3000K

1700lm

85lm/W

80

30°



Yes

Packing Info

Pcs/Carton
Barcode
HS Code

20

5291889064213

9405409900

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

