

14 Wall & Ceiling LED>Adjustable Display Spots

12109LA/W/W



9W COB LED adjustable ceiling downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

14 Wall & Ceiling LED

Family

Adjustable Display Spots

Order Code

12109LA/W/W

Colour

White

Material

Die Cast

Shape



Circular

Height

103mm


Diameter	100mm
Surface Ceiling	Yes
Surface Wall	Yes
Indoor	Yes
Adjustable	2 Directions

Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	9W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	250mA
Voltage	34V
Power(Watts)	8,5W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Cree

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	8-10W
Power Factor	0,9
Constant Current	Yes
250mA	32-40V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Manufacturer	Philips


Illumination Data

Colour Temperature	3000K
Lumen Output	700lm
Light Efficiency	77,78lm/W
CRI	80
Beam Angle	25°
Illumination Diagram	

Packing Info

Box Length	13cm
Box Width	13cm
Box Height	13,5cm
Box Weight	0,9Kg
Pcs/Carton	24
Barcode	5291889043119
HS Code	9405409900

Energy Label



Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

