


## 02 Recessed Spots Fixed LED>The COB Dark Light Range Interchangeable Reflector

### 10112K/W/W



12W COB LED Dark light recessed spot.

Reflector must be ordered separately.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



#### Downloads



#### Dimensions



#### Must be ordered separately



050280/B



050280/BS



050280/W



89015A

#### Related items



89015AT

#### Physical Specification



Item Group

02 Recessed Spots Fixed LED

Family	The COB Dark Light Range
Order Code	10112K/W/W
Colour	White
Material	Die Cast
Shape	Circular
Height	102mm
Diameter	73mm
Cutout Hole Diameter	67mm
Recessed Ceiling	Yes
Depth Required	120mm
Indoor	Yes
Adjustable	No


## Electrical Characteristics

## Fitting

Input Type	Constant Current
Input Current	700mA
Voltage	18V
Safety Class	
Power(Watts)	12W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Bridgelux
Cable Length	40cm
F Mark	

## Illumination Data

Colour Temperature	3000K
--------------------	-------

Lumen Output	1100lm
Light Efficiency	91,67lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	
Dark Light	Yes

### Packing Info

Box Weight	0.286kg
Pcs/Carton	50
Barcode	5291889072355
HS Code	9405413990

### Certification & Warranty

Warranty	5 years
----------	---------

switch to  
**one light!**

**one**  
LIGHT

