

06 Downlights Fixed LED>Dark Light Downlights Aluminium

10115E/AL/C



15W LED Dark Light recessed spot IP40.

Requires 700mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Must be ordered separately



89015A



89015AT

Physical Specification

Item Group	06 Downlights Fixed LED
Family	Dark Light Downlights Aluminium
Order Code	10115E/AL/C
Colour	Aluminium
Material	Natural Aluminium
Shape	Circular
Height	135mm
Diameter	139mm
Cutout Hole Diameter	125mm
Recessed Ceiling	Yes
Depth Required	150mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Fitting

Input Type	Constant Current
Input Current	700mA
Safety Class	III
Power(Watts)	15W
IP Rating	IP40
Light Source	LED built in
LED Type	COB

LED Brand

Bridgelux

Завантажено з mamadecor.ua

Cable Length

40cm

F Mark



Illumination Data

Colour Temperature

4000K

Lumen Output

1125lm

Light Efficiency

75lm/W

CRI

80

Illumination Diagram



Dark Light

Yes

Packing Info

Box Length

16,5cm

Box Width

16,5cm

Box Height

14cm

Pcs/Carton

20

Barcode

5291889032892

HS Code

9405409900

Certification & Warranty

Warranty

3 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

