

02 Recessed Spots Fixed LED&gt;The Dark Light Pro Range Aluminium

10115FD/W/W



15W COB LED recessed spot, IP20, for general lighting applications.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family

The Dark Light Pro Range Aluminium

Order Code

10115FD/W/W

Colour

White

Material

Aluminium

Shape



Circular

Height


120mm

Diameter	92mm
Cutout Hole Diameter	82mm
Recessed Ceiling	Yes
Depth Required	150mm
Indoor	Yes
Adjustable	No

## Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	15W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	

## Fitting

Input Type	Constant Current
Input Current	350mA
Voltage	39,5V
Safety Class	
Power(Watts)	13,82W
IP Rating	IP20
Light Source	LED built in
LED Type	COB
LED Brand	Epistar

LED Number

1

Завантажено з mamadecor.ua

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

8,75-14W

Power Factor

0,9

Constant Current

Yes

350mA

25-40V

IP Rating

IP20

Safety Class



Dimmable

No

Housing Material

Plastic

Brand

LIFUD

#### Illumination Data

Colour Temperature

3000K

Lumen Output

1275lm

Light Efficiency

85lm/W

CRI

80

Beam Angle

24°

Illumination Diagram



Dark Light

Yes

#### Packing Info

Box Length

12,5cm

Box Width

10cm

Box Height	14cm
Pcs/Carton	20
Barcode	5291889057383
HS Code	9405409900

14cm

20

5291889057383

9405409900

Certification & Warranty

Warranty	2 Years
Weee Directive	Yes

2 Years

Yes

switch to  
**one light!**

