

04 Recessed Spots Adjustable LED>The 1W Mini Series Aluminium

11101B/D/15



1W LED adjustable recessed spot, mini series range, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Must be ordered separately



89004



89004T

Physical Specification

Item Group

04 Recessed Spots Adjustable LED

Family

The 1W Mini Series Aluminium

Order Code

11101B/D/15

Colour

Black

Material

Aluminium

Shape

Circular

| | |
|----------------------|-------------|
| Height | 30mm |
| Diameter | 52mm |
| Cutout Hole Diameter | 45mm |
| Recessed Ceiling | Yes |
| Depth Required | 40mm |
| Indoor | Yes |
| Adjustable | 1 Direction |

Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Safety Class |  |
| Power(Watts) | 1W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Number | 1 |
| Cable Length | 40cm |
| F Mark |  |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 6000K |
| Lumen Output | 60lm |
| Light Efficiency | 60lm/W |
| Beam Angle | 15° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|-----|
| Pcs/Carton | 100 |
|------------|-----|

Barcode

5291889021865

[Завантажено з mamadecor.ua](http://mamadecor.ua)

HS Code

9405409900

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

