

04 Recessed Spots Adjustable LED>The Dark Light Range

11103D/G/C



3W LED Dark Light Recessed adjustable spot, IP20.

Requires 350mA driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions




Gallery



Must be ordered separately



89004



89004T

Physical Specification

| | |
|----------------------|----------------------------------|
| Item Group | 04 Recessed Spots Adjustable LED |
| Family | The Dark Light Range |
| Order Code | 11103D/G/C |
| Colour | Grey |
| Material | Aluminium |
| Shape | Circular |
| Height | 78mm |
| Diameter | 100mm |
| Cutout Hole Diameter | 90mm |
| Recessed Ceiling | Yes |
| Depth Required | 90mm |
| Indoor | Yes |
| Adjustable | 1 Direction |


Electrical Characteristics

Fitting

| | |
|---------------|---|
| Input Type | Constant Current |
| Input Current | 350mA |
| Safety Class |  |
| Power(Watts) | 3W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Number | 1 |
| Cable Length | 40cm |
| F Mark |  |

Illumination Data

| | |
|--------------------|-------|
| Colour Temperature | 4000K |
|--------------------|-------|

| | |
|----------------------|---|
| Lumen Output | 160lm |
| Light Efficiency | 53,33lm/W |
| CRI | 80 |
| Beam Angle | 45° |
| Illumination Diagram |  |
| Dark Light | Yes |

Packing Info

| | |
|------------|---------------|
| Box Length | 11cm |
| Box Width | 7cm |
| Box Height | 8,5cm |
| Pcs/Carton | 50 |
| Barcode | 5291889032830 |
| HS Code | 9405409900 |

Certification & Warranty

| | |
|----------------|---------|
| Warranty | 2 Years |
| Weee Directive | Yes |

switch to
one light!

one
LIGHT

