

# **Product Datasheet**

www.1-light.eu

04 Recessed Spots Adjustable LED>The Dark Light Range

## 11103D/W/C



3W LED Dark Light Recessed adjustable spot, IP20.

Requires 350mA driver.

Complies with standard EN60598-1 and any other specific standards.


















Downloads







Dimensions



#### Gallery



#### Must be ordered separately





89004

89004T

Item Group	04 Recessed Spots Adjustable LED
Family	The Dark Light Range
Order Code	11103D/W/C
Colour	White
Material	Aluminium
Shape	Circular
Height	78mm
Diameter	100mm
Cutout Hole Diameter	90mm
Recessed Ceiling	Yes
Depth Required	90mm
Indoor	Yes
Adjustable	1 Direction

#### **Electrical Characteristics**

Fitting	
Input Type	Constant Current
Input Current	350mA
Safety Class	TII)
Power(Watts)	3W
IP Rating	IP20
Light Source	LED built in
LED Number	1
Cable Length	40cm
F Mark	F

### Illumination Data

Colour Temperature 4000K

Lumen Output	160lm	Завантажено з mamadecor.ua
Light Efficiency	53,33lm/W	
CRI	80	
Beam Angle	45°	
Illumination Diagram		
Dark Light	Yes	

Packing Info	
Box Length	11cm
Box Width	7cm
Box Height	8,5cm
Pcs/Carton	50
Barcode	5291889032816
HS Code	9405409900

# Certification & Warranty Warranty Weee Directive 2 Years Yes



