

04 Recessed Spots Adjustable LED>The Dimmable Reflector Spots

11109KD/W/W



9,2W LED adjustable recessed spot, with built-in 230V LED driver, made of plastic. Supplied with TRIAC dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

04 Recessed Spots Adjustable LED

Family

The Dimmable Reflector Spots

Order Code

11109KD/W/W

Material

Aluminium

Diffuser Material

Acrylic

Shape



Circular


Height

62mm


| | |
|----------------------|-------------|
| Diameter | 86mm |
| Cutout Hole Diameter | 67mm |
| Recessed Ceiling | Yes |
| Depth Required | 90mm |
| Indoor | Yes |
| Adjustable | 1 Direction |

Electrical Characteristics


| | |
|------------------|---|
| Gear | Built In |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 9,2W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | Yes |
| Dimmer type | Triac |
| F Mark |  |

| | |
|--------------|---|
| Fitting | |
| Input Type | Constant Current |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Sanan |
| LED Number | 1 |
| F Mark |  |

Gear

| | |
|------------------|---|
| Gear Type | Led Driver |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 9,2W |
| Constant Current | Yes |
| IP Rating | IP20 |
| Safety Class |  |
| Dimmable | Yes |
| Output Terminal | Cable |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K |
| Lumen Output | 620lm |
| Light Efficiency | 67,4lm/W |
| CRI | 80 |
| Beam Angle | 38° |
| Illumination Diagram |  |

Packing Info

| | |
|------------|---------------|
| Box Length | 10cm |
| Box Width | 10cm |
| Box Height | 8,5cm |
| Box Weight | 0,150Kg |
| Pcs/Carton | 48 |
| Barcode | 5291889038689 |
| HS Code | 9405409900 |

Certification & Warranty

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

