


Product Datasheet

www.1-light.eu

13 Wall & Ceiling LED>LED Decorative Cylinders

12115D/B/W



15W COB LED Cylinder, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads









Dimensions



Physical Specification

Itom Croup	12 Mall 9 Cailing LED
Item Group	13 Wall & Ceiling LED
Family	LED Decorative Cylinders
Order Code	12115D/B/W
Colour	Black
Material	Aluminium + Plastic
Shape	Circular
Height	155mm
Diameter	72mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No

Geal Type	Lea Dilvei
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	2,6-5,2W
Power Factor	0,9

Constant Current	Yes Завантажено з mamadecor.ua
350mA	30-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Brand	Kegu
Illumination Data	
Oalas va Tanana aratura	00001/
Colour Temperature	3000K
Lumen Output	1200lm
Light Efficiency	80lm/W
CRI	80
Beam Angle	45°
Illumination Diagram	
Packing Info	
Box Length	8cm
Box Width	8cm
Box Height	16cm
Box Weight	0.520kg
Pcs/Carton	24
Barcode	5291889058748
HS Code	9405413990

Warranty	3 Years
Weee Directive	Yes

switch to one light!

