

13 Wall & Ceiling LED>The COB LED Indoor Cylinders Aluminium

12130LA/W/W



30W COB LED ceiling downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Physical Specification

Item Group	13 Wall & Ceiling LED
Family	The COB LED Indoor Cylinders Aluminium
Order Code	12130LA/W/W
Colour	White
Material	Aluminium
Shape	Circular
Height	138mm
Diameter	198mm
Surface Wall	Yes
Indoor	Yes
Adjustable	No

Gear

Built In

Fitting + Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Safety Class



Power(Watts)

30W

IP Rating

IP20

Light Source

LED built in

Dimmable

No

F Mark



Fitting

Input Type

Constant Current

Input Current

700mA

Voltage

40V

Power(Watts)

29,4W

IP Rating

IP20

Light Source

LED built in

LED Type

COB

LED Brand

Philips

Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

19-30,4W

Power Factor

0,9

Constant Current	Yes
700mA	27-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic

Illumination Data

Colour Temperature	3000K
Lumen Output	2500lm
Light Efficiency	83,33lm/W
CRI	80
Beam Angle	50°
Illumination Diagram	

Packing Info

Box Weight	1.000kg
Pcs/Carton	12
Barcode	5291889044925
HS Code	9405409900

Certification & Warranty

Warranty	3 Years
----------	---------

switch to
one light!

one
LIGHT

