

New 2023 Edition 2>Downlights Fixed LED

50125UV/W



25W SMD LED UGR19 downlight with adjustable CCT, IP44.

Complete with 500mA driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads



Dimensions



Gallery



Physical Specification

Item Group

New 2023 Edition 2

Family

Downlights Fixed LED

Order Code

50125UV/W

Colour

White

Material

Die Cast

Shape



Rectangular

Length

175mm

Width	175mm
Height	35mm
Cutout Hole Width	160mm
Cutout Hole Length	160mm
Recessed Ceiling	Yes
Depth Required	70mm
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	25W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	500mA
Voltage	40,5V
Safety Class	
Power(Watts)	22,5W
IP Rating	IP44
Light Source	LED built in

LED Type

SMD 2835

Завантажено з mamadecor.ua

LED Brand

Epistar

F Mark



Gear

Gear Type

Led Driver

Input Voltage

220-240V

50 Hz

Yes

60 Hz

Yes

Power(Watts)

12,5-20W

Power Factor

0,9

Constant Current

Yes

500mA

25-40V

IP Rating

IP44

Safety Class



Dimmable

No

Housing Material

Plastic

Output Terminal

Cable

Brand

Lifud

Protection

Short Circuit and Overload

Illumination Data

Colour Temperature

3000K-4000K-6000K

Lumen Output

2750lm

Light Efficiency

110lm/W

CRI

80

Illumination Diagram



UGR

19

Packing Info

Pcs/Carton

20

[Завантажено з mamadecor.ua](http://mamadecor.ua)

Barcode

5291889075196

HS Code

9405413990

Certification & Warranty

Warranty

3 years

switch to
one light!

one
LIGHT

