


Product Datasheet

www.1-light.eu

13 Wall & Ceiling LED>Surface Shop Square Boxes Aluminium

12307B/W/W



3x7W COB LED downlight, ideal for residential and commercial illumination.

Complete with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions



Physical Specification

| Gear | Built In |
|------------------|------------------|
| | |
| Fitting + Driver | |
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class | |
| Power(Watts) | 3x7W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark | F |
| | |
| Fitting | |
| Input Type | Constant Current |
| Input Current | 350mA |
| Voltage | 54V |
| Power(Watts) | 18,9W |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | COB |
| LED Brand | Citizen |
| LED Number | 3 |
| | |
| Gear | |
| Gear Type | Led Driver |
| Input Voltage | 100-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Power(Watts) | 21W |
| 1 owor(watto) | Z 1 V V |

| Power Factor | 0,95 Завантажено з mamadecor.ua |
|----------------------|---------------------------------|
| Constant Current | Yes |
| 350mA | |
| IP Rating | IP20 |
| Safety Class | |
| Dimmable | No |
| Housing Material | Plastic |
| Brand | LETARON |
| | |
| Illumination Data | |
| | |
| Colour Temperature | 3000K |
| Lumen Output | 3X550lm |
| Light Efficiency | 78,57lm/W |
| CRI | 90 |
| Beam Angle | 36° |
| Illumination Diagram | |
| | |
| Packing Info | |
| | |
| Box Length | 17cm |
| Box Width | 8cm |
| Box Height | 12,5cm |
| Box Weight | 0.983kg |
| Pcs/Carton | 12 |
| Barcode | 5291889058342 |
| HS Code | 9405413990 |
| | |

| Warranty | 3 Years |
|----------------|---------|
| Weee Directive | Yes |

switch to one light!

