

11 Office & Kitchen>The Office Floor Stand Range Aluminium

36002/W/C



60W floor stand Dimmable LED lighting fitting with EU plug.

Complete with touch switch.
Supplied with 2x700mA drivers.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

11 Office & Kitchen

Family

The Office Floor Stand Range Aluminium

Order Code

36002/W/C

Colour

White

Material

Aluminium

Shape

Rectangular

Length

325mm

Width	665mm
Height	2000mm
Surface Floor/Ground	Yes
Indoor	Yes
Adjustable	No

Electrical Characteristics

Gear	Built In
------	----------

Fitting + Driver


Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	60W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
F Mark	

Fitting


Input Type	Constant Current
Input Current	700mA
Voltage	36V Up 33V Down
Power(Watts)	25,2W Up 23,1W Down
IP Rating	IP20
Light Source	LED built in
LED Brand	Jufei

Gear

Gear Type	Led Driver
-----------	------------

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	2X30W
Power Factor	0,9
Constant Current	Yes
700mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Lifud

Illumination Data

Colour Temperature	4000K
Lumen Output	8000lm
Light Efficiency	133,33lm/W
CRI	80
Illumination Diagram	
UGR	17

Packing Info

Box Weight	15.400kg
Pcs/Carton	1
Barcode	5291889070146
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

