

11 Office &amp; Kitchen&gt;The Office Floor Stand Range Aluminium

36004/W/C



75W floor stand Dimmable LED lighting fitting with EU plug.

Complete with touch switch.  
Supplied with dimmable drivers.

Complies with standard EN60598-1 and any other specific standards.



## Downloads



## Dimensions



## Gallery



## Physical Specification

Item Group

11 Office &amp; Kitchen

Family

The Office Floor Stand Range Aluminium

Order Code

36004/W/C

Colour

White

Material

Aluminium

Shape

Rectangular

Length

65mm

Width	1000mm
Height	2000mm
Surface Floor/Ground	Yes
Indoor	Yes
Adjustable	No

## Electrical Characteristics

Gear	Built In
------	----------

## Fitting + Driver


Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	75W
IP Rating	IP20
Light Source	LED built in
Dimmable	Yes
F Mark	

## Fitting


Input Type	Constant Current
Input Current	700mA+1200mA
Voltage	36V Up 36V Down
Power(Watts)	43,2W Up 25,2W Down
IP Rating	IP20
Light Source	LED built in
LED Brand	Samsung

## Gear

Gear Type	Led Driver
-----------	------------

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	30W + 50,4W
Power Factor	0,9
Constant Current	Yes
700mA	25-42V
1200mA	25-42V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Connector
Brand	Lifud

## Illumination Data

Colour Temperature	4000K
Lumen Output	9700lm
Light Efficiency	129,33lm/W
CRI	80
Illumination Diagram	
Dark Light	Yes

## Packing Info

Box Weight	16.400kg
Pcs/Carton	1
Barcode	5291889070177
HS Code	9405413990

## Certification &amp; Warranty

switch to  
**one light!**

one  
LIGHT

