

18 Bathroom>The Mirror LED Round Aluminium + PC

38120C/C



20W LED fitting ideal for installation above the bathroom mirror, IP44.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group	18 Bathroom
Family	The Mirror LED Round Aluminium + PC
Order Code	38120C/C
Colour	Chrome
Material	Aluminium
Diffuser Material	PC
Shape	Rectangular

Length	900mm
Width	65mm
Height	53mm
Surface Wall	Yes
Indoor	Yes

Electrical Characteristics

Gear	Built In
------	----------


Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	20W
IP Rating	IP44
Light Source	LED built in
Dimmable	No
F Mark	


Fitting

Input Type	Constant Current
Input Current	500mA
Voltage	38V
Power(Watts)	19W
IP Rating	IP44
Light Source	LED built in
LED Type	SMD 2835
LED Brand	ETI

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	15-21,5W
Power Factor	0,9
Constant Current	Yes
500mA	30-43V
IP Rating	IP20
Safety Class	
Dimmable	No
Brand	Yingjiao

Illumination Data

Colour Temperature	4000K
Lumen Output	1700lm
Light Efficiency	85lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	92cm
Box Width	6cm
Box Height	7,5cm
Box Weight	0.930kg
Pcs/Carton	10
Barcode	5291889046257
HS Code	9405413990

Certification & Warranty

switch to
one light!

one
LIGHT

