

14 Plafo>The Ultra Slim LED Panel Plafo

62018F/W/C



18W LED slim plafo light, IP40, suitable for residential and commercial application.

Supplied with non-dimmable LED driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

14 Plafo

Family

The Ultra Slim LED Panel Plafo

Order Code

62018F/W/C

Colour

White

Material

Aluminium

Diffuser Material

PC

Shape

Circular

Height	18mm
Diameter	220mm
Surface Ceiling	Yes
Indoor	Yes
Adjustable	No
IK Rating	4

Electrical Characteristics

Gear	Built In
------	----------

Fitting + Driver

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	18W
IP Rating	IP40
Light Source	LED built in
Dimmable	No
F Mark	

Fitting

Input Type	Constant Current
IP Rating	IP40
Light Source	LED built in
LED Type	SMD 4014
LED Brand	Sanan
F Mark	

Gear

Gear Type	Led Driver
-----------	------------

Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	18W
Constant Current	Yes
IP Rating	IP20
Dimmable	No

Illumination Data

Colour Temperature	4000K
Lumen Output	1450lm
Light Efficiency	80,55lm/W
CRI	80
Illumination Diagram	

Packing Info

Box Length	26,5cm
Box Width	23cm
Box Height	3cm
Box Weight	0.495kg
Pcs/Carton	20
Barcode	5291889051749
HS Code	9405413990

Warranty

2 Years

Weee Directive

Yes

switch to
one light!

one
LIGHT

