

02 Recessed Spots Fixed LED>The 8W Asymmetric Range

50108A/W/W



8W COB LED Recessed Assymmetric Spot.

Supplied with non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family

The 8W Asymmetric Range

Order Code

50108A/W/W

Colour

White

Material

Die Cast

Shape



Rectangular


Length


82mm

Width	82mm
Height	74mm
Cutout Hole Width	73mm
Cutout Hole Length	73mm
Recessed Ceiling	Yes
Depth Required	85mm
Indoor	Yes
Adjustable	No


Electrical Characteristics

Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	8W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	


Fitting	
Input Type	Constant Current
Input Current	350mA
Voltage	20V
Safety Class	
Power(Watts)	7W
IP Rating	IP20
Light Source	LED built in

LED Type	COB
LED Brand	Cree
F Mark	

Gear

Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	5-8,4W
Power Factor	0,9
Constant Current	Yes
350mA	14-24V
IP Rating	IP20
Safety Class	
Dimmable	No
Housing Material	Plastic
Output Terminal	Cable
Brand	Lifud
Protection	Short Circuit and Overload

Illumination Data

Colour Temperature	3000K
Lumen Output	560lm
Light Efficiency	70lm/W
CRI	80
Beam Angle	50°
Illumination Diagram	
Dark Light	Yes

Packing Info

Box Weight

0.254kg

[Завантажено з mamadecor.ua](http://mamadecor.ua)

Pcs/Carton

50

Barcode

5291889066088

HS Code

9405413990

Certification & Warranty

Warranty

3 years

switch to
one light!

one
LIGHT

