

Product Datasheet

www.1-light.eu

06 Downlights Fixed LED>Shop Square Boxes

50130B/W/C



30W downlight LED, shop square boxes range IP20, ideal for commercial applications such as offices, galleries and showrooms.

Supplied with 750mA non-dimmable LED driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads










Dimensions







114mm

Physical Specification

Item Group	06 Downlights Fixed LED
Family	Shop Square Boxes
Order Code	50130B/W/C
Colour	White
Material	Aluminium
Shape	Rectangular
Length	140mm
Width	140mm
Height	114mm
Cutout Hole Width	130mm
Cutout Hole Length	130mm
Recessed Ceiling	Yes

Depth Required	120mm Завантажено з mamadecor.ua
Indoor	Yes
Adjustable	No
Electrical Characteristics	
Gear	External-Included
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	30W
IP Rating	IP20
Light Source	LED built in
Dimmable	No
F Mark	F
Fitting	
Input Type	Constant Current
Input Current	750mA
Voltage	35,5V
Safety Class	
Power(Watts)	26,62W
IP Rating	IP20
Light Source	LED built in
LED Type	СОВ
LED Brand	Sanan
Gear	
Gear Type	Led Driver

Input Voltage	220-240V Завантажено з mamadeco	or.ua
50 Hz	Yes	
60 Hz	Yes	
Power(Watts)	25-30W	
Power Factor	0,9	
Constant Current	Yes	
750mA	33-40V	
IP Rating	IP20	
Safety Class		
Dimmable	No	
Housing Material	Plastic	
Brand	Lifud	
Ilumination Data		
Colour Temperature	4000K	
Lumen Output	2700lm	
Light Efficiency	90lm/VV	
CRI	80	
Beam Angle	30°	
Illumination Diagram		
Packing Info		
Box Length	16cm	
Box Width	16cm	
Box Height	13cm	
Pcs/Carton	16	
Barcode	5291889061434	
HS Code	9405409900	

Warranty	3 Years
Weee Directive	Yes

switch to one light!

